

Slaven Erceg

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8716871/slaven-erceg-publications-by-citations.pdf>

Version: 2024-04-18

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83

papers

2,520

citations

28

h-index

48

g-index

89

ext. papers

2,810

ext. citations

4.5

avg, IF

4.64

L-index

#	Paper	IF	Citations
83	Challenges of stem cell therapy for spinal cord injury: human embryonic stem cells, endogenous neural stem cells, or induced pluripotent stem cells?. <i>Stem Cells</i> , 2010 , 28, 93-9	5.8	153
82	Transplanted oligodendrocytes and motoneuron progenitors generated from human embryonic stem cells promote locomotor recovery after spinal cord transection. <i>Stem Cells</i> , 2010 , 28, 1541-9	5.8	131
81	Oral administration of sildenafil restores learning ability in rats with hyperammonemia and with portacaval shunts. <i>Hepatology</i> , 2005 , 41, 299-306	11.2	131
80	Activated spinal cord ependymal stem cells rescue neurological function. <i>Stem Cells</i> , 2009 , 27, 733-43	5.8	122
79	Brain edema and inflammatory activation in bile duct ligated rats with diet-induced hyperammonemia: A model of hepatic encephalopathy in cirrhosis. <i>Hepatology</i> , 2006 , 43, 1257-66	11.2	122
78	Glutamine synthetase activity and glutamine content in brain: modulation by NMDA receptors and nitric oxide. <i>Neurochemistry International</i> , 2003 , 43, 493-9	4.4	121
77	Differentiation of human embryonic stem cells to regional specific neural precursors in chemically defined medium conditions. <i>PLoS ONE</i> , 2008 , 3, e2122	3.7	105
76	Restoration of learning ability in hyperammonemic rats by increasing extracellular cGMP in brain. <i>Brain Research</i> , 2005 , 1036, 115-21	3.7	99
75	FM19G11, a new hypoxia-inducible factor (HIF) modulator, affects stem cell differentiation status. <i>Journal of Biological Chemistry</i> , 2010 , 285, 1333-42	5.4	91
74	Human embryonic stem cell differentiation toward regional specific neural precursors. <i>Stem Cells</i> , 2009 , 27, 78-87	5.8	85
73	Concise review: reactive astrocytes and stem cells in spinal cord injury: good guys or bad guys?. <i>Stem Cells</i> , 2015 , 33, 1036-41	5.8	76
72	Molecular mechanism of acute ammonia toxicity: role of NMDA receptors. <i>Neurochemistry International</i> , 2002 , 41, 95-102	4.4	73
71	Chronic liver failure in rats impairs glutamatergic synaptic transmission and long-term potentiation in hippocampus and learning ability. <i>European Journal of Neuroscience</i> , 2007 , 25, 2103-11	3.5	61
70	Efficient differentiation of human embryonic stem cells into functional cerebellar-like cells. <i>Stem Cells and Development</i> , 2010 , 19, 1745-56	4.4	50
69	Developmental exposure to polychlorinated biphenyls PCB153 or PCB126 impairs learning ability in young but not in adult rats. <i>European Journal of Neuroscience</i> , 2008 , 27, 177-82	3.5	50
68	Neural differentiation from human embryonic stem cells as a tool to study early brain development and the neuroteratogenic effects of ethanol. <i>Stem Cells and Development</i> , 2011 , 20, 327-39	4.4	49
67	Perspectives and future directions of human pluripotent stem cell-based therapies: lessons from Geron's clinical trial for spinal cord injury. <i>Stem Cells and Development</i> , 2014 , 23, 1-4	4.4	48

66	Aluminium impairs the glutamate-nitric oxide-cGMP pathway in cultured neurons and in rat brain in vivo: molecular mechanisms and implications for neuropathology. <i>Journal of Inorganic Biochemistry</i> , 2001 , 87, 63-9	4.2	47
65	Concise review: human pluripotent stem cells in the treatment of spinal cord injury. <i>Stem Cells</i> , 2012 , 30, 1787-92	5.8	43
64	Stem cell-based therapy for spinal cord injury. <i>Cell Transplantation</i> , 2013 , 22, 1309-23	4	43
63	Developmental exposure to polychlorinated biphenyls or methylmercury, but not to its combination, impairs the glutamate-nitric oxide-cyclic GMP pathway and learning in 3-month-old rats. <i>Neuroscience</i> , 2008 , 154, 1408-16	3.9	43
62	Hypolocomotion in rats with chronic liver failure is due to increased glutamate and activation of metabotropic glutamate receptors in substantia nigra. <i>Journal of Hepatology</i> , 2006 , 45, 654-61	13.4	43
61	Complete rat spinal cord transection as a faithful model of spinal cord injury for translational cell transplantation. <i>Scientific Reports</i> , 2015 , 5, 9640	4.9	41
60	Human iPSC derived disease model of MERTK-associated retinitis pigmentosa. <i>Scientific Reports</i> , 2015 , 5, 12910	4.9	40
59	Increasing the function of the glutamate-nitric oxide-cyclic guanosine monophosphate pathway increases the ability to learn a Y-maze task. <i>Journal of Neuroscience Research</i> , 2009 , 87, 2351-5	4.4	35
58	Hypoxia increases the yield of photoreceptors differentiating from mouse embryonic stem cells and improves the modeling of retinogenesis in vitro. <i>Stem Cells</i> , 2013 , 31, 966-78	5.8	31
57	Glutamate-induced activation of nitric oxide synthase is impaired in cerebral cortex in vivo in rats with chronic liver failure. <i>Journal of Neurochemistry</i> , 2007 , 102, 51-64	6	31
56	Chronic hyperammonemia induces peripheral inflammation that leads to cognitive impairment in rats: Reversed by anti-TNF- α treatment. <i>Journal of Hepatology</i> , 2020 , 73, 582-592	13.4	28
55	FM19G11 favors spinal cord injury regeneration and stem cell self-renewal by mitochondrial uncoupling and glucose metabolism induction. <i>Stem Cells</i> , 2012 , 30, 2221-33	5.8	26
54	Prenatal exposure to polybrominated diphenylether 99 enhances the function of the glutamate-nitric oxide-cGMP pathway in brain in vivo and in cultured neurons. <i>European Journal of Neuroscience</i> , 2007 , 25, 373-9	3.5	26
53	Highly Efficient Neural Conversion of Human Pluripotent Stem Cells in Adherent and Animal-Free Conditions. <i>Stem Cells Translational Medicine</i> , 2017 , 6, 1217-1226	6.9	24
52	Brief report: astrogliosis promotes functional recovery of completely transected spinal cord following transplantation of hESC-derived oligodendrocyte and motoneuron progenitors. <i>Stem Cells</i> , 2014 , 32, 594-9	5.8	23
51	Neurons exposed to ammonia reproduce the differential alteration in nitric oxide modulation of guanylate cyclase in the cerebellum and cortex of patients with liver cirrhosis. <i>Neurobiology of Disease</i> , 2005 , 19, 150-61	7.5	23
50	Transcriptome-based molecular staging of human stem cell-derived retinal organoids uncovers accelerated photoreceptor differentiation by 9-cis retinal. <i>Molecular Vision</i> , 2019 , 25, 663-678	2.3	23
49	Current developments in cell- and biomaterial-based approaches for stroke repair. <i>Expert Opinion on Biological Therapy</i> , 2016 , 16, 43-56	5.4	22

48	Role of extracellular cGMP and of hyperammonemia in the impairment of learning in rats with chronic hepatic failure. Therapeutic implications. <i>Neurochemistry International</i> , 2006 , 48, 441-6	4.4	21
47	Alterations in soluble guanylate cyclase content and modulation by nitric oxide in liver disease. <i>Neurochemistry International</i> , 2004 , 45, 947-53	4.4	21
46	Deciphering retinal diseases through the generation of three dimensional stem cell-derived organoids: Concise Review. <i>Stem Cells</i> , 2019 , 37, 1496-1504	5.8	20
45	Derivation of cerebellar neurons from human pluripotent stem cells. <i>Current Protocols in Stem Cell Biology</i> , 2012 , Chapter 1, Unit 1H.5	2.8	20
44	Bile duct ligation plus hyperammonemia in rats reproduces the alterations in the modulation of soluble guanylate cyclase by nitric oxide in brain of cirrhotic patients. <i>Neuroscience</i> , 2005 , 130, 435-43	3.9	20
43	In vivo exposure to carbon monoxide causes delayed impairment of activation of soluble guanylate cyclase by nitric oxide in rat brain cortex and cerebellum. <i>Journal of Neurochemistry</i> , 2004 , 89, 1157-65	6	18
42	Retinal Organoids derived from hiPSCs of an AIPL1-LCA Patient Maintain Cytoarchitecture despite Reduced levels of Mutant AIPL1. <i>Scientific Reports</i> , 2020 , 10, 5426	4.9	17
41	Concise Review: Human Induced Pluripotent Stem Cell Models of Retinitis Pigmentosa. <i>Stem Cells</i> , 2018 , 36, 474-481	5.8	15
40	Chronic exposure to ammonia alters the modulation of phosphorylation of microtubule-associated protein 2 by metabotropic glutamate receptors 1 and 5 in cerebellar neurons in culture. <i>Neuroscience</i> , 2005 , 133, 185-91	3.9	15
39	Prevention of ammonia and glutamate neurotoxicity by carnitine: molecular mechanisms. <i>Metabolic Brain Disease</i> , 2002 , 17, 389-97	3.9	15
38	Generation of a human iPSC line by mRNA reprogramming. <i>Stem Cell Research</i> , 2018 , 28, 157-160	1.6	11
37	Non-coding RNAs in pluripotency and neural differentiation of human pluripotent stem cells. <i>Frontiers in Genetics</i> , 2014 , 5, 132	4.5	11
36	Chronic exposure to 2,5-hexanedione impairs the glutamate-nitric oxide-cyclic GMP pathway in cerebellar neurons in culture and in rat brain in vivo. <i>Neurochemistry International</i> , 2003 , 42, 525-33	4.4	11
35	Stem Cells and Labeling for Spinal Cord Injury. <i>International Journal of Molecular Sciences</i> , 2016 , 18,	6.3	10
34	Assessment of Toxic Effects of Ochratoxin A in Human Embryonic Stem Cells. <i>Toxins</i> , 2019 , 11,	4.9	9
33	FM19G11: A new modulator of HIF that links mTOR activation with the DNA damage checkpoint pathways. <i>Cell Cycle</i> , 2010 , 9, 2875-2885	4.7	9
32	FM19G11 and Ependymal Progenitor/Stem Cell Combinatory Treatment Enhances Neuronal Preservation and Oligodendrogenesis after Severe Spinal Cord Injury. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	8
31	Connexin 50 Expression in Ependymal Stem Progenitor Cells after Spinal Cord Injury Activation. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 26608-18	6.3	8

30	Generation of gene-corrected human induced pluripotent stem cell lines derived from retinitis pigmentosa patient with Ser331Cysfs*5 mutation in MERTK. <i>Stem Cell Research</i> , 2019 , 34, 101341	1.6	7
29	Glaucoma as a Neurodegenerative Disease Caused by Intrinsic Vulnerability Factors. <i>Progress in Neurobiology</i> , 2020 , 193, 101817	10.9	6
28	Concise review: stem cells for the treatment of cerebellar-related disorders. <i>Stem Cells</i> , 2011 , 29, 564-9	5.8	6
27	Thiazolidinediones Regulate the Level of ABC Transporters Expression on Lung Cancer Cells. <i>Klinicka Onkologie</i> , 2015 , 28, 431-8	2	6
26	Gene Correction Recovers Phagocytosis in Retinal Pigment Epithelium Derived from Retinitis Pigmentosa-Human-Induced Pluripotent Stem Cells. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	6
25	Methacrylate-endcapped caprolactone and FM19G11 provide a proper niche for spinal cord-derived neural cells. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2015 , 9, 734-9	4.4	5
24	Pharmacological manipulation of cyclic GMP levels in brain restores learning ability in animal models of hepatic encephalopathy: therapeutic implications. <i>Neuropsychiatric Disease and Treatment</i> , 2006 , 2, 53-63	3.1	5
23	Connexin 50 modulates Sox2 expression in spinal-cord-derived ependymal stem/progenitor cells. <i>Cell and Tissue Research</i> , 2016 , 365, 295-307	4.2	5
22	Generation of an iPSC line from a retinitis pigmentosa patient carrying a homozygous mutation in CERKL and a healthy sibling. <i>Stem Cell Research</i> , 2019 , 38, 101455	1.6	4
21	Generation of a human iPSC line from a patient with congenital glaucoma caused by mutation in CYP1B1 gene. <i>Stem Cell Research</i> , 2018 , 28, 96-99	1.6	4
20	hiPSC Disease Modeling of Rare Hereditary Cerebellar Ataxias: Opportunities and Future Challenges. <i>Neuroscientist</i> , 2017 , 23, 554-566	7.6	4
19	Experimental cell transplantation for traumatic spinal cord injury regeneration: intramedullar or intrathecal administration. <i>Methods in Molecular Biology</i> , 2014 , 1210, 23-35	1.4	4
18	Generation of a human iPSC line from a patient with autosomal recessive spastic ataxia of Charlevoix-Saguenay (ARSACS) caused by mutation in SACSIN gene. <i>Stem Cell Research</i> , 2018 , 31, 249-252	1.6	4
17	Neural Stem Cells Derived from Human-Induced Pluripotent Stem Cells and Their Use in Models of CNS Injury. <i>Results and Problems in Cell Differentiation</i> , 2018 , 66, 89-102	1.4	4
16	Generation of a human iPSC line from a patient with retinitis pigmentosa caused by mutation in PRPF8 gene. <i>Stem Cell Research</i> , 2017 , 21, 23-25	1.6	3
15	Genetic Variation at the apoB 3THypervariable Region in a Serbian Population. <i>European Journal of Human Genetics</i> , 1997 , 5, 333-335	5.3	3
14	Short Review: Investigating ARSACS: models for understanding cerebellar degeneration. <i>Neuropathology and Applied Neurobiology</i> , 2019 , 45, 531-537	5.2	3
13	The identification of small molecules that stimulate retinal pigment epithelial cells: potential novel therapeutic options for treating retinopathies. <i>Expert Opinion on Drug Discovery</i> , 2019 , 14, 169-177	6.2	3

12	Activation of Neurogenesis in Multipotent Stem Cells Cultured In Vitro and in the Spinal Cord Tissue After Severe Injury by Inhibition of Glycogen Synthase Kinase-3. <i>Neurotherapeutics</i> , 2021 , 18, 515-533	6.4	3
11	Generation of a human iPSC line from a patient with Leber congenital amaurosis caused by mutation in AIPL1. <i>Stem Cell Research</i> , 2018 , 33, 151-155	1.6	3
10	Transcriptome-based molecular staging of human stem cell-derived retinal organoids uncovers accelerated photoreceptor differentiation by 9-cis retinal		2
9	Unraveling the Developmental Roadmap toward Human Brown Adipose Tissue. <i>Stem Cell Reports</i> , 2021 , 16, 641-655	8	2
8	Generation of human induced pluripotent stem cell (iPSC) line from an unaffected female carrier of mutation in SACSIN gene. <i>Stem Cell Research</i> , 2018 , 33, 166-170	1.6	2
7	Mutant PRPF8 Causes Widespread Splicing Changes in Spliceosome Components in Retinitis Pigmentosa Patient iPSC-Derived RPE Cells. <i>Frontiers in Neuroscience</i> , 2021 , 15, 636969	5.1	1
6	Organized Neurogenic-Niche-Like Pinwheel Structures Discovered in Spinal Cord Tissue-Derived Neurospheres. <i>Frontiers in Cell and Developmental Biology</i> , 2019 , 7, 334	5.7	1
5	Genetic variation at the apoB 3 ^h hypervariable region in a Serbian population. <i>European Journal of Human Genetics</i> , 1997 , 5, 333-5	5.3	1
4	Treatment of Cerebellar Ataxias: Transplantation of Human Embryonic Stem Cells. <i>Stem Cells and Cancer Stem Cells</i> , 2012 , 205-210		
3	N-methyl-D-aspartate receptors in hyperammonaemia and hepatic encephalopathy	183-193	
2	Locomotor Recovery After Spinal Cord Transection: Transplantation of Oligodendrocytes and Motoneuron Progenitors Generated from Human Embryonic Stem Cells	2012 , 211-219	
1	Generation of three human iPSC lines from PLAN (PLA2G6-associated neurodegeneration) patients. <i>Stem Cell Research</i> , 2021 , 53, 102338	1.6	