

Thong Hua-Huy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8718447/publications.pdf>

Version: 2024-02-01

31
papers

647
citations

516710

16
h-index

580821

25
g-index

33
all docs

33
docs citations

33
times ranked

1131
citing authors

#	ARTICLE	IF	CITATIONS
1	Serum CC chemokine ligand-18 predicts lung disease worsening in systemic sclerosis. <i>European Respiratory Journal</i> , 2011, 38, 1355-1360.	6.7	92
2	Long-term treatment with fasudil improves bleomycin-induced pulmonary fibrosis and pulmonary hypertension via inhibition of Smad2/3 phosphorylation. <i>Pulmonary Pharmacology and Therapeutics</i> , 2013, 26, 635-643.	2.6	63
3	Alveolar concentration of nitric oxide predicts pulmonary function deterioration in scleroderma. <i>Thorax</i> , 2012, 67, 157-163.	5.6	43
4	Amelioration of Systemic Fibrosis in Mice by Angiotensin II Receptor Blockade. <i>Arthritis and Rheumatism</i> , 2013, 65, 1367-1377.	6.7	35
5	RhoA/Rho-kinase activation promotes lung fibrosis in an animal model of systemic sclerosis. <i>Experimental Lung Research</i> , 2016, 42, 44-55.	1.2	34
6	<i>Aeromonas popoffii</i> Urinary Tract Infection. <i>Journal of Clinical Microbiology</i> , 2004, 42, 5427-5428.	3.9	32
7	Deep Learning-based Approach for Automated Assessment of Interstitial Lung Disease in Systemic Sclerosis on CT Images. <i>Radiology: Artificial Intelligence</i> , 2020, 2, e190006.	5.8	32
8	Increased Rho-kinase expression and activity and pulmonary endothelial dysfunction in smokers with normal lung function. <i>European Respiratory Journal</i> , 2011, 37, 349-355.	6.7	26
9	Study of nasal exhaled nitric oxide levels in diagnosis of allergic rhinitis in subjects with and without asthma. <i>Journal of Asthma and Allergy</i> , 2017, Volume10, 75-82.	3.4	24
10	Activation of RhoA/Rho-kinase pathway accounts for pulmonary endothelial dysfunction in patients with chronic obstructive pulmonary disease. <i>Physiological Reports</i> , 2013, 1, e00105.	1.7	23
11	Cellular and molecular mechanisms in the pathophysiology of systemic sclerosis. <i>Pathologie Et Biologie</i> , 2015, 63, 61-68.	2.2	23
12	Exhaled nitric oxide, but not serum nitrite and nitrate, is a marker of interstitial lung disease in systemic sclerosis. <i>Nitric Oxide - Biology and Chemistry</i> , 2009, 20, 200-206.	2.7	22
13	Macrophage Migration Inhibitory Factor (MIF) Inhibition in a Murine Model of Bleomycin-Induced Pulmonary Fibrosis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 4105.	4.1	21
14	Increased Alveolar Concentration of Nitric Oxide Is Related to Serum-induced Lung Fibroblast Proliferation in Patients with Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2010, 37, 1680-1687.	2.0	18
15	Study of Exhaled Nitric Oxide in Subjects with Suspected Obstructive Sleep Apnea: A Pilot Study in Vietnam. <i>Pulmonary Medicine</i> , 2016, 2016, 1-7.	1.9	18
16	Increased alveolar nitric oxide concentration is related to nocturnal oxygen desaturation in obstructive sleep apnoea. <i>Nitric Oxide - Biology and Chemistry</i> , 2015, 45, 27-34.	2.7	17
17	High alveolar concentration of nitric oxide is associated with alveolitis in scleroderma. <i>Nitric Oxide - Biology and Chemistry</i> , 2013, 28, 65-70.	2.7	13
18	Increased exhaled nitric oxide precedes lung fibrosis in two murine models of systemic sclerosis. <i>Journal of Breath Research</i> , 2015, 9, 036007.	3.0	13

#	ARTICLE	IF	CITATIONS
19	Exhaled NO predicts cyclophosphamide response in scleroderma-related lung disease. Nitric Oxide - Biology and Chemistry, 2014, 40, 17-21.	2.7	10
20	Automated computed tomographic scoring of lung disease in adults with primary ciliary dyskinesia. BMC Pulmonary Medicine, 2018, 18, 194.	2.0	10
21	Persistent Nasal Inflammation 5 Months after Acute Anosmia in Patients with COVID-19. American Journal of Respiratory and Critical Care Medicine, 2021, 203, 1319-1322.	5.6	10
22	Early inhaled nitric oxide at high dose enhances rat lung development after birth. Nitric Oxide - Biology and Chemistry, 2014, 38, 8-16.	2.7	9
23	Fasudil inhibits prostate cancer-induced angiogenesis in vitro. Oncology Reports, 2014, 32, 2795-2802.	2.6	9
24	High Baseline Serum Clara Cell 16 kDa Predicts Subsequent Lung Disease Worsening in Systemic Sclerosis. Journal of Rheumatology, 2018, 45, 242-247.	2.0	7
25	Cardiovascular comorbidities in obstructive sleep apnoea according to age: a sleep clinic population study. Aging Clinical and Experimental Research, 2015, 27, 611-619.	2.9	5
26	Inhaled nitric oxide decreases pulmonary endothelial nitric oxide synthase expression and activity in normal newborn rat lungs. ERJ Open Research, 2016, 2, 00060-2015.	2.6	4
27	Chronic Lung Allograft Dysfunction Post Lung Transplantation: A Review of Computed Tomography Quantitative Methods for Detection and Follow-Up. Journal of Clinical Medicine, 2021, 10, 1608.	2.4	4
28	Measuring exhaled nitric oxide in animal models: methods and clinical implications. Journal of Breath Research, 2012, 6, 047001.	3.0	3
29	Of the need to reconcile discrepancies between two different reference equations for combined single-breath $\langle i \rangle D \langle /i \rangle \langle sub \rangle LNO \langle /sub \rangle$ and $\langle i \rangle D \langle /i \rangle \langle sub \rangle LCO \langle /sub \rangle$ in systemic sclerosis. European Respiratory Journal, 2019, 53, 1802109.	6.7	2
30	Should we monitor exhaled NO to assess the restoration of CFTR function in CF patients?. Journal of Cystic Fibrosis, 2015, 14, 683-684.	0.7	1
31	Reply to: Olfactory-nasal Nitric-oxide Link in COVID-19: A Marker of Neurogenesis or Risk Factor for Chronic Rhinosinusitis?. American Journal of Respiratory and Critical Care Medicine, 2021, 204, 1347-1348.	5.6	1