

# Thong Hua-Huy

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8718447/publications.pdf>

Version: 2024-02-01

31  
papers

647  
citations

516710

16  
h-index

580821

25  
g-index

33  
all docs

33  
docs citations

33  
times ranked

1131  
citing authors

#	ARTICLE	IF	CITATIONS
1	Chronic Lung Allograft Dysfunction Post Lung Transplantation: A Review of Computed Tomography Quantitative Methods for Detection and Follow-Up. <i>Journal of Clinical Medicine</i> , 2021, 10, 1608.	2.4	4
2	Persistent Nasal Inflammation 5 Months after Acute Anosmia in Patients with COVID-19. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021, 203, 1319-1322.	5.6	10
3	Reply to: Olfactory-nasal Nitric-oxide Link in COVID-19: A Marker of Neurogenesis or Risk Factor for Chronic Rhinosinusitis?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2021, 204, 1347-1348.	5.6	1
4	Deep Learning-based Approach for Automated Assessment of Interstitial Lung Disease in Systemic Sclerosis on CT Images. <i>Radiology: Artificial Intelligence</i> , 2020, 2, e190006.	5.8	32
5	Of the need to reconcile discrepancies between two different reference equations for combined single-breath $LNO$ and $LCO$ in systemic sclerosis. <i>European Respiratory Journal</i> , 2019, 53, 1802109.	6.7	2
6	High Baseline Serum Clara Cell 16 kDa Predicts Subsequent Lung Disease Worsening in Systemic Sclerosis. <i>Journal of Rheumatology</i> , 2018, 45, 242-247.	2.0	7
7	Macrophage Migration Inhibitory Factor (MIF) Inhibition in a Murine Model of Bleomycin-Induced Pulmonary Fibrosis. <i>International Journal of Molecular Sciences</i> , 2018, 19, 4105.	4.1	21
8	Automated computed tomographic scoring of lung disease in adults with primary ciliary dyskinesia. <i>BMC Pulmonary Medicine</i> , 2018, 18, 194.	2.0	10
9	Study of nasal exhaled nitric oxide levels in diagnosis of allergic rhinitis in subjects with and without asthma. <i>Journal of Asthma and Allergy</i> , 2017, Volume10, 75-82.	3.4	24
10	Study of Exhaled Nitric Oxide in Subjects with Suspected Obstructive Sleep Apnea: A Pilot Study in Vietnam. <i>Pulmonary Medicine</i> , 2016, 2016, 1-7.	1.9	18
11	RhoA/Rho-kinase activation promotes lung fibrosis in an animal model of systemic sclerosis. <i>Experimental Lung Research</i> , 2016, 42, 44-55.	1.2	34
12	Inhaled nitric oxide decreases pulmonary endothelial nitric oxide synthase expression and activity in normal newborn rat lungs. <i>ERJ Open Research</i> , 2016, 2, 00060-2015.	2.6	4
13	Increased alveolar nitric oxide concentration is related to nocturnal oxygen desaturation in obstructive sleep apnoea. <i>Nitric Oxide - Biology and Chemistry</i> , 2015, 45, 27-34.	2.7	17
14	Cardiovascular comorbidities in obstructive sleep apnoea according to age: a sleep clinic population study. <i>Aging Clinical and Experimental Research</i> , 2015, 27, 611-619.	2.9	5
15	Increased exhaled nitric oxide precedes lung fibrosis in two murine models of systemic sclerosis. <i>Journal of Breath Research</i> , 2015, 9, 036007.	3.0	13
16	Cellular and molecular mechanisms in the pathophysiology of systemic sclerosis. <i>Pathologie Et Biologie</i> , 2015, 63, 61-68.	2.2	23
17	Should we monitor exhaled NO to assess the restoration of CFTR function in CF patients?. <i>Journal of Cystic Fibrosis</i> , 2015, 14, 683-684.	0.7	1
18	Exhaled NO predicts cyclophosphamide response in scleroderma-related lung disease. <i>Nitric Oxide - Biology and Chemistry</i> , 2014, 40, 17-21.	2.7	10

#	ARTICLE	IF	CITATIONS
19	Early inhaled nitric oxide at high dose enhances rat lung development after birth. Nitric Oxide - Biology and Chemistry, 2014, 38, 8-16.	2.7	9
20	Fasudil inhibits prostate cancer-induced angiogenesis in vitro. Oncology Reports, 2014, 32, 2795-2802.	2.6	9
21	Activation of RhoA/Rho-kinase pathway accounts for pulmonary endothelial dysfunction in patients with chronic obstructive pulmonary disease. Physiological Reports, 2013, 1, e00105.	1.7	23
22	High alveolar concentration of nitric oxide is associated with alveolitis in scleroderma. Nitric Oxide - Biology and Chemistry, 2013, 28, 65-70.	2.7	13
23	Amelioration of Systemic Fibrosis in Mice by Angiotensin II Receptor Blockade. Arthritis and Rheumatism, 2013, 65, 1367-1377.	6.7	35
24	Long-term treatment with fasudil improves bleomycin-induced pulmonary fibrosis and pulmonary hypertension via inhibition of Smad2/3 phosphorylation. Pulmonary Pharmacology and Therapeutics, 2013, 26, 635-643.	2.6	63
25	Alveolar concentration of nitric oxide predicts pulmonary function deterioration in scleroderma. Thorax, 2012, 67, 157-163.	5.6	43
26	Measuring exhaled nitric oxide in animal models: methods and clinical implications. Journal of Breath Research, 2012, 6, 047001.	3.0	3
27	Serum CC chemokine ligand-18 predicts lung disease worsening in systemic sclerosis. European Respiratory Journal, 2011, 38, 1355-1360.	6.7	92
28	Increased Rho-kinase expression and activity and pulmonary endothelial dysfunction in smokers with normal lung function. European Respiratory Journal, 2011, 37, 349-355.	6.7	26
29	Increased Alveolar Concentration of Nitric Oxide Is Related to Serum-induced Lung Fibroblast Proliferation in Patients with Systemic Sclerosis. Journal of Rheumatology, 2010, 37, 1680-1687.	2.0	18
30	Exhaled nitric oxide, but not serum nitrite and nitrate, is a marker of interstitial lung disease in systemic sclerosis. Nitric Oxide - Biology and Chemistry, 2009, 20, 200-206.	2.7	22
31	Aeromonas popoffii Urinary Tract Infection. Journal of Clinical Microbiology, 2004, 42, 5427-5428.	3.9	32