

# Bruce S Klein

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8718485/bruce-s-klein-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114  
papers

4,419  
citations

39  
h-index

63  
g-index

118  
ext. papers

5,353  
ext. citations

9.3  
avg, IF

5.61  
L-index

#	Paper	IF	Citations
114	Variation in Host Resistance to <i>Blastomyces dermatitidis</i> : Potential Use of Genetic Reference Panels and Advances in Immunophenotyping of Diverse Mouse Strains.. <i>MBio</i> , <b>2022</b> , e0340021	7.8	
113	Structural basis of <i>Blastomyces</i> Endoglucanase-2 adjuvancy in anti-fungal and -viral immunity. <i>PLoS Pathogens</i> , <b>2021</b> , 17, e1009324	7.6	0
112	The Known Unknowns of the Immune Response to. <i>Journal of Fungi (Basel, Switzerland)</i> , <b>2021</b> , 7,	5.6	1
111	Characterization of antifungal C-type lectin receptor expression on murine epithelial and endothelial cells in mucosal tissues. <i>European Journal of Immunology</i> , <b>2021</b> , 51, 2341-2344	6.1	1
110	Fungal Bioreporters to Monitor Outcomes of <i>Aspergillus</i> : Host-Cell Interactions. <i>Methods in Molecular Biology</i> , <b>2021</b> , 2260, 121-132	1.4	
109	LYSMD3: A mammalian pattern recognition receptor for chitin. <i>Cell Reports</i> , <b>2021</b> , 36, 109392	10.6	1
108	Combination Adjuvants Enhance Recombinant Protein Vaccine Protection against Fungal Infection. <i>MBio</i> , <b>2021</b> , 12, e0201821	7.8	1
107	<i>Blastomyces</i> and Blastomycosis <b>2021</b> , 638-653		
106	Fungal Bioreporters to Monitor Outcomes of <i>Blastomyces</i> : Host-Cell Interactions. <i>Methods in Molecular Biology</i> , <b>2021</b> , 2260, 111-119	1.4	
105	Threats Posed by the Fungal Kingdom to Humans, Wildlife, and Agriculture. <i>MBio</i> , <b>2020</b> , 11,	7.8	94
104	CARD9-Associated Dectin-1 and Dectin-2 Are Required for Protective Immunity of a Multivalent Vaccine against Infection. <i>Journal of Immunology</i> , <b>2020</b> , 204, 3296-3306	5.3	9
103	Spleen Tyrosine Kinase Is a Critical Regulator of Neutrophil Responses to Species. <i>MBio</i> , <b>2020</b> , 11,	7.8	14
102	Early immune response against <i>Fonsecaea pedrosoi</i> requires Dectin-2-mediated Th17 activity, whereas Th1 response, aided by Treg cells, is crucial for fungal clearance in later stage of experimental chromoblastomycosis. <i>PLoS Neglected Tropical Diseases</i> , <b>2020</b> , 14, e0008386	4.8	3
101	Advances in Understanding Human Genetic Variations That Influence Innate Immunity to Fungi. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2020</b> , 10, 69	5.9	11
100	Club Cell TRPV4 Serves as a Damage Sensor Driving Lung Allergic Inflammation. <i>Cell Host and Microbe</i> , <b>2020</b> , 27, 614-628.e6	23.4	18
99	Gene Editing in Dimorphic Fungi Using CRISPR/Cas9. <i>Current Protocols in Microbiology</i> , <b>2020</b> , 59, e132	7.1	0
98	Antigen discovery unveils resident memory and migratory cell roles in antifungal resistance. <i>Mucosal Immunology</i> , <b>2020</b> , 13, 518-529	9.2	7

97	Early immune response against <i>Fonsecaea pedrosoi</i> requires Dectin-2-mediated Th17 activity, whereas Th1 response, aided by Treg cells, is crucial for fungal clearance in later stage of experimental chromoblastomycosis <b>2020</b> , 14, e0008386		
96	Early immune response against <i>Fonsecaea pedrosoi</i> requires Dectin-2-mediated Th17 activity, whereas Th1 response, aided by Treg cells, is crucial for fungal clearance in later stage of experimental chromoblastomycosis <b>2020</b> , 14, e0008386		
95	Early immune response against <i>Fonsecaea pedrosoi</i> requires Dectin-2-mediated Th17 activity, whereas Th1 response, aided by Treg cells, is crucial for fungal clearance in later stage of experimental chromoblastomycosis <b>2020</b> , 14, e0008386		
94	Early immune response against <i>Fonsecaea pedrosoi</i> requires Dectin-2-mediated Th17 activity, whereas Th1 response, aided by Treg cells, is crucial for fungal clearance in later stage of experimental chromoblastomycosis <b>2020</b> , 14, e0008386		
93	Investigation of Genetic Susceptibility to Blastomycosis Reveals Interleukin-6 as a Potential Susceptibility Locus. <i>MBio</i> , <b>2019</b> , 10,	7.8	18
92	Virally-vectored vaccine candidates against white-nose syndrome induce anti-fungal immune response in little brown bats ( <i>Myotis lucifugus</i> ). <i>Scientific Reports</i> , <b>2019</b> , 9, 6788	4.9	22
91	Phenylpyrrole fungicides act on triosephosphate isomerase to induce methylglyoxal stress and alter hybrid histidine kinase activity. <i>Scientific Reports</i> , <b>2019</b> , 9, 5047	4.9	17
90	Infectious particle identity determines dissemination and disease outcome for the inhaled human fungal pathogen <i>Cryptococcus</i> . <i>PLoS Pathogens</i> , <b>2019</b> , 15, e1007777	7.6	20
89	Uncertainty surrounding the mechanism and safety of the post-harvest fungicide fludioxonil. <i>Food and Chemical Toxicology</i> , <b>2019</b> , 123, 561-565	4.7	30
88	Turning on virulence: Mechanisms that underpin the morphologic transition and pathogenicity of. <i>Virulence</i> , <b>2019</b> , 10, 801-809	4.7	10
87	O-Mannosylation of Proteins Enables Yeast Survival at Mammalian Body Temperatures. <i>MBio</i> , <b>2018</b> , 9,	7.8	6
86	CRISPR/Cas9-Mediated Gene Disruption Reveals the Importance of Zinc Metabolism for Fitness of the Dimorphic Fungal Pathogen <i>Blastomyces dermatitidis</i> . <i>MBio</i> , <b>2018</b> , 9,	7.8	36
85	<i>Blastomyces dermatitidis</i> (Blastomycosis) <b>2018</b> , 1270-1275.e2		
84	Pulmonary neuroendocrine cells amplify allergic asthma responses. <i>Science</i> , <b>2018</b> , 360,	33.3	175
83	Lung Epithelial Cells Coordinate Innate Lymphocytes and Immunity against Pulmonary Fungal Infection. <i>Cell Host and Microbe</i> , <b>2018</b> , 23, 511-522.e5	23.4	32
82	Inhaled <i>Cryptococcus neoformans</i> elicits allergic airway inflammation independent of Nuclear Factor Kappa B signalling in lung epithelial cells. <i>Immunology</i> , <b>2018</b> , 153, 513-522	7.8	4
81	Dectin-2 Is a C-Type Lectin Receptor that Recognizes <i>Pneumocystis</i> and Participates in Innate Immune Responses. <i>American Journal of Respiratory Cell and Molecular Biology</i> , <b>2018</b> , 58, 232-240	5.7	17
80	CBLB Constrains Inactivated Vaccine-Induced CD8 T Cell Responses and Immunity against Lethal Fungal Pneumonia. <i>Journal of Immunology</i> , <b>2018</b> , 201, 1717-1726	5.3	3

79	LFA-1 Ligation by High-Density ICAM-1 Is Sufficient To Activate IFN- $\gamma$ Release by Innate T Lymphocytes. <i>Journal of Immunology</i> , <b>2018</b> , 201, 2452-2461	5.3	7
78	Helper T-cell responses and pulmonary fungal infections. <i>Immunology</i> , <b>2018</b> , 155, 155-163	7.8	22
77	An unappreciated role for neutrophil-DC hybrids in immunity to invasive fungal infections. <i>PLoS Pathogens</i> , <b>2018</b> , 14, e1007073	7.6	34
76	<i>Aspergillus fumigatus</i> Copper Export Machinery and Reactive Oxygen Intermediate Defense Counter Host Copper-Mediated Oxidative Antimicrobial Offense. <i>Cell Reports</i> , <b>2017</b> , 19, 1008-1021	10.6	52
75	Clinical Manifestations and Treatment of Blastomycosis. <i>Clinics in Chest Medicine</i> , <b>2017</b> , 38, 435-449	5.3	84
74	<i>Blastomyces dermatitidis</i> serine protease dipeptidyl peptidase IVA (DppIVA) cleaves ELR CXC chemokines altering their effects on neutrophils. <i>Cellular Microbiology</i> , <b>2017</b> , 19, e12741	3.9	5
73	The Interaction of with the C-Type Lectin Receptor Mincle Exerts a Significant Role in Host Defense against Infection. <i>Journal of Immunology</i> , <b>2017</b> , 198, 3515-3525	5.3	31
72	Lung epithelium: barrier immunity to inhaled fungi and driver of fungal-associated allergic asthma. <i>Current Opinion in Microbiology</i> , <b>2017</b> , 40, 8-13	7.9	28
71	Characterization of C-type lectins reveals an unexpectedly limited interaction between <i>Cryptococcus neoformans</i> spores and Dectin-1. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173866	3.7	19
70	Antifungal Tc17 cells are durable and stable, persisting as long-lasting vaccine memory without plasticity towards IFN- $\gamma$ cells. <i>PLoS Pathogens</i> , <b>2017</b> , 13, e1006356	7.6	16
69	Ligation of Dectin-2 with a novel microbial ligand promotes adjuvant activity for vaccination. <i>PLoS Pathogens</i> , <b>2017</b> , 13, e1006568	7.6	17
68	The balance between immunity and inflammation. <i>Science</i> , <b>2017</b> , 357, 973-974	33.3	2
67	Through the Scope Darkly: The Gut Mycobiome Comes into Focus. <i>Cell Host and Microbe</i> , <b>2017</b> , 22, 728-739	9.4	11
66	Fludioxonil Induces Drk1, a Fungal Group III Hybrid Histidine Kinase, To Dephosphorylate Its Downstream Target, Ypd1. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2017</b> , 61,	5.9	19
65	Mannose Receptor Is Required for Optimal Induction of Vaccine-Induced T-Helper Type 17 Cells and Resistance to <i>Blastomyces dermatitidis</i> Infection. <i>Journal of Infectious Diseases</i> , <b>2016</b> , 213, 1762-6	7	10
64	Fungal Mimicry of a Mammalian Aminopeptidase Disables Innate Immunity and Promotes Pathogenicity. <i>Cell Host and Microbe</i> , <b>2016</b> , 19, 361-74	23.4	34
63	MyD88 Shapes Vaccine Immunity by Extrinsically Regulating Survival of CD4+ T Cells during the Contraction Phase. <i>PLoS Pathogens</i> , <b>2016</b> , 12, e1005787	7.6	5
62	The Eng1 $\beta$ -Glucanase Enhances <i>Histoplasma</i> Virulence by Reducing $\beta$ -Glucan Exposure. <i>MBio</i> , <b>2016</b> , 7, e01388-15	7.8	51

61	Human iNKT Cells Promote Protective Inflammation by Inducing Oscillating Purinergic Signaling in Monocyte-Derived DCs. <i>Cell Reports</i> , <b>2016</b> , 16, 3273-3285	10.6	15
60	Transcription Factor KLF2 in Dendritic Cells Downregulates Th2 Programming via the HIF-1/Jagged2/Notch Axis. <i>MBio</i> , <b>2016</b> , 7,	7.8	13
59	T cell receptor cross-reactivity between similar foreign and self peptides influences naive cell population size and autoimmunity. <i>Immunity</i> , <b>2015</b> , 42, 95-107	32.3	108
58	Calnexin induces expansion of antigen-specific CD4(+) T cells that confer immunity to fungal ascomycetes via conserved epitopes. <i>Cell Host and Microbe</i> , <b>2015</b> , 17, 452-65	23.4	40
57	Blastomyces Virulence Adhesin-1 Protein Binding to Glycosaminoglycans Is Enhanced by Protein Disulfide Isomerase. <i>MBio</i> , <b>2015</b> , 6, e01403-15	7.8	7
56	The C-Type Lectin Receptor MCL Mediates Vaccine-Induced Immunity against Infection with Blastomyces dermatitidis. <i>Infection and Immunity</i> , <b>2015</b> , 84, 635-42	3.7	17
55	The Dynamic Genome and Transcriptome of the Human Fungal Pathogen Blastomyces and Close Relative Emmonsia. <i>PLoS Genetics</i> , <b>2015</b> , 11, e1005493	6	51
54	Fonsecaea pedrosoi-induced Th17-cell differentiation in mice is fostered by Dectin-2 and suppressed by Mincle recognition. <i>European Journal of Immunology</i> , <b>2015</b> , 45, 2542-52	6.1	42
53	The unappreciated intracellular lifestyle of Blastomyces dermatitidis. <i>Journal of Immunology</i> , <b>2015</b> , 194, 1796-805	5.3	28
52	Intrinsic MyD88-Akt1-mTOR Signaling Coordinates Disparate Tc17 and Tc1 Responses during Vaccine Immunity against Fungal Pneumonia. <i>PLoS Pathogens</i> , <b>2015</b> , 11, e1005161	7.6	26
51	Vaccine immunity against fungal infections. <i>Current Opinion in Immunology</i> , <b>2014</b> , 28, 27-33	7.8	34
50	C-type lectin receptors differentially induce th17 cells and vaccine immunity to the endemic mycosis of North America. <i>Journal of Immunology</i> , <b>2014</b> , 192, 1107-1119	5.3	73
49	Interleukin-1 receptor but not Toll-like receptor 2 is essential for MyD88-dependent Th17 immunity to Coccidioides infection. <i>Infection and Immunity</i> , <b>2014</b> , 82, 2106-14	3.7	29
48	Adaptive immunity to fungi. <i>Cold Spring Harbor Perspectives in Medicine</i> , <b>2014</b> , 5, a019612	5.4	56
47	Development of a highly sensitive and specific blastomycosis antibody enzyme immunoassay using Blastomyces dermatitidis surface protein BAD-1. <i>Vaccine Journal</i> , <b>2014</b> , 21, 143-6		56
46	Identification of the mating-type (MAT) locus that controls sexual reproduction of Blastomyces dermatitidis. <i>Eukaryotic Cell</i> , <b>2013</b> , 12, 109-17		30
45	Isolation of Blastomyces dermatitidis yeast from lung tissue during murine infection for in vivo transcriptional profiling. <i>Fungal Genetics and Biology</i> , <b>2013</b> , 56, 1-8	3.9	7
44	Fungal glycan interactions with epithelial cells in allergic airway disease. <i>Current Opinion in Microbiology</i> , <b>2013</b> , 16, 404-8	7.9	12

43	A large community outbreak of blastomycosis in Wisconsin with geographic and ethnic clustering. <i>Clinical Infectious Diseases</i> , <b>2013</b> , 57, 655-62	11.6	59
42	Interleukin 1 enhances vaccine-induced antifungal T-helper 17 cells and resistance against <i>Blastomyces dermatitidis</i> infection. <i>Journal of Infectious Diseases</i> , <b>2013</b> , 208, 1175-82	7	22
41	Structure and function of a fungal adhesin that binds heparin and mimics thrombospondin-1 by blocking T cell activation and effector function. <i>PLoS Pathogens</i> , <b>2013</b> , 9, e1003464	7.6	21
40	Novel strategies to enhance vaccine immunity against coccidioidomycosis. <i>PLoS Pathogens</i> , <b>2013</b> , 9, e1003768	7.6	28
39	Fungi subvert vaccine T cell priming at the respiratory mucosa by preventing chemokine-induced influx of inflammatory monocytes. <i>Immunity</i> , <b>2012</b> , 36, 680-92	32.3	49
38	Adaptive immunity to fungi. <i>Annual Review of Immunology</i> , <b>2012</b> , 30, 115-48	34.7	153
37	Tc17 cells mediate vaccine immunity against lethal fungal pneumonia in immune deficient hosts lacking CD4+ T cells. <i>PLoS Pathogens</i> , <b>2012</b> , 8, e1002771	7.6	74
36	Chitin elicits CCL2 from airway epithelial cells and induces CCR2-dependent innate allergic inflammation in the lung. <i>Journal of Immunology</i> , <b>2012</b> , 189, 2545-52	5.3	50
35	Protective antifungal memory CD8(+) T cells are maintained in the absence of CD4(+) T cell help and cognate antigen in mice. <i>Journal of Clinical Investigation</i> , <b>2012</b> , 122, 987-99	15.9	45
34	Identification and characterization of antifungal compounds using a <i>Saccharomyces cerevisiae</i> reporter bioassay. <i>PLoS ONE</i> , <b>2012</b> , 7, e36021	3.7	28
33	Vaccine immunity to coccidioidomycosis occurs by early activation of three signal pathways of T helper cell response (Th1, Th2, and Th17). <i>Infection and Immunity</i> , <b>2011</b> , 79, 4511-22	3.7	60
32	A TCR transgenic mouse reactive with multiple systemic dimorphic fungi. <i>Journal of Immunology</i> , <b>2011</b> , 187, 1421-31	5.3	39
31	<i>Blastomyces dermatitidis</i> yeast cells inhibit nitric oxide production by alveolar macrophage inducible nitric oxide synthase. <i>Infection and Immunity</i> , <b>2011</b> , 79, 2385-95	3.7	39
30	Vaccine-induced protection against 3 systemic mycoses endemic to North America requires Th17 cells in mice. <i>Journal of Clinical Investigation</i> , <b>2011</b> , 121, 554-68	15.9	182
29	SREB, a GATA transcription factor that directs disparate fates in <i>Blastomyces dermatitidis</i> including morphogenesis and siderophore biosynthesis. <i>PLoS Pathogens</i> , <b>2010</b> , 6, e1000846	7.6	52
28	Fungal adaptation to the mammalian host: it is a new world, after all. <i>Current Opinion in Microbiology</i> , <b>2008</b> , 11, 511-6	7.9	54
27	Insights into Fungal Morphogenesis and Immune Evasion: Fungal conidia, when situated in mammalian lungs, may switch from mold to pathogenic yeasts or spore-forming spherules. <i>Microbe Magazine</i> , <b>2008</b> , 3, 416-423		30
26	V beta1+ J beta1.1+ V alpha2+ J alpha49+ CD4+ T cells mediate resistance against infection with <i>Blastomyces dermatitidis</i> . <i>Infection and Immunity</i> , <b>2007</b> , 75, 193-200	3.7	16

25	Dimorphism and virulence in fungi. <i>Current Opinion in Microbiology</i> , <b>2007</b> , 10, 314-9	7.9	189
24	Global control of dimorphism and virulence in fungi. <i>Science</i> , <b>2006</b> , 312, 583-8	33.3	285
23	IL-12 is required for induction but not maintenance of protective, memory responses to <i>Blastomyces dermatitidis</i> : implications for vaccine development in immune-deficient hosts. <i>Journal of Immunology</i> , <b>2005</b> , 175, 5288-97	5.3	26
22	Calcium binding by the essential virulence factor BAD-1 of <i>Blastomyces dermatitidis</i> . <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 42156-63	5.4	15
21	Sequence elements necessary for transcriptional activation of BAD1 in the yeast phase of <i>Blastomyces dermatitidis</i> . <i>Eukaryotic Cell</i> , <b>2004</b> , 3, 785-94		12
20	Exploiting type 3 complement receptor for TNF-alpha suppression, immune evasion, and progressive pulmonary fungal infection. <i>Journal of Immunology</i> , <b>2004</b> , 173, 7444-53	5.3	51
19	A C-terminal EGF-like domain governs BAD1 localization to the yeast surface and fungal adherence to phagocytes, but is dispensable in immune modulation and pathogenicity of <i>Blastomyces dermatitidis</i> . <i>Molecular Microbiology</i> , <b>2003</b> , 48, 53-65	4.1	48
18	Vaccine immunity to pathogenic fungi overcomes the requirement for CD4 help in exogenous antigen presentation to CD8+ T cells: implications for vaccine development in immune-deficient hosts. <i>Journal of Experimental Medicine</i> , <b>2003</b> , 197, 1405-16	16.6	154
17	Requisite elements in vaccine immunity to <i>Blastomyces dermatitidis</i> : plasticity uncovers vaccine potential in immune-deficient hosts. <i>Journal of Immunology</i> , <b>2002</b> , 169, 6969-76	5.3	55
16	BAD1, an essential virulence factor of <i>Blastomyces dermatitidis</i> , suppresses host TNF-alpha production through TGF-beta-dependent and -independent mechanisms. <i>Journal of Immunology</i> , <b>2002</b> , 168, 5746-55	5.3	61
15	<i>Agrobacterium tumefaciens</i> integrates transfer DNA into single chromosomal sites of dimorphic fungi and yields homokaryotic progeny from multinucleate yeast. <i>Eukaryotic Cell</i> , <b>2002</b> , 1, 895-905		77
14	Molecular genetic analysis of <i>Blastomyces dermatitidis</i> reveals new insights about pathogenic mechanisms. <i>International Journal of Medical Microbiology</i> , <b>2002</b> , 292, 363-71	3.7	6
13	Selective expression of the virulence factor BAD1 upon morphogenesis to the pathogenic yeast form of <i>Blastomyces dermatitidis</i> : evidence for transcriptional regulation by a conserved mechanism. <i>Molecular Microbiology</i> , <b>2001</b> , 39, 875-89	4.1	41
12	The WI-1 adhesin blocks phagocyte TNF-alpha production, imparting pathogenicity on <i>Blastomyces dermatitidis</i> . <i>Journal of Immunology</i> , <b>2001</b> , 166, 2665-73	5.3	60
11	Cell wall biogenesis of <i>Blastomyces dermatitidis</i> . Evidence for a novel mechanism of cell surface localization of a virulence-associated adhesin via extracellular release and reassociation with cell wall chitin. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 7925-34	5.4	51
10	Mutation of the WI-1 gene yields an attenuated <i>blastomyces dermatitidis</i> strain that induces host resistance. <i>Journal of Clinical Investigation</i> , <b>2000</b> , 106, 1381-9	15.9	69
9	Targeted gene disruption reveals an adhesin indispensable for pathogenicity of <i>Blastomyces dermatitidis</i> . <i>Journal of Experimental Medicine</i> , <b>1999</b> , 189, 1207-16	16.6	132
8	The effect of canine macrophages on the adherence and growth of <i>Blastomyces dermatitidis</i> yeast: evidence of a soluble factor that enhances the growth of <i>B. dermatitidis</i> yeast. <i>Microbial Pathogenesis</i> , <b>1999</b> , 27, 395-405	3.8	8



7	Immunogenicity and protective efficacy of the WI-1 adhesin of <i>Blastomyces dermatitidis</i> . <i>Infection and Immunity</i> , <b>1998</b> , 66, 5443-9	3-7	37
6	Purification in quantity of the secreted form of WI-1: a major adhesin on <i>Blastomyces dermatitidis</i> yeasts. <i>Protein Expression and Purification</i> , <b>1997</b> , 11, 219-26	2	12
5	Genomic cloning, characterization, and functional analysis of the major surface adhesin WI-1 on <i>Blastomyces dermatitidis</i> yeasts. <i>Journal of Biological Chemistry</i> , <b>1995</b> , 270, 30725-32	5-4	4 <sup>8</sup>
4	Development of long-term specific cellular immunity after acute <i>Blastomyces dermatitidis</i> infection: assessments following a large point-source outbreak in Wisconsin. <i>Journal of Infectious Diseases</i> , <b>1990</b> , 161, 97-101	7	33
3	Isolation of <i>Blastomyces dermatitidis</i> in soil associated with a large outbreak of blastomycosis in Wisconsin. <i>New England Journal of Medicine</i> , <b>1986</b> , 314, 529-34	59-2	306
2	Club cell TRPV4 as a damage sensor driving lung allergic inflammation		1
1	<i>Blastomyces dermatitidis</i> Cell Surface Determinants and Their Application in Vaccine Development	393-406	