

Marc Tedetti

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8718742/publications.pdf>

Version: 2024-02-01

58
papers

2,364
citations

218381

26
h-index

214527

47
g-index

67
all docs

67
docs citations

67
times ranked

3178
citing authors

#	ARTICLE	IF	CITATIONS
1	Marine ecosystemsâ€™ responses to climatic and anthropogenic forcings in the Mediterranean. <i>Progress in Oceanography</i> , 2011, 91, 97-166.	1.5	385
2	Penetration of Ultraviolet Radiation in the Marine Environment. A Review. <i>Photochemistry and Photobiology</i> , 2006, 82, 389.	1.3	302
3	Fluorescence and absorption properties of chromophoric dissolved organic matter (CDOM) in coastal surface waters of the northwestern Mediterranean Sea, influence of the Rh�ne River. <i>Biogeosciences</i> , 2010, 7, 4083-4103.	1.3	141
4	Identification and quantification of known polycyclic aromatic hydrocarbons and pesticides in complex mixtures using fluorescence excitationâ€ emission matrices and parallel factor analysis. <i>Chemosphere</i> , 2014, 107, 344-353.	4.2	91
5	Composition and degradation of marine particles with different settling velocities in the northwestern Mediterranean Sea. <i>Limnology and Oceanography</i> , 2007, 52, 1645-1664.	1.6	79
6	Characterization of dissolved organic matter in a coral reef ecosystem subjected to anthropogenic pressures (La R�union Island, Indian Ocean) using multi-dimensional fluorescence spectroscopy. <i>Science of the Total Environment</i> , 2011, 409, 2198-2210.	3.9	79
7	Occurrence, distribution and ecological risk of trace metals and organic pollutants in surface sediments from a Southeastern European river (Some�u Mic River, Romania). <i>Science of the Total Environment</i> , 2019, 660, 660-676.	3.9	76
8	High penetration of ultraviolet radiation in the south east Pacific waters. <i>Geophysical Research Letters</i> , 2007, 34, .	1.5	71
9	Spatial and seasonal variabilities of dissolved hydrocarbons in surface waters from the Northwestern Mediterranean Sea: Results from one year intensive sampling. <i>Science of the Total Environment</i> , 2014, 466-467, 650-662.	3.9	57
10	Determination of Low Molecular Weight Dicarboxylic and Ketocarboxylic Acids in Seawater Samples. <i>Analytical Chemistry</i> , 2006, 78, 6012-6018.	3.2	54
11	Utilization of a submersible UV fluorometer for monitoring anthropogenic inputs in the Mediterranean coastal waters. <i>Marine Pollution Bulletin</i> , 2010, 60, 350-362.	2.3	54
12	Remobilization of polycyclic aromatic hydrocarbons and organic matter in seawater during sediment resuspension experiments from a polluted coastal environment: Insights from Toulon Bay (France). <i>Environmental Pollution</i> , 2017, 229, 627-638.	3.7	51
13	Development of a field-portable fluorometer based on deep ultraviolet LEDs for the detection of phenanthrene- and tryptophan-like compounds in natural waters. <i>Sensors and Actuators B: Chemical</i> , 2013, 182, 416-423.	4.0	47
14	Occurrence and distribution of hydrocarbons in the surface microlayer and subsurface water from the urban coastal marine area off Marseilles, Northwestern Mediterranean Sea. <i>Marine Pollution Bulletin</i> , 2011, 62, 2741-2752.	2.3	46
15	Hydroxyl radical-induced photochemical formation of dicarboxylic acids from unsaturated fatty acid (oleic acid) in aqueous solution. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2007, 188, 135-139.	2.0	45
16	Fluorescence properties of dissolved organic matter in coastal Mediterranean waters influenced by a municipal sewage effluent (Bay of Marseilles, France). <i>Environmental Chemistry</i> , 2012, 9, 438.	0.7	43
17	Efficiency of benthic diatom-associated bacteria in the removal of benzo(a)pyrene and fluoranthene. <i>Science of the Total Environment</i> , 2021, 751, 141399.	3.9	40
18	Distribution and bacterial availability of dissolved neutral sugars in the South East Pacific. <i>Biogeosciences</i> , 2008, 5, 1165-1173.	1.3	39

#	ARTICLE	IF	CITATIONS
19	Microplastics in surface waters of the Gulf of Gabes, southern Mediterranean Sea: Distribution, composition and influence of hydrodynamics. <i>Estuarine, Coastal and Shelf Science</i> , 2020, 242, 106832.	0.9	37
20	Origin and distribution of hydrocarbons and organic matter in the surficial sediments of the Sfax-Kerkennah channel (Tunisia, Southern Mediterranean Sea). <i>Marine Pollution Bulletin</i> , 2017, 117, 414-428.	2.3	35
21	Occurrence, Loading, and Exposure of Atmospheric Particle-Bound POPs at the African and European Edges of the Western Mediterranean Sea. <i>Environmental Science & Technology</i> , 2017, 51, 13180-13189.	4.6	34
22	Sources and spatial distribution of dissolved aliphatic and polycyclic aromatic hydrocarbons in surface coastal waters of the Gulf of Gabès (Tunisia, Southern Mediterranean Sea). <i>Progress in Oceanography</i> , 2018, 163, 232-247.	1.5	31
23	Effect of Acidic Industrial Effluent Release on Microbial Diversity and Trace Metal Dynamics During Resuspension of Coastal Sediment. <i>Frontiers in Microbiology</i> , 2018, 9, 3103.	1.5	31
24	Variability of Solar Radiation and CDOM in Surface Coastal Waters of the Northwestern Mediterranean Sea. <i>Photochemistry and Photobiology</i> , 2015, 91, 851-861.	1.3	30
25	Levels and risk assessment of hydrocarbons and organochlorines in aerosols from a North African coastal city (Bizerte, Tunisia). <i>Environmental Pollution</i> , 2018, 240, 422-431.	3.7	29
26	Characterization and sources of colored dissolved organic matter in a coral reef ecosystem subject to ultramafic erosion pressure (New Caledonia, Southwest Pacific). <i>Science of the Total Environment</i> , 2018, 616-617, 438-452.	3.9	27
27	Distribution of normalized water-leaving radiances at UV and visible wave bands in relation with chlorophyll <i>a</i> and colored detrital matter content in the southeast Pacific. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	26
28	Influence of PAHs among other coastal environmental variables on total and PAH-degrading bacterial communities. <i>Environmental Science and Pollution Research</i> , 2016, 23, 4242-4256.	2.7	26
29	Assessment of anthropogenic inputs in the surface waters of the southern coastal area of Sfax during spring (Tunisia, Southern Mediterranean Sea). <i>Marine Pollution Bulletin</i> , 2016, 104, 355-363.	2.3	23
30	Copepod assemblages as a bioindicator of environmental quality in three coastal areas under contrasted anthropogenic inputs (Gulf of Gabes, Tunisia). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2018, 98, 1889-1905.	0.4	22
31	Natural and anthropogenic particulate-bound aliphatic and polycyclic aromatic hydrocarbons in surface waters of the Gulf of Gabès (Tunisia, southern Mediterranean Sea). <i>Environmental Science and Pollution Research</i> , 2018, 25, 2476-2494.	2.7	21
32	Spatio-temporal variability of fluorescent dissolved organic matter in the Rhône River delta and the Fos-Marseille marine area (NW Mediterranean Sea, France). <i>Environmental Science and Pollution Research</i> , 2017, 24, 4973-4989.	2.7	20
33	A Glider-Compatible Optical Sensor for the Detection of Polycyclic Aromatic Hydrocarbons in the Marine Environment. <i>Frontiers in Marine Science</i> , 2019, 6, .	1.2	18
34	Diazotrophic <i>Trichodesmium</i> impact on UV-Vis radiance and pigment composition in the western tropical South Pacific. <i>Biogeosciences</i> , 2018, 15, 5249-5269.	1.3	17
35	Hydrocarbons in a coral reef ecosystem subjected to anthropogenic pressures (La Réunion Island, Tj ETQq1 1 0.784314 rgBT /Over 0.7 16	0.7	16
36	Evolution of dissolved and particulate chromophoric materials during the VAHINE mesocosm experiment in the New Caledonian coral lagoon (south-west Pacific). <i>Biogeosciences</i> , 2016, 13, 3283-3303.	1.3	16

#	ARTICLE	IF	CITATIONS
37	A New Glider-Compatible Optical Sensor for Dissolved Organic Matter Measurements: Test Case from the NW Mediterranean Sea. <i>Frontiers in Marine Science</i> , 2017, 4, .	1.2	16
38	Effect of natural iron fertilisation on the distribution of DMS and DMSP in the Indian sector of the Southern Ocean. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2008, 55, 893-900.	0.6	15
39	Dynamics of trace metals in a shallow coastal ecosystem: insights from the Gulf of Gabon's (southern) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.7	15
40	Contrasting effects of solar radiation and nitrates on the bioavailability of dissolved organic matter to marine bacteria. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2009, 201, 243-247.	2.0	14
41	Biogeochemical cycling and phyto- and bacterioplankton communities in a large and shallow tropical lagoon (Tlacuáminas Lagoon, Mexico) under 2009-2010 El Niño Modoki drought conditions. <i>Biogeosciences</i> , 2017, 14, 959-975.	1.3	14
42	Occurrence, origin and potential ecological risk of dissolved polycyclic aromatic hydrocarbons and organochlorines in surface waters of the Gulf of Gabon's (Tunisia, Southern Mediterranean Sea). <i>Marine Pollution Bulletin</i> , 2022, 180, 113737.	2.3	13
43	Influence of CDOM and particle composition on ocean color of the Eastern New Caledonia Lagoon during the CALIOPE cruises. <i>Proceedings of SPIE</i> , 2014, , .	0.8	12
44	Water quality affects the structure of copepod assemblages along the Sfax southern coast (Tunisia,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.7	12
45	Potential bioavailability of organic matter from atmospheric particles to marine heterotrophic bacteria. <i>Biogeosciences</i> , 2020, 17, 6271-6285.	1.3	12
46	Diel variability of heterotrophic bacterial production and underwater UV doses in the eastern South Pacific. <i>Marine Ecology - Progress Series</i> , 2009, 387, 97-108.	0.9	10
47	Chemical composition and in vitro aryl hydrocarbon receptor-mediated activity of atmospheric particulate matter at an urban, agricultural and industrial site in North Africa (Bizerte, Tunisia). <i>Chemosphere</i> , 2020, 258, 127312.	4.2	9
48	Influence of Freshwater Discharges on Biogeochemistry and Benthic Communities of a Coral Reef Ecosystem (La Réunion Island, Indian Ocean). <i>Frontiers in Marine Science</i> , 2020, 7, .	1.2	7
49	Impact of Contrasted Weather Conditions on CDOM Absorption/Fluorescence and Biogeochemistry in the Eastern Lagoon of New Caledonia. <i>Frontiers in Earth Science</i> , 2020, 8, .	0.8	7
50	Halogenated flame retardants in atmospheric particles from a North African coastal city (Bizerte,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.8	7
51	Impact of moderately energetic fine-scale dynamics on the phytoplankton community structure in the western Mediterranean Sea. <i>Biogeosciences</i> , 2021, 18, 6455-6477.	1.3	7
52	Biochemical characterization, microbial diversity and biodegradability of coastal sediments in the Gulf of Gabon's, Southern Mediterranean Sea. <i>International Journal of Environmental Science and Technology</i> , 2022, 19, 2389-2408.	1.8	4
53	Assessment of oil weathering and impact in mangrove ecosystem: PRISME Experiment.. <i>International Oil Spill Conference Proceedings</i> , 2017, 2017, 634-656.	0.1	2
54	Water column poly-aromatic hydrocarbon anomalies measured with submersible gliders in the Angolan natural oil seepage province. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2021, 175, 103588.	0.6	1

#	ARTICLE	IF	CITATIONS
55	Utilization of a Submersible Ultra-Violet Fluorometer for Monitoring Anthropogenic Inputs in the Mediterranean Coasts. , 2010, , 289-291.		1
56	A Simple and Highly Reproducible Technique to Extract the ¹⁴ C ₂ Resulting from Respiration of ¹⁴ C-Labeled Seawater Samples. Hydrobiologia, 2004, 523, 1-7.	1.0	0
57	Investigating and Assessing of the Quality of Seawater in the Marseille Coastal Zone: An Approach Using Lipid Class Biomarkers. , 2010, , 371-372.		0
58	Chemical Composition and Some Trace Element Levels in the Surface Waters of Three Coastal Marine Areas Under Contrasted Pollution Influences in the Gulf of Gabes, Tunisia. Advances in Science, Technology and Innovation, 2018, , 343-344.	0.2	0