

Marcus E Peter

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8720307/marcus-e-peter-publications-by-citations.pdf>
Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

130 papers	22,988 citations	63 h-index	146 g-index
146 ext. papers	25,451 ext. citations	10.5 avg, IF	6.47 L-index

#	Paper	IF	Citations
130	FLICE, a novel FADD-homologous ICE/CED-3-like protease, is recruited to the CD95 (Fas/APO-1) death-inducing signaling complex. <i>Cell</i> , 1996 , 85, 817-27	56.2	2715
129	Molecular mechanisms of cell death: recommendations of the Nomenclature Committee on Cell Death 2018. <i>Cell Death and Differentiation</i> , 2018 , 25, 486-541	12.7	2160
128	The miR-200 family determines the epithelial phenotype of cancer cells by targeting the E-cadherin repressors ZEB1 and ZEB2. <i>Genes and Development</i> , 2008 , 22, 894-907	12.6	1780
127	Adipocytes promote ovarian cancer metastasis and provide energy for rapid tumor growth. <i>Nature Medicine</i> , 2011 , 17, 1498-503	50.5	1295
126	Viral FLICE-inhibitory proteins (FLIPs) prevent apoptosis induced by death receptors. <i>Nature</i> , 1997 , 386, 517-21	50.4	1143
125	Apoptosis signaling by death receptors. <i>FEBS Journal</i> , 1998 , 254, 439-59		745
124	The role of c-FLIP in modulation of CD95-induced apoptosis. <i>Journal of Biological Chemistry</i> , 1999 , 274, 1541-8	5.4	632
123	FADD/MORT1 is a common mediator of CD95 (Fas/APO-1) and tumor necrosis factor receptor-induced apoptosis. <i>Journal of Biological Chemistry</i> , 1996 , 271, 4961-5	5.4	598
122	The role of let-7 in cell differentiation and cancer. <i>Endocrine-Related Cancer</i> , 2010 , 17, F19-36	5.7	509
121	Differential modulation of apoptosis sensitivity in CD95 type I and type II cells. <i>Journal of Biological Chemistry</i> , 1999 , 274, 22532-8	5.4	461
120	c-FLIP(L) is a dual function regulator for caspase-8 activation and CD95-mediated apoptosis. <i>EMBO Journal</i> , 2002 , 21, 3704-14	13	428
119	Mechanisms of CD95 (APO-1/Fas)-mediated apoptosis. <i>Current Opinion in Immunology</i> , 1998 , 10, 545-51	7.8	416
118	Let-7 expression defines two differentiation stages of cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 11400-5	11.5	397
117	Let-7 and miR-200 microRNAs: guardians against pluripotency and cancer progression. <i>Cell Cycle</i> , 2009 , 8, 843-52	4.7	354
116	The CD95 type I/type II model. <i>Seminars in Immunology</i> , 2003 , 15, 185-93	10.7	349
115	Molecular ordering of the initial signaling events of CD95. <i>Molecular and Cellular Biology</i> , 2002 , 22, 207-208		340
114	FLICE is predominantly expressed as two functionally active isoforms, caspase-8/a and caspase-8/b. <i>Journal of Biological Chemistry</i> , 1997 , 272, 26953-8	5.4	332

113	The CD95 receptor: apoptosis revisited. <i>Cell</i> , 2007 , 129, 447-50	56.2	327
112	Classification of current anticancer immunotherapies. <i>Oncotarget</i> , 2014 , 5, 12472-508	3.3	301
111	Coordinated epigenetic repression of the miR-200 family and miR-205 in invasive bladder cancer. <i>International Journal of Cancer</i> , 2011 , 128, 1327-34	7.5	301
110	CD95 promotes tumour growth. <i>Nature</i> , 2010 , 465, 492-6	50.4	286
109	Loss of E-cadherin promotes ovarian cancer metastasis via alpha 5-integrin, which is a therapeutic target. <i>Cancer Research</i> , 2008 , 68, 2329-39	10.1	282
108	Activation of mitochondria and release of mitochondrial apoptogenic factors by betulinic acid. <i>Journal of Biological Chemistry</i> , 1998 , 273, 33942-8	5.4	270
107	MicroRNAs reprogram normal fibroblasts into cancer-associated fibroblasts in ovarian cancer. <i>Cancer Discovery</i> , 2012 , 2, 1100-8	24.4	254
106	CD95 ligand induces motility and invasiveness of apoptosis-resistant tumor cells. <i>EMBO Journal</i> , 2004 , 23, 3175-85	13	243
105	The role of APO-1-mediated apoptosis in the immune system. <i>Immunological Reviews</i> , 1994 , 142, 175-91	11.3	227
104	The role of receptor internalization in CD95 signaling. <i>EMBO Journal</i> , 2006 , 25, 1009-23	13	205
103	Interdimer processing mechanism of procaspase-8 activation. <i>EMBO Journal</i> , 2003 , 22, 4132-42	13	199
102	Let-7 prevents early cancer progression by suppressing expression of the embryonic gene HMGA2. <i>Cell Cycle</i> , 2007 , 6, 2585-90	4.7	197
101	Identification of let-7-regulated oncofetal genes. <i>Cancer Research</i> , 2008 , 68, 2587-91	10.1	177
100	Apoptosis signaling in lymphocytes. <i>Current Opinion in Immunology</i> , 1999 , 11, 277-85	7.8	172
99	Resistance of cultured peripheral T cells towards activation-induced cell death involves a lack of recruitment of FLICE (MACH/caspase 8) to the CD95 death-inducing signaling complex. <i>European Journal of Immunology</i> , 1997 , 27, 1207-12	6.1	154
98	miR-182 integrates apoptosis, growth, and differentiation programs in glioblastoma. <i>Genes and Development</i> , 2015 , 29, 732-45	12.6	153
97	Cell type-restricted activity of hnRNPM promotes breast cancer metastasis via regulating alternative splicing. <i>Genes and Development</i> , 2014 , 28, 1191-203	12.6	143
96	miR-200c regulates induction of apoptosis through CD95 by targeting FAP-1. <i>Molecular Cell</i> , 2010 , 38, 908-15	17.6	143

95	Identification of the cytolinker plectin as a major early in vivo substrate for caspase 8 during CD95- and tumor necrosis factor receptor-mediated apoptosis. <i>Molecular and Cellular Biology</i> , 2000 , 20, 5665-79	4.8	136
94	Phosphorylation of FADD/ MORT1 at serine 194 and association with a 70-kDa cell cycle-regulated protein kinase. <i>Journal of Immunology</i> , 2000 , 164, 1236-42	5.3	134
93	Palmitoylation of CD95 facilitates formation of SDS-stable receptor aggregates that initiate apoptosis signaling. <i>EMBO Journal</i> , 2007 , 26, 221-31	13	127
92	Cleavage of FLICE (caspase-8) by granzyme B during cytotoxic T lymphocyte-induced apoptosis. <i>European Journal of Immunology</i> , 1997 , 27, 3492-8	6.1	126
91	Phosphorylation of FADD at serine 194 by CKIalpha regulates its nonapoptotic activities. <i>Molecular Cell</i> , 2005 , 19, 321-32	17.6	122
90	Genomics of Ovarian Cancer Progression Reveals Diverse Metastatic Trajectories Including Intraepithelial Metastasis to the Fallopian Tube. <i>Cancer Discovery</i> , 2016 , 6, 1342-1351	24.4	116
89	Let-7 modulates acquired resistance of ovarian cancer to Taxanes via IMP-1-mediated stabilization of multidrug resistance 1. <i>International Journal of Cancer</i> , 2012 , 130, 1787-97	7.5	115
88	Activation of the CD95 (APO-1/Fas) pathway in drug- and gamma-irradiation-induced apoptosis of brain tumor cells. <i>Cell Death and Differentiation</i> , 1998 , 5, 884-93	12.7	113
87	Nonapoptotic functions of FADD-binding death receptors and their signaling molecules. <i>Current Opinion in Cell Biology</i> , 2005 , 17, 610-6	9	110
86	Cancer-Associated IDH1 Promotes Growth and Resistance to Targeted Therapies in the Absence of Mutation. <i>Cell Reports</i> , 2017 , 19, 1858-1873	10.6	104
85	Expression of c-FLIPL and resistance to CD95-mediated apoptosis of monocyte-derived dendritic cells: inhibition by bisindolylmaleimide. <i>Blood</i> , 2000 , 95, 3478-3482	2.2	99
84	Serine protease inhibitor 6 protects cytotoxic T cells from self-inflicted injury by ensuring the integrity of cytotoxic granules. <i>Immunity</i> , 2006 , 24, 451-61	32.3	98
83	Apoptosis-independent functions of killer caspases. <i>Current Opinion in Cell Biology</i> , 2002 , 14, 721-6	9	97
82	NF-kappaB protects from the lysosomal pathway of cell death. <i>EMBO Journal</i> , 2003 , 22, 5313-22	13	92
81	Two CD95 tumor classes with different sensitivities to antitumor drugs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 11445-50	11.5	90
80	The flip side of FLIP. <i>Biochemical Journal</i> , 2004 , 382, e1-3	3.8	89
79	Bcl-xL acts downstream of caspase-8 activation by the CD95 death-inducing signaling complex. <i>Journal of Biological Chemistry</i> , 1998 , 273, 3388-93	5.4	89
78	Inactivation of caspase-8 on mitochondria of Bcl-xL-expressing MCF7-Fas cells: role for the bifunctional apoptosis regulator protein. <i>Journal of Biological Chemistry</i> , 2002 , 277, 4351-60	5.4	88

77	Foretinib (GSK1363089), an orally available multikinase inhibitor of c-Met and VEGFR-2, blocks proliferation, induces anoikis, and impairs ovarian cancer metastasis. <i>Clinical Cancer Research</i> , 2011 , 17, 4042-51	12.9	87
76	The death effector domain protein family. <i>Oncogene</i> , 2003 , 22, 8634-44	9.2	84
75	Caspase Activation Is Required for Nitric Oxide-Mediated, CD95(APO-1/Fas)-Dependent and Independent Apoptosis in Human Neoplastic Lymphoid Cells. <i>Blood</i> , 1998 , 91, 4311-4320	2.2	83
74	Induction of apoptosis and activation of NF-kappaB by CD95 require different signalling thresholds. <i>EMBO Reports</i> , 2004 , 5, 1084-9	6.5	80
73	Phosphatidylinositol 3-kinase blocks CD95 aggregation and caspase-8 cleavage at the death-inducing signaling complex by modulating lateral diffusion of CD95. <i>Journal of Immunology</i> , 2001 , 166, 6564-9	5.3	78
72	Differences between CD95 type I and II cells detected with the CD95 ligand. <i>Cell Death and Differentiation</i> , 1999 , 6, 821-2	12.7	74
71	Gadd45 beta mediates the protective effects of CD40 costimulation against Fas-induced apoptosis. <i>Blood</i> , 2003 , 102, 3270-9	2.2	71
70	DEDD regulates degradation of intermediate filaments during apoptosis. <i>Journal of Cell Biology</i> , 2002 , 158, 1051-66	7.3	71
69	Regulation of apoptosis by ubiquitination. <i>Immunological Reviews</i> , 2003 , 193, 39-47	11.3	69
68	The TNF receptor 1: a split personality complex. <i>Cell</i> , 2003 , 114, 148-50	56.2	63
67	The death effector domain-associated factor plays distinct regulatory roles in the nucleus and cytoplasm. <i>Journal of Biological Chemistry</i> , 2001 , 276, 31945-52	5.4	61
66	APO-1 (CD95)-dependent and -independent antigen receptor-induced apoptosis in human T and B cell lines. <i>International Immunology</i> , 1995 , 7, 1873-7	4.9	59
65	The death receptors. <i>Results and Problems in Cell Differentiation</i> , 1999 , 23, 25-63	1.4	59
64	Identification of SNF1/AMP kinase-related kinase as an NF-kappaB-regulated anti-apoptotic kinase involved in CD95-induced motility and invasiveness. <i>Journal of Biological Chemistry</i> , 2004 , 279, 46742-7	5.4	56
63	CD95 and CD95L promote and protect cancer stem cells. <i>Nature Communications</i> , 2014 , 5, 5238	17.4	55
62	Local gene density predicts the spatial position of genetic loci in the interphase nucleus. <i>Experimental Cell Research</i> , 2005 , 311, 14-26	4.2	54
61	How apoptosis got the immune system in shape. <i>European Journal of Immunology</i> , 2007 , 37 Suppl 1, S61-70	7.0	53
60	Intermediate filaments control the intracellular distribution of caspases during apoptosis. <i>American Journal of Pathology</i> , 2004 , 164, 395-407	5.8	52

59	Assays of endogenous caspase activities: a comparison of mass spectrometry and fluorescence formats. <i>Analytical Chemistry</i> , 2006 , 78, 4945-51	7.8	48
58	Death induced by CD95 or CD95 ligand elimination. <i>Cell Reports</i> , 2014 , 7, 208-22	10.6	47
57	Does CD95 have tumor promoting activities?. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2005 , 1755, 25-36	11.2	47
56	CD95/Fas Increases Stemness in Cancer Cells by Inducing a STAT1-Dependent Type I Interferon Response. <i>Cell Reports</i> , 2017 , 18, 2373-2386	10.6	46
55	A role for caspase-8 and c-FLIPL in proliferation and cell-cycle progression of primary hepatocytes. <i>Carcinogenesis</i> , 2005 , 26, 2086-94	4.6	42
54	Cell cycle effects by C-FADD depend on its C-terminal phosphorylation site. <i>Journal of Biological Chemistry</i> , 2003 , 278, 41585-8	5.4	41
53	Isolation and analysis of components of CD95 (APO-1/Fas) death-inducing signaling complex. <i>Methods</i> , 1999 , 17, 287-91	4.6	40
52	Apoptosis and caspases. <i>Cardiology Clinics</i> , 2001 , 19, 13-29	2.5	39
51	PTEN loss promotes mitochondrially dependent type II Fas-induced apoptosis via PEA-15. <i>Molecular and Cellular Biology</i> , 2009 , 29, 1222-34	4.8	36
50	Many si/shRNAs can kill cancer cells by targeting multiple survival genes through an off-target mechanism. <i>ELife</i> , 2017 , 6,	8.9	35
49	miRConnect: identifying effector genes of miRNAs and miRNA families in cancer cells. <i>PLoS ONE</i> , 2011 , 6, e26521	3.7	35
48	Actin dependent CD95 internalization is specific for Type I cells. <i>FEBS Letters</i> , 2003 , 546, 185-8	3.8	34
47	Interaction of the isolated domain II/III of Thermus thermophilus elongation factor Tu with the nucleotide exchange factor EF-Ts. <i>Nucleic Acids Research</i> , 1990 , 18, 6889-93	20.1	34
46	S-adenosylhomocysteine as a physiological modulator of Apo-1-mediated apoptosis. <i>International Immunology</i> , 1996 , 8, 1139-47	4.9	31
45	microRNAs and death receptors. <i>Cytokine and Growth Factor Reviews</i> , 2008 , 19, 303-11	17.9	31
44	The relevance of NF-kappaB for CD95 signaling in tumor cells. <i>Cell Cycle</i> , 2004 , 3, 1235-9	4.7	31
43	ROS eliminate danger. <i>Immunity</i> , 2008 , 29, 1-2	32.3	30
42	Cell death in the colonic epithelium during inflammatory bowel diseases: CD95/Fas and beyond. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 1071-6	4.5	26

41	CD95 is part of a let-7/p53/miR-34 regulatory network. <i>PLoS ONE</i> , 2012 , 7, e49636	3.7	23
40	Regulating cancer stem cells the miR way. <i>Cell Stem Cell</i> , 2010 , 6, 4-6	18	22
39	Induction of DISE in ovarian cancer cells. <i>Oncotarget</i> , 2017 , 8, 84643-84658	3.3	21
38	Mapping small GTP-binding proteins on high-resolution two-dimensional gels by a combination of GTP binding and labeling with in situ periodate-oxidized GTP. <i>Electrophoresis</i> , 1994 , 15, 283-8	3.6	21
37	Small interfering RNAs based on huntingtin trinucleotide repeats are highly toxic to cancer cells. <i>EMBO Reports</i> , 2018 , 19,	6.5	20
36	CD95/Fas ligand mRNA is toxic to cells. <i>ELife</i> , 2018 , 7,	8.9	19
35	Analysis of the CD95 (APO-1/Fas) death-inducing signaling complex by high-resolution two-dimensional gel electrophoresis. <i>Methods in Enzymology</i> , 2000 , 322, 363-73	1.7	18
34	6mer seed toxicity in tumor suppressive microRNAs. <i>Nature Communications</i> , 2018 , 9, 4504	17.4	18
33	CD95 is cytoprotective for intestinal epithelial cells in colitis. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 1063-70	4.5	17
32	miRConnect 2.0: identification of oncogenic, antagonistic miRNA families in three human cancers. <i>BMC Genomics</i> , 2013 , 14, 179	4.5	16
31	The mechanism of how CD95/Fas activates the Type I IFN/STAT1 axis, driving cancer stemness in breast cancer. <i>Scientific Reports</i> , 2020 , 10, 1310	4.9	15
30	Fas ligand-Fas signaling participates in light-induced apoptotic death in photoreceptor cells 2012 , 53, 3703-16		13
29	CD95 signaling deficient mice with a wild-type hematopoietic system are prone to hepatic neoplasia. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2008 , 13, 41-51	5.4	13
28	DISE: A Seed-Dependent RNAi Off-Target Effect That Kills Cancer Cells. <i>Trends in Cancer</i> , 2018 , 4, 10-19	12.5	12
27	Trinucleotide Repeat Expansion Diseases, RNAi, and Cancer. <i>Trends in Cancer</i> , 2018 , 4, 684-700	12.5	11
26	Identification of the N-tosyl-L-phenylalanyl chloromethylketone modification site in <i>Thermus thermophilus</i> elongation factor Tu. <i>FEBS Letters</i> , 1989 , 257, 219-22	3.8	10
25	Identification of DISE-inducing shRNAs by monitoring cellular responses. <i>Cell Cycle</i> , 2018 , 17, 506-514	4.7	10
24	Serine protease inhibitor 6-deficient mice have increased neutrophil immunity to <i>Pseudomonas aeruginosa</i> . <i>Journal of Immunology</i> , 2007 , 179, 4390-6	5.3	8

23	Non-apoptotic Fas (CD95) Signaling on T Cells Regulates the Resolution of Th2-Mediated Inflammation. <i>Frontiers in Immunology</i> , 2018 , 9, 2521	8.4	8
22	6mer Seed Toxicity in Viral microRNAs. <i>IScience</i> , 2020 , 23, 100737	6.1	7
21	Covalent binding of guanine nucleotides to the CD3-gamma chain of the T cell receptor/CD3 complex. <i>European Journal of Immunology</i> , 1993 , 23, 461-6	6.1	5
20	DICE: A novel tumor surveillance mechanism-a new therapy for cancer?. <i>Cell Cycle</i> , 2014 , 13, 1373-8	4.7	4
19	Synthesis of a high-purity chemical library reveals a potent inducer of oxidative stress. <i>ChemBioChem</i> , 2010 , 11, 1224-7	3.8	4
18	The Ratio of Toxic-to-Nontoxic miRNAs Predicts Platinum Sensitivity in Ovarian Cancer. <i>Cancer Research</i> , 2021 , 81, 3985-4000	10.1	4
17	Characterization of the GTP/GDP binding site in the murine CD3-zeta polypeptide chain. <i>Immunology Letters</i> , 1994 , 43, 167-75	4.1	3
16	Caspase Activation Is Required for Nitric Oxide-Mediated, CD95(APO-1/Fas)Dependent and Independent Apoptosis in Human Neoplastic Lymphoid Cells. <i>Blood</i> , 1998 , 91, 4311-4320	2.2	3
15	Expression of c-FLIPL and resistance to CD95-mediated apoptosis of monocyte-derived dendritic cells: inhibition by bisindolylmaleimide. <i>Blood</i> , 2000 , 95, 3478-3482	2.2	2
14	Identification of the toxic 6mer seed consensus in human cancer cells		2
13	DISE/6mer seed toxicity-a powerful anti-cancer mechanism with implications for other diseases. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 389	12.8	2
12	Methods to analyze the palmitoylated CD95 high molecular weight death-inducing signaling complex. <i>Methods in Enzymology</i> , 2008 , 442, 83-100	1.7	1
11	6mer Seed Toxicity Determines Strand Selection in miRNAs		1
10	The balance between toxic versus nontoxic microRNAs determines platinum sensitivity in ovarian cancer		1
9	SPOROS: A pipeline to analyze DISE/6mer seed toxicity		1
8	Identification of the toxic 6mer seed consensus for human cancer cells.. <i>Scientific Reports</i> , 2022 , 12, 51304.9	4.9	1
7	CD95/Fas suppresses NF- κ B activation through recruitment of KPC2 in a CD95L/FasL-independent mechanism.. <i>IScience</i> , 2021 , 24, 103538	6.1	0
6	CD95/Fas protects triple negative breast cancer from anti-tumor activity of NK cells. <i>IScience</i> , 2021 , 24, 103348	6.1	0

- 5 SPOROS: A pipeline to analyze DISE/6mer seed toxicity.. *PLoS Computational Biology*, **2022**, 18, e1010023 [o](#)
- 4 Signaling through the Death Receptor CD95 (APO-1/FAS). *Scientific World Journal, The*, **2001**, 1, 90 2.2
- 3 Tumorimmunologie **1998**, 159-172
- 2 Tumor Immunology **1998**, 153-165
- 1 FOXO3a Mediates Both the Pro-Survival and Proapoptotic Effects of Glucocorticoids In Acute Lymphoblastic Leukemia. *Blood*, **2010**, 116, 1822-1822 2.2