

Hartmut Yersin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8720356/hartmut-yersin-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

179 papers	9,654 citations	48 h-index	94 g-index
194 ext. papers	10,388 ext. citations	5.7 avg, IF	6.41 L-index

#	Paper	IF	Citations
179	Fabrication of a Solution-Processed White Light Emitting Diode Containing a Single Dimeric Copper(I) Emitter Featuring Combined TADF and Phosphorescence.. <i>Micromachines</i> , 2021 , 12,	3.3	4
178	P?N Bridged Cu(I) Dimers Featuring Both TADF and Phosphorescence. From Overview towards Detailed Case Study of the Excited Singlet and Triplet States. <i>Molecules</i> , 2021 , 26,	4.8	5
177	Sandwich-Like Encapsulation of a Highly Luminescent Copper(I) Complex. <i>Advanced Optical Materials</i> , 2021 , 9, 2100516	8.1	7
176	Cu(I) and Ag(I) Complexes with a New Type of Rigid Tridentate N,P,P-Ligand for Thermally Activated Delayed Fluorescence and OLEDs with High External Quantum Efficiency. <i>Chemistry of Materials</i> , 2020 , 32, 10365-10382	9.6	23
175	Cu(I) Complexes of Multidentate and Carbodiphosphorane Ligands and Their Photoluminescence. <i>Molecules</i> , 2020 , 25,	4.8	4
174	Ag(i) complex design affording intense phosphorescence with a landmark lifetime of over 100 milliseconds. <i>Dalton Transactions</i> , 2019 , 48, 2802-2806	4.3	20
173	Symmetry-Based Design Strategy for Unprecedentedly Fast Decaying Thermally Activated Delayed Fluorescence (TADF). Application to Dinuclear Cu(I) Compounds. <i>Chemistry of Materials</i> , 2019 , 31, 4392-4404	8.6	37
172	Design of a New Mechanism beyond Thermally Activated Delayed Fluorescence toward Fourth Generation Organic Light Emitting Diodes. <i>Chemistry of Materials</i> , 2019 , 31, 6110-6116	9.6	29
171	Sky-blue thermally activated delayed fluorescence (TADF) based on Ag(I) complexes: strong solvation-induced emission enhancement. <i>Inorganic Chemistry Frontiers</i> , 2019 , 6, 3168-3176	6.8	23
170	Design strategies for materials showing thermally activated delayed fluorescence and beyond: Towards the fourth-generation OLED mechanism. <i>Journal of the Society for Information Display</i> , 2018 , 26, 194-199	2.1	22
169	Dinuclear Ag(I) Complex Designed for Highly Efficient Thermally Activated Delayed Fluorescence. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 702-709	6.4	51
168	Dinuclear Cu(I) Complex with Combined Bright TADF and Phosphorescence. Zero-Field Splitting and Spin-Lattice Relaxation Effects of the Triplet State. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 2848-2856	6.4	47
167	Design of Conformationally Distorted Donor-Acceptor Dyads Showing Efficient Thermally Activated Delayed Fluorescence. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 3692-3697	6.4	23
166	Deep blue emitting Cu(i) tripod complexes. Design of high quantum yield materials showing TADF-assisted phosphorescence. <i>Dalton Transactions</i> , 2018 , 47, 17067-17076	4.3	29
165	Solution-Processed TADF Materials and Devices Based on Organic Emitters 2018 , 501-541		2
164	Status and Next Steps of TADF Technology: An Industrial Perspective 2018 , 543-572		4
163	Highly Emissive d10 Metal Complexes as TADF Emitters with Versatile Structures and Photophysical Properties 2018 , 61-91		2

162	Ionic [Cu(NN)(PP)] ⁺ TAD9727 F Complexes with Pyridine-based Diimine Chelating Ligands and Their Use in OLEDs 2018 , 177-198		1
161	Efficiency Enhancement of Organic Light-Emitting Diodes Exhibiting Delayed Fluorescence and Nonisotropic Emitter Orientation 2018 , 199-228		1
160	TADF Kinetics and Data Analysis in Photoluminescence and in Electroluminescence 2018 , 229-255		2
159	TADF Material Design: Photophysical Background and Case Studies Focusing on Cu(I) and Ag(I) Complexes 2018 , 1-60		5
158	Thermally Activated Delayed Fluorescence Materials Based on Donor-Acceptor Molecular Systems 2018 , 377-423		2
157	Luminescent Dinuclear Copper(I) Complexes with Short Intramolecular Cu-Cu Distances 2018 , 93-118		3
156	Molecular Design and Synthesis of Metal Complexes as Emitters for TADF-Type OLEDs 2018 , 119-176		2
155	Intersystem Crossing Processes in TADF Emitters 2018 , 257-296		4
154	Temperature dependence of photophysical properties of a dinuclear C ^N -cyclometalated Pt(II) complex with an intimate Pt-Pt contact. Zero-field splitting and sub-state decay rates of the lowest triplet. <i>Physical Chemistry Chemical Physics</i> , 2018 , 20, 25096-25104	3.6	9
153	Gold(I) Complexes Containing Phosphanyl- and Arsanylborane Ligands. <i>Chemistry - A European Journal</i> , 2018 , 24, 10073	4.8	9
152	6-1: Distinguished Paper and Invited Paper: Design Strategies for Materials Showing Thermally Activated Delayed Fluorescence and Beyond: Towards the Fourth-generation OLED Mechanism. <i>Digest of Technical Papers SID International Symposium</i> , 2018 , 49, 48-51	0.5	1
151	Design Strategy for Ag(I)-Based Thermally Activated Delayed Fluorescence Reaching an Efficiency Breakthrough. <i>Chemistry of Materials</i> , 2017 , 29, 1708-1715	9.6	84
150	Highly Efficient Organic Light-Emitting Diode Using A Low Refractive Index Electron Transport Layer. <i>Advanced Optical Materials</i> , 2017 , 5, 1700197	8.1	39
149	TADF Material Design: Photophysical Background and Case Studies Focusing on Cu and Ag Complexes. <i>ChemPhysChem</i> , 2017 , 18, 3508-3535	3.2	137
148	Thermally Activated Delayed Fluorescence from Ag(I) Complexes: A Route to 100% Quantum Yield at Unprecedentedly Short Decay Time. <i>Inorganic Chemistry</i> , 2017 , 56, 13274-13285	5.1	68
147	Thermally Tunable Dual Emission of the d(8)-d(8) Dimer [Pt ₂ (EP ₂ O ₅ (BF ₂) ₂) ₄](4). <i>Inorganic Chemistry</i> , 2016 , 55, 2441-9	5.1	40
146	Cu(I) complexes - Thermally activated delayed fluorescence. Photophysical approach and material design. <i>Coordination Chemistry Reviews</i> , 2016 , 325, 2-28	23.2	310
145	Copper(I) Complexes for Thermally Activated Delayed Fluorescence: From Photophysical to Device Properties. <i>Topics in Current Chemistry</i> , 2016 , 374, 25	7.2	97

144	Encapsulation of functional organic compounds in nanoglass for optically anisotropic coatings. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 4963-7	16.4	15
143	Charge-transfer excited states in phosphorescent organo-transition metal compounds: a difficult case for time dependent density functional theory?. <i>RSC Advances</i> , 2015 , 5, 63318-63329	3.7	63
142	Diversity of copper(I) complexes showing thermally activated delayed fluorescence: basic photophysical analysis. <i>Inorganic Chemistry</i> , 2015 , 54, 4322-7	5.1	147
141	Halocuprate(I) zigzag chain structures with N-methylated DABCO cations--bright metal-centered luminescence and thermally activated color shifts. <i>Dalton Transactions</i> , 2015 , 44, 19305-13	4.3	19
140	Electric-field induced nonlinear optical materials based on a bipolar copper (I) complex embedded in polymer matrices. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 8394-8397	2.1	6
139	A new class of deep-blue emitting Cu(I) compounds--effects of counter ions on the emission behavior. <i>Dalton Transactions</i> , 2015 , 44, 20045-55	4.3	41
138	Quasi-epitaxial growth of [Ru(bpy) ₃](2+) by confinement in clay nanoplatelets yields polarized emission. <i>Small</i> , 2015 , 11, 792-6	11	8
137	Highly efficient luminescence of Cu(I) compounds: thermally activated delayed fluorescence combined with short-lived phosphorescence. <i>Journal of the American Chemical Society</i> , 2015 , 137, 399-404	16.4	311
136	A new class of luminescent Cu(I) complexes with tripodal ligands TADF emitters for the yellow to red color range. <i>Dalton Transactions</i> , 2015 , 44, 8506-20	4.3	73
135	Nanoglas-Verkapselung funktionaler organischer Verbindungen ff optisch anisotrope Beschichtungen. <i>Angewandte Chemie</i> , 2015 , 127, 5047-5051	3.6	4
134	Thermally activated delayed fluorescence (TADF) and enhancing photoluminescence quantum yields of [Cu(I)(diimine)(diphosphine)](+) complexes-photophysical, structural, and computational studies. <i>Inorganic Chemistry</i> , 2014 , 53, 10854-61	5.1	177
133	Brightly luminescent Pt(II) pincer complexes with a sterically demanding carboranyl-phenylpyridine ligand: a new material class for diverse optoelectronic applications. <i>Journal of the American Chemical Society</i> , 2014 , 136, 9637-42	16.4	142
132	Phosphorescence versus thermally activated delayed fluorescence. Controlling singlet-triplet splitting in brightly emitting and sublimable Cu(I) compounds. <i>Journal of the American Chemical Society</i> , 2014 , 136, 16032-8	16.4	305
131	TADF for singlet harvesting: next generation OLED materials based on brightly green and blue emitting Cu(I) and Ag(I) compounds 2014 ,		19
130	Novel oligonuclear copper complexes featuring exciting luminescent characteristics 2013 ,		2
129	Brightly blue and green emitting Cu(I) dimers for singlet harvesting in OLEDs. <i>Journal of Physical Chemistry A</i> , 2013 , 117, 11823-36	2.8	202
128	Photophysical properties of cyclometalated Pt(II) complexes: counterintuitive blue shift in emission with an expanded ligand system. <i>Inorganic Chemistry</i> , 2013 , 52, 12403-15	5.1	126
127	Organometallic Emitters for OLEDs: Triplet Harvesting, Singlet Harvesting, Case Structures, and Trends 2013 , 371-424		38

126	Highly efficient thermally activated fluorescence of a new rigid Cu(I) complex [Cu(dmp)(phanephos)] ⁺ . <i>Dalton Transactions</i> , 2013 , 42, 9826-30	4.3	138
125	Synthesis, structure, and characterization of dinuclear copper(I) halide complexes with P [^] N ligands featuring exciting photoluminescence properties. <i>Inorganic Chemistry</i> , 2013 , 52, 2292-305	5.1	282
124	Improving the performance of Pt(II) complexes for blue light emission by enhancing the molecular rigidity. <i>Inorganic Chemistry</i> , 2012 , 51, 312-9	5.1	183
123	Singlet harvesting with brightly emitting Cu(I) and metal-free organic compounds 2012 ,		31
122	The triplet state of organo-transition metal compounds. Triplet harvesting and singlet harvesting for efficient OLEDs. <i>Coordination Chemistry Reviews</i> , 2011 , 255, 2622-2652	23.2	908
121	Palladium(II)- and platinum(II)phenyl-2,6-bis(oxazole) pincer complexes: syntheses, crystal structures, and photophysical properties. <i>Dalton Transactions</i> , 2011 , 40, 8800-6	4.3	12
120	Blue-light emission of Cu(I) complexes and singlet harvesting. <i>Inorganic Chemistry</i> , 2011 , 50, 8293-301	5.1	354
119	The triplet state of fac-Ir(ppy) ₃ . <i>Inorganic Chemistry</i> , 2010 , 49, 9290-9	5.1	283
118	The lowest excited state of brightly emitting gold(I) triphosphine complexes. <i>Inorganic Chemistry</i> , 2010 , 49, 3764-7	5.1	48
117	Bright sky-blue phosphorescence of [n-Bu ₄ N][Pt(4,6-dFppy)(CN) ₂]: synthesis, crystal structure, and detailed photophysical studies. <i>Inorganic Chemistry</i> , 2010 , 49, 7818-25	5.1	41
116	Organometallic Pt(II) and Ir(III) Triplet Emitters for OLED Applications and the Role of Spin-Orbit Coupling: A Study Based on High-Resolution Optical Spectroscopy. <i>Topics in Organometallic Chemistry</i> , 2010 , 193-235	0.6	191
115	Photophysical properties and OLED applications of phosphorescent platinum(II) Schiff base complexes. <i>Chemistry - A European Journal</i> , 2010 , 16, 233-47	4.8	242
114	Magnetic field effects on the phosphorescence of Pt(4,6-dFppy)(acac) and tunability of the vibrational satellite structure. <i>Chemical Physics Letters</i> , 2010 , 484, 261-265	2.5	17
113	Triplet state properties of a red light emitting [Pt(s-thpy)(acac)] compound. <i>Chemical Physics Letters</i> , 2010 , 486, 53-59	2.5	24
112	Gold(I) Complexes Bearing P [^] N-Ligands: An Unprecedented Twelve-membered Ring Structure Stabilized by Auophilic Interactions. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2009 , 64, 1513-1524	1	23
111	Triplet state relaxation processes of the OLED emitter Pt(4,6-dFppy)(acac). <i>Chemical Physics Letters</i> , 2009 , 468, 46-51	2.5	29
110	Photophysical properties of Re(pbt)(CO) ₄ studied by high resolution spectroscopy. <i>Chemical Physics Letters</i> , 2009 , 468, 205-210	2.5	18
109	Probing the excited state properties of the highly phosphorescent Pt(dpyb)Cl compound by high-resolution optical spectroscopy. <i>Inorganic Chemistry</i> , 2009 , 48, 11407-14	5.1	58

108	Exceptional Oxygen Sensing Capabilities and Triplet State Properties of Ir(ppy-NPh ₂) ₃ . <i>Chemistry of Materials</i> , 2009 , 21, 2173-2175	9.6	113
107	Synthesis of cyclometallated platinum complexes with substituted thienylpyridines and detailed characterization of their luminescence properties. <i>Inorganic Chemistry</i> , 2009 , 48, 4179-89	5.1	70
106	Blue light emitting Ir(III) compounds for OLEDs - new insights into ancillary ligand effects on the emitting triplet state. <i>Journal of Physical Chemistry A</i> , 2009 , 113, 5927-32	2.8	138
105	Matrix effects on the triplet state of the OLED emitter Ir(4,6-dFppy) ₂ (pic) (Flrpic): investigations by high-resolution optical spectroscopy. <i>Inorganic Chemistry</i> , 2009 , 48, 1928-37	5.1	115
104	Bis(diphenyl-arsino)methane-As:AsPbis-[chloridogold(I)]. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2009 , 65, m281		
103	Matrix influence on the OLED emitter Ir(btp) ₂ (acac) in polymeric host materials Studies by persistent spectral hole burning. <i>Organic Electronics</i> , 2008 , 9, 641-648	3.5	29
102	Triplet state properties of [Os(phen) ₂ (dppene)] ²⁺ in different host materials and host to guest energy transfer in PVK. <i>Chemical Physics Letters</i> , 2008 , 455, 72-78	2.5	11
101	Unprecedented coordination chemistry of a chloro(phosphine)gold(I) complex: [(Ad ₂ BnP) ₂ Au][AuCl ₂]. <i>Inorganic Chemistry Communication</i> , 2008 , 11, 409-412	3.1	20
100	Triplet state properties of the OLED emitter Ir(btp) ₂ (acac): characterization by site-selective spectroscopy and application of high magnetic fields. <i>Inorganic Chemistry</i> , 2007 , 46, 5076-83	5.1	84
99	Synthesis, Characterisation and Ligand Properties of Novel Bi-1,2,3-triazole Ligands. <i>European Journal of Inorganic Chemistry</i> , 2007 , 2007, 4597-4606	2.3	77
98	Phosphorescence dynamics and spin-lattice relaxation of the OLED emitter Ir(btp) ₂ (acac). <i>Chemical Physics Letters</i> , 2007 , 444, 273-279	2.5	28
97	Synthesis, crystal structures, and electronic spectra of (1,8-naphthyridine)Re(CO) ₃ Cl and [(1,8-naphthyridine)CuI(DPEPhos)]PF ₆ . <i>Inorganic Chemistry Communication</i> , 2007 , 10, 1473-1477	3.1	17
96	Bis(4,4'-di-tert-butyl-2,2'-bipyridine-2N,N')silver(I) trifluoromethanesulfonate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007 , 63, m2364-m2364		2
95	Spin-orbit coupling routes and OLED performance: studies of blue-light emitting Ir(III) and Pt(II) complexes 2007 ,		30
94	{Bis[2-(diphenyl-phosphanyl)phen-yl] ether-B ₂ P ₂ (1,1Pdibenz-yl-1H,1H-4,4Bi-1,2,3-triazole-2N,N)copper(I) hexa-fluorido-phosphate dichloro-methane hemisolvate. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007 , 64, m195		1
93	Crystal Structure of facIr(ppy) ₃ and Emission Properties under Ambient Conditions and at High Pressure <i>Chemistry of Materials</i> , 2005 , 17, 1745-1752	9.6	72
92	Structure and spectroscopy of Tb[Au(CN) ₂] ₃ ·3H ₂ O. <i>Journal of Physical Chemistry B</i> , 2005 , 109, 13083-90	3.4	21
91	Phosphorescence studies of the Pt(thpy) ₂ complex for use in single molecule spectroscopy. <i>Optics and Spectroscopy (English Translation of Optika i Spektroskopiya)</i> , 2005 , 99, 297	0.7	4

90	Organometallic triplet emitters for OLED applications: controlling emission properties by chemical variation 2004 , 5214, 124		11
89	Emission and absorption of Ir(ppy) ₂ (CO)(Cl) II temperature dependence, phosphorescence decay dynamics, and assignment of excited states. <i>Chemical Physics Letters</i> , 2004 , 397, 289-295	2.5	43
88	Emission properties of Ir(ppy) ₃ and Ir(ppy) ₂ (CO)(Cl): compounds with different transition types 2004 , 5214, 356		9
87	Emission of Ir(ppy) ₃ . Temperature dependence, decay dynamics, and magnetic field properties. <i>Chemical Physics Letters</i> , 2003 , 377, 299-305	2.5	202
86	Energy transfer and harvesting in [Ru1Os(bpy) ₃](PF ₆) ₂ and {[Ru(bpy) ₃][Os(bpy) ₃]}(PF ₆) ₄ . <i>Coordination Chemistry Reviews</i> , 2002 , 229, 75-93	23.2	29
85	Energy harvesting in {[Ru(bpy) ₃][Os(bpy) ₃]}(PF ₆) ₄ and tunability of emission properties under magnetic field application. <i>Chemical Physics Letters</i> , 2002 , 362, 365-372	2.5	7
84	Organometallic Pt(II) compounds. A complementary study of a triplet emitter based on optical high-resolution and optically detected magnetic resonance spectroscopy. <i>Inorganic Chemistry</i> , 2002 , 41, 4915-22	5.1	67
83	Low-Lying Electronic States and Photophysical Properties of Organometallic Pd(II) and Pt(II) Compounds. Modern Research Trends Presented in Detailed Case Studies. <i>Topics in Current Chemistry</i> , 2001 , 81-186		132
82	Spin-lattice relaxation in metal-organic platinum(II) complexes. <i>Chemical Physics Letters</i> , 2000 , 316, 280-284	2.5	8
81	Triplet sublevels of metal organic complexes II temperature dependence of spin lattice relaxation. <i>Chemical Physics</i> , 2000 , 255, 301-316	2.3	26
80	Triplets in metal organic compounds. Chemical tunability of relaxation dynamics. <i>Coordination Chemistry Reviews</i> , 2000 , 208, 331-364	23.2	96
79	Crystal Engineering as a Tool for Directed Radiationless Energy Transfer in Layered {[Ru(bpy) ₃][Os(bpy) ₃]}(PF ₆) ₄ . <i>Journal of the American Chemical Society</i> , 2000 , 122, 2548-2555	16.4	39
78	Intraligand charge transfer in the Pd(II) oxinate complex Pd(qol) ₂ . Site-selective emission, excitation, and optically detected magnetic resonance. <i>Inorganic Chemistry</i> , 2000 , 39, 770-7	5.1	35
77	Spatial Extensions of Excited States of Metal Complexes. Tunability by Chemical Variation. <i>Inorganic Chemistry</i> , 1999 , 38, 5820-5831	5.1	34
76	High-Pressure, Low-Temperature Emission Studies of a Metal Organic Platinum(II) Compound in a Shpol'skii Matrix. <i>Inorganic Chemistry</i> , 1999 , 38, 1411-1415	5.1	15
75	Effect of high pressure on the emission spectrum of single crystals of Tl[Au(CN) ₂]. <i>Chemical Physics Letters</i> , 1998 , 295, 95-98	2.5	17
74	Tunable Radiationless Energy Transfer in Eu[Au(CN) ₂] ₃ ·BH ₂ O by High Pressure. <i>Inorganic Chemistry</i> , 1998 , 37, 3209-3216	5.1	37
73	Characterization of excited electronic and vibronic states of platinum metal compounds with chelate ligands by highly frequency-resolved and time-resolved spectra. <i>Topics in Current Chemistry</i> , 1997 , 153-249		65

72	Intraligand Charge Transfer in Pt(qol)(2). Characterization of Electronic States by High-Resolution Shpolʹskii Spectroscopy. <i>Inorganic Chemistry</i> , 1997 , 36, 3040-3048	5.1	70
71	Determination of Relaxation Paths in the Manifold of Excited States of Pt(2-thpy) ₂ and [Ru(bpy) ₃] ²⁺ by Time-Resolved Excitation and Emission. <i>Inorganic Chemistry</i> , 1997 , 36, 3957-3965	5.1	22
70	Characterization of intraligand charge transfer transitions in Pd(qol) ₂ , Pt(qol) ₂ and Pt(qtl) ₂ investigated by Shpolʹskii spectroscopy. <i>Journal of Luminescence</i> , 1997 , 72-74, 658-659	3.8	24
69	Lowest excited triplet states in [Ru(bpy) ₃] ²⁺ and [Rh(bpy) ₃] ³⁺ A comparative study based on highly resolved spectra. <i>Journal of Luminescence</i> , 1997 , 72-74, 677-678	3.8	8
68	Chemically tuned zero-field splittings and spin-lattice relaxation Investigation by time-resolved emission. <i>Journal of Luminescence</i> , 1997 , 72-74, 462-463	3.8	18
67	Low-lying electronic states of [Rh(bpy) ₃] ³⁺ , [Pt(bpy) ₂] ²⁺ , and [Ru(bpy) ₃] ²⁺ . A comparative study based on highly resolved and time-resolved spectra. <i>Coordination Chemistry Reviews</i> , 1997 , 159, 325-358 ^{23.2}		116
66	Ligand-centered 3σ emission and raman activity of [Pt(bpy-h8) (bpy-d8) ₂] ²⁺ (n=0,1,2). <i>Inorganica Chimica Acta</i> , 1997 , 265, 139-147	2.7	22
65	Characterization of the Lowest Excited States of [Rh(bpy-h(8))(n)(bpy-d(8))(3-n)] ³⁺ by Highly Resolved Emission and Excitation Spectra. <i>Inorganic Chemistry</i> , 1996 , 35, 2220-2228	5.1	36
64	Characterization of triplet sublevels by Highly resolved vibrational satellite structures. Application to Pt(2-thpy) ₂ . <i>The Journal of Physical Chemistry</i> , 1995 , 99, 13385-13391		64
63	Extreme Pressure-Induced Shifts of Emission Energies in M[Au(CN) ₂] and M ₂ [Pt(CN) ₄].cntdot.nH ₂ O. Compounds with Low-Dimensional and Metal-Metal Interactions. <i>Inorganic Chemistry</i> , 1995 , 34, 1642-1645	5.1	43
62	Energy Transfer between Different Sites in Neat Single-Crystal [Ru(bpy) ₃](PF ₆) ₂ . <i>Inorganic Chemistry</i> , 1995 , 34, 1967-1968	5.1	10
61	Matrix deuteration effects and spin-lattice relaxation in the lowest triplet of the palladium(II) complex Pd(2-thpy) ₂ . <i>Chemical Physics Letters</i> , 1995 , 235, 490-496	2.5	18
60	Pressure and concentration dependent formation of oligomers of tetrakis-(p-methylphenylisocyanide)rhodium(I). <i>Inorganica Chimica Acta</i> , 1994 , 216, 245-247	2.7	1
59	Molecular mechanical and quantum chemical study on the species involved in the hydrolysis of cis-diamminedichloroplatinum(II) and substituted bis(ethylenediamine)dichloroplatinum(II) complexes Part I. Reactants and products. <i>Inorganica Chimica Acta</i> , 1994 , 217, 159-170	2.7	10
58	Vibrational satellite structures and properties of electronic states of transition metal complexes. <i>Coordination Chemistry Reviews</i> , 1994 , 132, 35-42	23.2	29
57	Crystal Structure of trans-Bis(acetonitrile)dich]oroplatinum(II). <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1994 , 49, 297-300	1	5
56	Highly resolved emission of osmium-deuterated bipyridine compound [Os(bpy-h8)n(bpy-d8)3-n] ²⁺ (n = 0-3): evidence for electronic delocalization. <i>The Journal of Physical Chemistry</i> , 1993 , 97, 12705-12709		43
55	Properties of electronic spectra of antitumor-active dichlorobis(cycloalkylamine)platinum(II) compounds. <i>Inorganica Chimica Acta</i> , 1993 , 208, 77-83	2.7	3

54	Pressure-induced tuning of fluorescence to phosphorescence in [Cr(urea-h4)6] (ClO4)3 and [Cr(urea-d4)6] (ClO4)3. <i>Chemical Physics Letters</i> , 1992 , 199, 1-9	2.5	15
53	Localization in excited states of molecules. Application to [Ru(bpy)3]2+. <i>Coordination Chemistry Reviews</i> , 1991 , 111, 39-46	23.2	35
52	Isotope-induced shifts of electronic transitions: application to [Ru(bpy-h8)3]2+ and [Ru(bpy-d8)3]2+ in [Zn(bpy-h8)3](ClO4)2. <i>Chemical Physics Letters</i> , 1991 , 179, 85-94	2.5	31
51	Highly resolved emission of tris(2,2Pbipyridine-d8)osmium(2+). <i>The Journal of Physical Chemistry</i> , 1990 , 94, 3560-3564		21
50	Zeeman splittings of the two lowest excited states of [Ru(bpy)3](PF6)2. <i>Chemical Physics Letters</i> , 1990 , 171, 122-126	2.5	12
49	Site selective spectra of the lowest excited states of [Os(bpy)3]2+ in [Ru1-x Os x (bpy)3]X 2 (X = PF6, AsF6, SbF6). <i>Molecular Physics</i> , 1989 , 67, 417-430	1.7	20
48	Zero-field splittings of the two lowest excited electronic states in crystalline [Ru(bpy)3]X2 with X=PF6, ClO4. <i>Chemical Physics Letters</i> , 1989 , 161, 315-320	2.5	17
47	Geometrical distortions in excited A22 states of single-crystal [Ru(bpy)3](PF6)2. <i>Chemical Physics Letters</i> , 1989 , 158, 519-524	2.5	13
46	Energy transfer and highly resolved emission of [Ru1-xOsx(bpy)3] (PF6)2. <i>Journal of Luminescence</i> , 1988 , 40-41, 676-677	3.8	8
45	Magnetic-field induced absorption of zero-phonon lines in tris(bipyridine)ruthenium(2+) bis(hexafluorophosphate) and diperchlorate single crystals. <i>Inorganic Chemistry</i> , 1987 , 26, 1641-1642	5.1	20
44	Magnetic-field effects in the low-temperature polarized emission and absorption spectra of single-crystal tris(2,2Pbipyridine)ruthenium(2+) bis(hexafluorophosphate) ([Ru(bpy)3](PF6)2). <i>Journal of the American Chemical Society</i> , 1987 , 109, 4818-4822	16.4	36
43	Zero-phonon and vibronic structure of [Os(bpy)3]2+ doped into single-crystal [Ru(bpy)3](ClO4)2. <i>Chemical Physics Letters</i> , 1987 , 140, 157-162	2.5	18
42	Highly resolved polarized absorption spectra of single-crystal [Ru(bpy)3](PF6)2. <i>Chemical Physics Letters</i> , 1987 , 134, 497-501	2.5	39
41	On the zero-phonon structure of single-crystal [Ru(bpy)3](PF6)2. <i>Inorganica Chimica Acta</i> , 1987 , 132, 187-191	2.7	18
40	Fine structure in the emission spectrum of [Ru(bpy)3] (PF6)2 single crystals. <i>Inorganica Chimica Acta</i> , 1986 , 113, 91-94	2.7	34
39	Emission properties of [Ru(bpy)3]X2·nH2O powders. <i>Inorganica Chimica Acta</i> , 1985 , 105, 201-203	2.7	16
38	Spectroscopic properties of the quasi one-dimensional tetracyanoplatinate(II) compounds 1985 , 87-153		198
37	Low-temperature emission spectra of crystalline [Ru(bpy)3](ClO4)2. <i>Chemical Physics Letters</i> , 1985 , 120, 445-449	2.5	33

36	On the lowest excited states of [Ru(bpy) ₃](PF ₆) ₂ single crystals. <i>Journal of the American Chemical Society</i> , 1984 , 106, 6582-6586	16.4	57
35	Effect of high pressure on the emission spectrum of tris(2,2'Pyridine)ruthenium(II) hexafluorophosphate single crystals. <i>Inorganic Chemistry</i> , 1984 , 23, 3745-3748	5.1	21
34	Polarized emission of tris(2,2'Pyridine)ruthenium bis(hexafluorophosphate) ([Ru(bpy) ₃](PF ₆) ₂) single crystals. <i>Journal of the American Chemical Society</i> , 1983 , 105, 4155-4156	16.4	42
33	Donor and acceptor state selectivity in resonant energy transfer. <i>Journal of Chemical Physics</i> , 1982 , 76, 2136-2138	3.9	31
32	Destabilization of a self-trapped exciton in a quasi-one-dimensional semiconductor: Mg[Pt(CN) ₄] ₂ H ₂ O with hydrostatic pressure. <i>Physical Review B</i> , 1982 , 26, 3187-3191	3.3	33
31	Photoconductivity in Ba[Pt(CN) ₄] ₂ H ₂ O crystals. <i>Chemical Physics Letters</i> , 1981 , 81, 371-374	2.5	5
30	Pressure induced phase transition in the highly anisotropic compound: Y ₂ [Pt(CN) ₄] ₃ ·21H ₂ O. <i>Solid State Communications</i> , 1981 , 40, 937-938	1.6	3
29	Luminescence quenching and exciton dynamics in quasi-one-dimensional mixed crystals: Ba[Pt _{1-x} Ni _x (CN) ₄] ₂ H ₂ O. <i>Journal of Chemical Physics</i> , 1981 , 74, 2124-2128	3.9	18
28	Franck-Condon analysis of transition-metal complexes. <i>Journal of the American Chemical Society</i> , 1980 , 102, 951-955	16.4	62
27	X-ray diffraction and spectroscopic investigations of phase transitions in linear chain compounds M ₂ [Pt(CN) ₄] ₃ · 21H ₂ O, with M = Dy, Er, Tb, Y. <i>Solid State Communications</i> , 1979 , 30, 353-355	1.6	28
26	Transition energy tuning from 3.3 to 1.4 eV in the system M _x [Pt(CN) ₄] ₂ H ₂ O. <i>Physical Review B</i> , 1979 , 19, 177-180	3.3	31
25	Cs ₂ [Pt(CN) ₄] ₂ H ₂ O: Polarized emission and its correlation to the crystal structure. <i>Chemical Physics Letters</i> , 1979 , 60, 304-306	2.5	3
24	High pressure tuning of optical transitions in Mg[Pt(CN) ₄] ₂ H ₂ O. <i>Solid State Communications</i> , 1978 , 27, 1305-1308	1.6	21
23	Phase transformation in Y ₂ [Pt(CN) ₄] ₃ ·21H ₂ O. <i>Chemical Physics Letters</i> , 1978 , 54, 111-116	2.5	13
22	SPECTROSCOPIC STUDIES OF M _x [Pt(CN) ₄] ₂ H ₂ O*. <i>Annals of the New York Academy of Sciences</i> , 1978 , 313, 539-559	6.5	65
21	Energy transfer from linear stacks of tetracyanoplatinates(II) to rare earth ions. <i>Journal of Chemical Physics</i> , 1978 , 68, 4707-4713	3.9	55
20	On the nature of energy bands in tetracyanoplatinates. <i>Solid State Communications</i> , 1977 , 21, 915-918	1.6	63
19	Polarized emission from Ba[Pt(CN) ₄] ₂ H ₂ O single crystals under high pressure. <i>Chemical Physics Letters</i> , 1976 , 40, 423-428	2.5	55

18	Emission lifetime of $\text{MgPt}(\text{CN})_4 \cdot 7\text{H}_2\text{O}$. <i>Chemical Physics Letters</i> , 1975 , 36, 86-87	2.5	3
17	Spectroscopic Behaviour of Quasi-One-Dimensional Linear Chains in $\text{MgPt}(\text{CN})_4 \cdot 7\text{H}_2\text{O}$ Single Crystals. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 1975 , 30, 183-190	1	17
16	Lumineszenzlebensdauern sauerstoffkoordinierter Chrom(III)-Komplexe bei tiefen Temperaturen. <i>Zeitschrift Fur Physikalische Chemie</i> , 1974 , 92, 193-197	3.1	6
15	Emission, Emissionslebensdauer und Absorption von $[\text{Cr}(\text{urea})_6] \cdot 3\text{H}_2\text{O}$ -Einkristallen. <i>Theoretica Chimica Acta</i> , 1974 , 33, 63-78		22
14	Polarisations-spektralphotometrische Untersuchungen in Emission und Absorption an $[\text{Cr}(\text{urea})_6] \cdot 3\text{H}_2\text{O}$ -Einkristallen. <i>Zeitschrift Fur Elektrotechnik Und Elektrochemie</i> , 1971 , 75, 1257-1263		6
13	Progress in Electroluminescence Based on Lanthanide Complexes391-420		
12	Electroluminescence from Metal-Containing Polymers and Metal Complexes with Functional Ligands329-362		3
11	High-Efficiency Phosphorescent Polymer LEDs311-328		
10	Triplet Emitters for Organic Light-Emitting Diodes: Basic Properties1-97		9
9	Energy-Transfer Processes between Phosphorescent Guest and Fluorescent Host Molecules in Phosphorescent OLEDs283-309		0
8	Spin Correlations in Organic Light-Emitting Diodes99-129		1
7	Molecular Engineering of Iridium Complexes and their Application in Organic Light Emitting Devices363-390		2
6	Cyclometallated Organoiridium Complexes as Emitters in Electrophosphorescent Devices131-161		1
5	Highly Efficient Red-Phosphorescent Iridium Complexes163-183		5
4	Pyridyl Azolate Based Luminescent Complexes: Strategic Design, Photophysics, and Applications185-220		
3	Physical Processes in Polymer-Based Electrophosphorescent Devices221-258		0
2	Phosphorescent Platinum(II) Materials for OLED Applications259-282		4
1	Triplet Emitters for OLED Applications. Mechanisms of Exciton Trapping and Control of Emission Properties. <i>Topics in Current Chemistry</i> ,1-26		390

