

Ron M Peshock

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8720872/ron-m-peshock-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

90
papers

9,278
citations

55
h-index

91
g-index

91
ext. papers

10,100
ext. citations

9.9
avg, IF

5.25
L-index

#	Paper	IF	Citations
90	What Should Radiology Residency and Fellowship Training in Artificial Intelligence Include? A Trainee's Perspective- In Training. <i>Radiology</i> , 2021 , 299, E243-E245	20.5	0
89	Deep Learning-Based COVID-19 Pneumonia Classification Using Chest CT Images: Model Generalizability. <i>Frontiers in Artificial Intelligence</i> , 2021 , 4, 694875	3	5
88	Clearing the Path to Optimal Care in Patients with Non-MRI-conditional Cardiac Devices. <i>Radiology: Cardiothoracic Imaging</i> , 2020 , 2, e200560	8.3	
87	Utilization of Structured Reporting to Monitor Outcomes of Doppler Ultrasound Performed for Deep Vein Thrombosis. <i>Journal of Digital Imaging</i> , 2019 , 32, 401-407	5.3	1
86	Detrimental effect of systemic vascular risk factors on brain hemodynamic function assessed with MRI. <i>Neuroradiology Journal</i> , 2018 , 31, 253-261	2	5
85	Females have a blunted cardiovascular response to one year of intensive supervised endurance training. <i>Journal of Applied Physiology</i> , 2015 , 119, 37-46	3.7	65
84	Association of a 4-Tiered Classification of LV Hypertrophy With Adverse CV Outcomes in the General Population. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 1034-1041	8.4	36
83	Cognitive impact of lacunar infarcts and white matter hyperintensity volume. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2015 , 5, 170-5	2.5	12
82	Cardiac remodeling in response to 1 year of intensive endurance training. <i>Circulation</i> , 2014 , 130, 2152-61	16.7	168
81	Association of depressive symptoms with hippocampal volume in 1936 adults. <i>Neuropsychopharmacology</i> , 2014 , 39, 770-9	8.7	45
80	Effect of leukocyte telomere length on total and regional brain volumes in a large population-based cohort. <i>JAMA Neurology</i> , 2014 , 71, 1247-54	17.2	50
79	Left atrial structure and function and clinical outcomes in the general population. <i>European Heart Journal</i> , 2013 , 34, 278-85	9.5	147
78	White matter hyperintensities: use of aortic arch pulse wave velocity to predict volume independent of other cardiovascular risk factors. <i>Radiology</i> , 2013 , 267, 709-17	20.5	41
77	MR imaging of hippocampal asymmetry at 3T in a multiethnic, population-based sample: results from the Dallas Heart Study. <i>American Journal of Neuroradiology</i> , 2013 , 34, 752-7	4.4	32
76	Sex, race, and age distributions of mean aortic wall thickness in a multiethnic population-based sample. <i>Journal of Vascular Surgery</i> , 2011 , 53, 950-7	3.5	31
75	Is coronary computed tomography angiography a resource sparing strategy in the risk stratification and evaluation of acute chest pain? Results of a randomized controlled trial. <i>Academic Emergency Medicine</i> , 2011 , 18, 458-67	3.4	23
74	A 4-tiered classification of left ventricular hypertrophy based on left ventricular geometry: the Dallas heart study. <i>Circulation: Cardiovascular Imaging</i> , 2010 , 3, 164-71	3.9	140

73	Left ventricular hypertrophy, aortic wall thickness, and lifetime predicted risk of cardiovascular disease:the Dallas Heart Study. <i>JACC: Cardiovascular Imaging</i> , 2010 , 3, 605-13	8.4	35
72	Long-term outcomes with ambrisentan monotherapy in pulmonary arterial hypertension. <i>Journal of Cardiac Failure</i> , 2010 , 16, 121-7	3.3	36
71	Association of cystatin C with left ventricular structure and function: the Dallas Heart Study. <i>Circulation: Heart Failure</i> , 2009 , 2, 98-104	7.6	88
70	Changes in right ventricular structure and function assessed using cardiac magnetic resonance imaging in bosentan-treated patients with pulmonary arterial hypertension. <i>American Journal of Cardiology</i> , 2008 , 101, 1669-72	3	58
69	Diastolic suction is impaired by bed rest: MRI tagging studies of diastolic untwisting. <i>Journal of Applied Physiology</i> , 2008 , 104, 1037-44	3.7	53
68	Volume catheter parallel conductance varies between end-systole and end-diastole. <i>IEEE Transactions on Biomedical Engineering</i> , 2007 , 54, 1480-9	5	41
67	Corin I555(P568) allele is associated with enhanced cardiac hypertrophic response to increased systemic afterload. <i>Hypertension</i> , 2007 , 49, 857-64	8.5	101
66	Left ventricular hypertrophy, subclinical atherosclerosis, and inflammation. <i>Hypertension</i> , 2007 , 49, 1385-91	5.1	63
65	Cardiac atrophy in women following bed rest. <i>Journal of Applied Physiology</i> , 2007 , 103, 8-16	3.7	118
64	Noninvasive cardiac imaging in pulmonary hypertension. <i>Cardiology in Review</i> , 2007 , 15, 97-101	3.2	13
63	Human alpha B-crystallin mutation causes oxido-reductive stress and protein aggregation cardiomyopathy in mice. <i>Cell</i> , 2007 , 130, 427-39	56.2	331
62	Relationship between C-reactive protein and subclinical atherosclerosis: the Dallas Heart Study. <i>Circulation</i> , 2006 , 113, 38-43	16.7	165
61	Women have higher left ventricular ejection fractions than men independent of differences in left ventricular volume: the Dallas Heart Study. <i>Circulation</i> , 2006 , 113, 1597-604	16.7	144
60	Influence of body fat content and distribution on variation in metabolic risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 4459-66	5.6	226
59	Associations between soluble CD40 ligand, atherosclerosis risk factors, and subclinical atherosclerosis: results from the Dallas Heart Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 2192-6	9.4	84
58	Lipoprotein(a) and apolipoprotein(a) isoforms: no association with coronary artery calcification in the Dallas Heart Study. <i>Circulation</i> , 2005 , 111, 1471-9	16.7	49
57	Left ventricular hypertrophy is more prevalent in blacks than whites in the general population: the Dallas Heart Study. <i>Hypertension</i> , 2005 , 46, 124-9	8.5	244
56	Association between chronic kidney disease and coronary artery calcification: the Dallas Heart Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2005 , 16, 507-13	12.7	213

55	The Dallas Heart Study: a population-based probability sample for the multidisciplinary study of ethnic differences in cardiovascular health. <i>American Journal of Cardiology</i> , 2004 , 93, 1473-80	3	419
54	African Americans and Caucasians have a similar prevalence of coronary calcium in the Dallas Heart Study. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 1011-7	15.1	158
53	Activation and functional significance of the renin-angiotensin system in mice with cardiac restricted overexpression of tumor necrosis factor. <i>Circulation</i> , 2003 , 108, 598-604	16.7	64
52	Sex steroid hormones, upper body obesity, and insulin resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 4522-7	5.6	151
51	Assessment of coronary arterial restenosis with phase-contrast magnetic resonance imaging measurements of coronary flow reserve. <i>Circulation</i> , 2000 , 101, 2375-81	16.7	54
50	Magnetic resonance imaging and invasive evaluation of development of heart failure in transgenic mice with myocardial expression of tumor necrosis factor-alpha. <i>Circulation</i> , 1999 , 99, 448-54	16.7	131
49	Visualization and functional assessment of proximal and middle left anterior descending coronary stenoses in humans with magnetic resonance imaging. <i>Circulation</i> , 1999 , 99, 3248-54	16.7	64
48	Effect of contrast enhancement on transthoracic echocardiographic assessment of left ventricular regional wall motion. <i>American Journal of Cardiology</i> , 1999 , 84, 1365-8, A8-9	3	41
47	Adipose Tissue Distribution Pattern in Patients with Familial Partial Lipodystrophy (Dunnigan Variety). <i>Journal of Clinical Endocrinology and Metabolism</i> , 1999 , 84, 170-174	5.6	127
46	Comparison of quantitative Doppler with magnetic resonance imaging for assessment of the severity of mitral regurgitation. <i>American Journal of Cardiology</i> , 1998 , 81, 792-5	3	74
45	Dobutamine magnetic resonance imaging with myocardial tagging quantitatively predicts improvement in regional function after revascularization. <i>American Journal of Cardiology</i> , 1998 , 82, 1149-51, A10	3	58
44	Administration of an intravenous perfluorocarbon contrast agent improves echocardiographic determination of left ventricular volumes and ejection fraction: comparison with cine magnetic resonance imaging. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 1426-32	15.1	189
43	Cardiac failure in transgenic mice with myocardial expression of tumor necrosis factor-alpha. <i>Circulation</i> , 1998 , 97, 1375-81	16.7	524
42	Cerebral blood flow and cranial magnetic resonance imaging in eclampsia and severe preeclampsia. <i>Obstetrics and Gynecology</i> , 1997 , 89, 561-8	4.9	56
41	Prediction of total subcutaneous abdominal, intraperitoneal, and retroperitoneal adipose tissue masses in men by a single axial magnetic resonance imaging slice. <i>American Journal of Clinical Nutrition</i> , 1997 , 65, 403-8	7	151
40	A method for fully automated quantitative analysis of arterial flow using flow-sensitized MR images. <i>Computerized Medical Imaging and Graphics</i> , 1996 , 20, 365-78	7.6	21
39	Assessment of coronary arterial flow and flow reserve in humans with magnetic resonance imaging. <i>Circulation</i> , 1996 , 93, 1502-8	16.7	122
38	Quantitation of cardiac output with velocity-encoded, phase-difference magnetic resonance imaging. <i>American Journal of Cardiology</i> , 1995 , 75, 1250-5	3	121

37	Measurement of absolute epicardial coronary artery flow and flow reserve with breath-hold cine phase-contrast magnetic resonance imaging. <i>Circulation</i> , 1995 , 91, 2627-34	16.7	70
36	Assessment of left-to-right intracardiac shunting by velocity-encoded, phase-difference magnetic resonance imaging. A comparison with oximetric and indicator dilution techniques. <i>Circulation</i> , 1995 , 91, 2955-60	16.7	136
35	Noninvasive determination of infarct artery patency by cine magnetic resonance angiography. <i>Circulation</i> , 1995 , 91, 1347-53	16.7	48
34	Magnetic resonance imaging assessment of the severity of mitral regurgitation. Comparison with invasive techniques. <i>Circulation</i> , 1995 , 92, 1151-8	16.7	161
33	Relationships of generalized and regional adiposity to insulin sensitivity in men. <i>Journal of Clinical Investigation</i> , 1995 , 96, 88-98	15.9	534
32	Pulmonary embolism: comparison of MR images with radionuclide and angiographic studies. <i>Radiology</i> , 1994 , 190, 499-508	20.5	59
31	Oxygen tension mapping with F-19 echo-planar MR imaging of sequestered perfluorocarbon. <i>Journal of Magnetic Resonance Imaging</i> , 1994 , 4, 595-602	5.6	35
30	Denervated human skeletal muscle: MR imaging evaluation. <i>Radiology</i> , 1993 , 187, 213-8	20.5	307
29	In vivo 3-D reconstruction and geometric characterization of the right ventricular free wall. <i>Annals of Biomedical Engineering</i> , 1993 , 21, 263-75	4.7	37
28	MR imaging-guided muscle biopsy for correlation of increased signal intensity with ultrastructural change and delayed-onset muscle soreness after exercise. <i>Radiology</i> , 1992 , 184, 865-9	20.5	99
27	The skeleton in congenital, generalized lipodystrophy: evaluation using whole-body radiographic surveys, magnetic resonance imaging and technetium-99m bone scintigraphy. <i>Skeletal Radiology</i> , 1992 , 21, 381-6	2.7	56
26	Left ventricular dimensions and mass using magnetic resonance imaging in female endurance athletes. <i>American Journal of Cardiology</i> , 1992 , 69, 1067-74	3	53
25	Effect of perfusion on exercised muscle: MR imaging evaluation. <i>Journal of Magnetic Resonance Imaging</i> , 1992 , 2, 407-13	5.6	61
24	Contrast-enhanced magnetic resonance imaging of hypoperfused myocardium. <i>Investigative Radiology</i> , 1991 , 26, 551-6	10.1	29
23	Osteomyelitis: characteristics and pitfalls of diagnosis with MR imaging. <i>Radiology</i> , 1991 , 180, 533-9	20.5	210
22	Spatial and temporal registration of cardiac SPECT and MR images: methods and evaluation. <i>Radiology</i> , 1991 , 179, 857-61	20.5	51
21	Fast short-tau inversion-recovery MR imaging. <i>Radiology</i> , 1991 , 179, 499-504	20.5	128
20	A model-based four-dimensional left ventricular surface detector. <i>IEEE Transactions on Medical Imaging</i> , 1991 , 10, 321-9	11.7	52

19	Deep venous thrombosis of extremities: role of MR imaging in the diagnosis. <i>Radiology</i> , 1990 , 174, 425-30	20.5	105
18	Sports-related muscle injuries: evaluation with MR imaging. <i>Radiology</i> , 1989 , 172, 793-8	20.5	180
17	1989 ARRS Executive Council Award. Exercise-enhanced MR imaging of variations in forearm muscle anatomy and use: importance in MR spectroscopy. <i>American Journal of Roentgenology</i> , 1989 , 153, 693-8	5.4	45
16	Assessment of myocardial systolic wall thickening using nuclear magnetic resonance imaging. <i>Journal of the American College of Cardiology</i> , 1989 , 14, 653-9	15.1	54
15	Left ventricular mass as determined by magnetic resonance imaging in male endurance athletes. <i>American Journal of Cardiology</i> , 1988 , 62, 301-5	3	84
14	Deep venous contribution to hydrostatic blood volume change in the human leg. <i>American Journal of Cardiology</i> , 1988 , 62, 449-53	3	70
13	Gadolinium-DTPA-enhanced nuclear magnetic resonance imaging of reperfused myocardium: identification of the myocardial bed at risk. <i>Journal of the American College of Cardiology</i> , 1988 , 12, 1064-72	15.1	104
12	Estimation of human myocardial mass with MR imaging. <i>Radiology</i> , 1988 , 169, 495-8	20.5	217
11	Acute effects of exercise on MR imaging of skeletal muscle in normal volunteers. <i>American Journal of Roentgenology</i> , 1988 , 151, 231-7	5.4	240
10	Nuclear magnetic resonance imaging in Marfan's syndrome. <i>Journal of the American College of Cardiology</i> , 1987 , 9, 70-4	15.1	39
9	A general treatment of NMR imaging with chemical shifts and motion. <i>Magnetic Resonance in Medicine</i> , 1987 , 5, 32-46	4.4	35
8	Nuclear magnetic resonance study of high-energy phosphate stores in models of adriamycin cardiotoxicity. <i>Magnetic Resonance in Medicine</i> , 1986 , 3, 834-43	4.4	17
7	Venous thrombosis: clinical and experimental MR imaging. <i>Radiology</i> , 1986 , 161, 233-8	20.5	65
6	Magnetic resonance imaging of acute myocardial infarction: gadolinium diethylenetriamine pentaacetic acid as a marker of reperfusion. <i>Circulation</i> , 1986 , 74, 1434-40	16.7	69
5	Detection and localization of recent myocardial infarction by magnetic resonance imaging. <i>American Journal of Cardiology</i> , 1986 , 58, 214-9	3	67
4	Improved in vivo magnetic resonance imaging of acute myocardial infarction after intravenous paramagnetic contrast agent administration. <i>American Journal of Cardiology</i> , 1986 , 57, 864-8	3	79
3	In vivo measurement of myocardial mass using nuclear magnetic resonance imaging. <i>Journal of the American College of Cardiology</i> , 1986 , 8, 113-7	15.1	113
2	Left ventricular volumes measured by MR imaging. <i>Radiology</i> , 1985 , 156, 717-9	20.5	146

- 1 Early detection of left ventricular dysfunction in chronic aortic regurgitation as assessed by contrast angiography, echocardiography, and rest and exercise scintigraphy. *American Journal of Cardiology*, **1983**, 51, 1542-50 3 35