

Burak Acar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8721025/publications.pdf>

Version: 2024-02-01

87
papers

620
citations

686830

13
h-index

752256

20
g-index

94
all docs

94
docs citations

94
times ranked

918
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Assessment of Cardiovascular Surgery Requirements in Children and Adolescents Admitted With Chest Pain To A Pediatric Emergency Clinic. Heart Surgery Forum, 2022, 25, E168-E174. | 0.2 | 1 |
| 2 | Letter: Multiple Factors Could Affect Blood Pressure in Patients With COVID-19. Angiology, 2022, , 000331972210823. | 0.8 | 0 |
| 3 | Evaluation of Acquired Thrombocytopenia According to the Balloon-Expandable Versus Self-Expandable Valves in Patients Undergoing Transcatheter Aortic Valve Replacement. Angiology, 2021, 72, 290-294. | 0.8 | 5 |
| 4 | Usefulness of novel Martin/Hopkins and Sampson equations over Friedewald equation in cardiology outpatients: A CVSCOREâ€™R substudy. International Journal of Clinical Practice, 2021, 75, e14090. | 0.8 | 4 |
| 5 | Monocyte-to-HDL-cholesterol ratio is associated with Ascending Aorta Dilatation in Patients with Bicuspid Aortic Valve. African Health Sciences, 2021, 21, 96-104. | 0.3 | 5 |
| 6 | Prevalence of post-procedural pain and associated factors experienced after transradial coronary angiography. Cor Et Vasa, 2021, 63, 312-317. | 0.1 | 0 |
| 7 | Pulmonary to Systemic Flow Ratio in Precapillary Pulmonary Hypertension Without Left-to-Right Shunts: A Prognostic Implication of the Fick Method. Medical Journal of Bakirkoy, 2021, 17, 227-232. | 0.0 | 0 |
| 8 | Assessment of pulmonary arterial hemodynamic and vascular changes by pulmonary pulse transit time in patients with human immunodeficiency virus infection. Journal of Cardiovascular Echography, 2021, 31, 6. | 0.1 | 1 |
| 9 | Predictive value of lymphocyte-to-monocyte ratio in patients with contrast-induced nephropathy after percutaneous coronary intervention for acute coronary syndrome. Journal of Translational Internal Medicine, 2021, 9, 123-130. | 1.0 | 9 |
| 10 | The association between cardiac resynchronization therapy response and sexual activity in patients with heart failure. Hellenic Journal of Cardiology, 2020, 61, 34-39. | 0.4 | 4 |
| 11 | Nicorandil and Contrast-Induced Nephropathy. Angiology, 2020, 71, 189-189. | 0.8 | 1 |
| 12 | Whole blood viscosity in systemic sclerosis: a potential biomarker of pulmonary hypertension?. Clinical Rheumatology, 2020, 39, 49-56. | 1.0 | 11 |
| 13 | Bleeding risk in patients with acute coronary syndrome in a Turkish population: Results from the Turkish Acute Coronary Syndrome Registry (TACSER) study. European Journal of Clinical Investigation, 2020, 50, e13271. | 1.7 | 1 |
| 14 | Left main coronary artery stenosis treated with renal stents after Cabrol operation. Turkish Journal of Thoracic and Cardiovascular Surgery, 2020, 28, 531-535. | 0.2 | 2 |
| 15 | Inflammation Parameters in Aortic Aneurysm. Angiology, 2019, 70, 280-280. | 0.8 | 2 |
| 16 | Infection Status Can Affect White Blood Cell Parameters. Angiology, 2019, 70, 676-676. | 0.8 | 0 |
| 17 | Monocyte to high-density lipoprotein cholesterol ratio predicts adverse cardiac events in patients with hypertrophic cardiomyopathy. Biomarkers in Medicine, 2019, 13, 1175-1186. | 0.6 | 14 |
| 18 | Recanalization of Totally Occluded Stent of Superficial Femoral Artery with Multiple Direct Stent Puncture. Cardiovascular Revascularization Medicine, 2019, 20, 39-41. | 0.3 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Systolic aortic root motion predicts response to cardiac resynchronization therapy. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019, 42, 1471-1476. | 0.5 | 3 |
| 20 | Advantages and Pitfalls of the Glycated Hemoglobin A1c Measurement in Acute Coronary Syndrome: Start Simple, Evolve to More Sophisticated. <i>Angiology</i> , 2019, 70, 182-184. | 0.8 | 1 |
| 21 | From the Obesity Tsunami to the Diabetes Avalanche: Primordial Prevention of the Diabesity-Related Cardiovascular Epidemic by Diabeto-Cardiologists. <i>Angiology</i> , 2019, 70, 371-373. | 0.8 | 2 |
| 22 | Atherosclerosis and Arrhythmias in Patients With HIV. <i>Angiology</i> , 2019, 70, 469-469. | 0.8 | 0 |
| 23 | Cerebrovascular Events in Stenting for Carotid Artery Stenosis. <i>Angiology</i> , 2019, 70, 187-187. | 0.8 | 1 |
| 24 | Association of Prediabetes With Higher Coronary Atherosclerotic Burden Among Patients With First Diagnosed Acute Coronary Syndrome. <i>Angiology</i> , 2019, 70, 174-180. | 0.8 | 30 |
| 25 | El inicio rápido de la fragmentación del QRS predice la no respuesta a la terapia de resincronización cardíaca en pacientes con insuficiencia cardíaca no isquémica. <i>Revista Clínica Española</i> , 2019, 219, 243-250. | 0.2 | 2 |
| 26 | P-wave dispersion and atrial electromechanical delay in patients with inflammatory bowel disease. <i>Cor Et Vasa</i> , 2019, 61, 459-463. | 0.1 | 1 |
| 27 | Renal Artery Perforation Following Transcatheter Aortic Valve Replacement: Keeping the Eyes and Fluoroscopy Open. <i>Acta Cardiologica Sinica</i> , 2019, 35, 649-651. | 0.1 | 0 |
| 28 | Impact of the radial versus femoral access for primary percutaneous intervention on smoking cessation rates: A paradoxus between the health related quality of life and smoking quitting?. <i>Cor Et Vasa</i> , 2018, 60, e381-e386. | 0.1 | 4 |
| 29 | Relation between lymphocyte to monocyte ratio and short-term mortality in patients with acute pulmonary embolism. <i>Clinical Respiratory Journal</i> , 2018, 12, 580-586. | 0.6 | 24 |
| 30 | P _Q T interval and P _Q T/QT ratio in patients with Human Immunodeficiency Virus. <i>Journal of Infection and Public Health</i> , 2018, 11, 35-38. | 1.9 | 15 |
| 31 | N-Acetylcysteine and Contrast-Induced Nephropathy. <i>Angiology</i> , 2018, 69, 85-85. | 0.8 | 5 |
| 32 | Evaluación de la adherencia a la dieta mediterránea en pacientes con antecedentes de revascularización coronaria. <i>Revista Clínica Española</i> , 2018, 218, 215-222. | 0.2 | 3 |
| 33 | Ajmaline-induced Epsilon wave: Its role is not only for diagnosis but also for risk stratification. <i>International Journal of Cardiology</i> , 2018, 264, 99. | 0.8 | 3 |
| 34 | Ajmaline-induced epsilon wave: as a potential interim risk factor between the spontaneous- and drug-induced type 1 Brugada electrogram?. <i>Europace</i> , 2018, 20, 1225-1226. | 0.7 | 2 |
| 35 | Monocyte to High-Density Lipoprotein Ratio and Contrast-Induced Nephropathy. <i>Angiology</i> , 2018, 69, 917-917. | 0.8 | 1 |
| 36 | Nesfatin-1 levels in patients with slow coronary flow. <i>Kardiologia Polska</i> , 2018, 76, 401-405. | 0.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | The Relationship between Nesfatin-1 Levels and SYNTAX Score in Patients with Non-ST Segment Elevation Myocardial Infarction. <i>Acta Cardiologica Sinica</i> , 2018, 34, 386-393. | 0.1 | 15 |
| 38 | The Association Between Serum Procalcitonin Levels and Severity of Coronary Artery Disease Assessed by SYNTAX Score in Patients With Acute Coronary Syndrome. <i>Angiology</i> , 2017, 68, 40-45. | 0.8 | 19 |
| 39 | Albumin is an Acute or Chronic Inflammatory Marker for In-Stent Restenosis in Patients With Coronary Artery Disease. <i>Angiology</i> , 2017, 68, 176-176. | 0.8 | 3 |
| 40 | Procalcitonin as a New Indicator of Inflammation. <i>Angiology</i> , 2017, 68, 83-83. | 0.8 | 5 |
| 41 | The relationship between fragmented QRS and functional significance of coronary lesions. <i>Journal of Electrocardiology</i> , 2017, 50, 282-286. | 0.4 | 12 |
| 42 | Disease Duration and Inflammation in Psoriasis. <i>Angiology</i> , 2017, 68, 271-272. | 0.8 | 1 |
| 43 | Assessment of the atrial electromechanical properties of patients with human immunodeficiency virus. <i>Journal of Infection and Public Health</i> , 2017, 10, 721-724. | 1.9 | 3 |
| 44 | Manual heating of the radial artery (Balbay maneuver) to facilitate radial puncture prior to transradial coronary catheterization. <i>Revista Portuguesa De Cardiologia</i> , 2017, 36, 409-414. | 0.2 | 9 |
| 45 | The importance of recognizing the prominent Eustachian valve in the evaluation of atrial septal defects before percutaneous or surgical closure. <i>Indian Heart Journal</i> , 2017, 69, 355-356. | 0.2 | 3 |
| 46 | The short-term impact of the catheter ablation on noninvasive autonomic nervous system parameters in patients with paroxysmal atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 1193-1199. | 0.5 | 11 |
| 47 | Manual heating of the radial artery (Balbay maneuver) to facilitate radial puncture prior to transradial coronary catheterization. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2017, 36, 409-414. | 0.2 | 5 |
| 48 | Importance of the heart borders as a fluoroscopic clue for cardiac tamponade. <i>Indian Heart Journal</i> , 2017, 69, 353-354. | 0.2 | 1 |
| 49 | Tp-e interval and Tp-e/QT ratio in patients with celiac disease. <i>Revista Clinica Espanola</i> , 2017, 217, 439-445. | 0.2 | 9 |
| 50 | Atherosclerosis in Inflammatory Bowel Disease. <i>Angiology</i> , 2017, 68, 462-462. | 0.8 | 0 |
| 51 | Treatment of Psoriasis Can Affect the Inflammation Burden. <i>Angiology</i> , 2017, 68, 647-647. | 0.8 | 0 |
| 52 | Endocan in Hypertension and Cardiovascular Diseases. <i>Angiology</i> , 2017, 68, 85-85. | 0.8 | 6 |
| 53 | Drugs That Affect the Resting Heart Rate. <i>Angiology</i> , 2017, 68, 174-174. | 0.8 | 2 |
| 54 | White Blood Cell Subtypes and Ratios in Cardiovascular Disease. <i>Angiology</i> , 2017, 68, 651-651. | 0.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Endocan. <i>Angiology</i> , 2017, 68, 79-79. | 0.8 | 2 |
| 56 | Statin Effect on Platelet to Lymphocyte Ratio. <i>Angiology</i> , 2017, 68, 275-275. | 0.8 | 0 |
| 57 | Parameters influencing the physical activity of patients with a history of coronary revascularization. <i>Revista Portuguesa De Cardiologia</i> , 2017, 36, 721-728. | 0.2 | 7 |
| 58 | Neutrophil to lymphocyte ratio predicts appropriate therapy in idiopathic dilated cardiomyopathy patients with primary prevention implantable cardioverter defibrillator. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2017, 38, 143-148. | 0.5 | 1 |
| 59 | Serum Irisin Level Can Predict the Severity of Coronary Artery Disease in Patients with Stable Angina. <i>Korean Circulation Journal</i> , 2017, 47, 44. | 0.7 | 47 |
| 60 | Association between serum adropin level and burden of coronary artery disease in patients with non-ST elevation myocardial infarction. <i>Anatolian Journal of Cardiology</i> , 2017, 17, 119-124. | 0.5 | 10 |
| 61 | Parameters of ventricular repolarization in patients with Autoimmune Hepatitis. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017, 45, 333-338. | 0.6 | 3 |
| 62 | Huge multicavitated left atrial mass mimicking mitral stenosis. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017, 45, 299. | 0.6 | 0 |
| 63 | Fistulaziation and Compression of Coronary Aneurysm to Left Atrium. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017, 46, 327. | 0.6 | 0 |
| 64 | Interventricular septal lipoma. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017, 45, 770. | 0.6 | 0 |
| 65 | The Association between Platelet/Lymphocyte Ratio and Coronary Artery Disease Severity in Asymptomatic Low Ejection Fraction Patients. <i>Korean Circulation Journal</i> , 2016, 46, 821. | 0.7 | 20 |
| 66 | Red Cell Distribution Width Can Predict the Significance of Angiographically Intermediate Coronary Lesions. <i>Medical Principles and Practice</i> , 2016, 25, 31-35. | 1.1 | 6 |
| 67 | Importance and usage of the CHA2DS2-VASc score in predicting acute stent thrombosis. <i>Coronary Artery Disease</i> , 2016, 27, 478-482. | 0.3 | 26 |
| 68 | Reversed shunting in CREST syndrome. <i>Journal of Clinical Ultrasound</i> , 2016, 44, 390-391. | 0.4 | 0 |
| 69 | Change in left ventricular systolic function in patients with ST elevation myocardial infarction: Evidence for smoker's paradox or pseudo-paradox?. <i>Indian Heart Journal</i> , 2016, 68, 816-820. | 0.2 | 6 |
| 70 | A novel marker of inflammation in patients with slow coronary flow: lymphocyte-to-monocyte ratio. <i>Biomarkers in Medicine</i> , 2016, 10, 485-493. | 0.6 | 24 |
| 71 | Usefulness of monocyte to HDL-cholesterol ratio to predict high SYNTAX score in patients with stable coronary artery disease. <i>Biomarkers in Medicine</i> , 2016, 10, 375-383. | 0.6 | 66 |
| 72 | Association between MMP-3 and MMP-9 polymorphisms and coronary artery disease. <i>Biomedical Reports</i> , 2016, 5, 709-714. | 0.9 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Reverse Takotsubo Cardiomyopathy following Intraabdominal Surgery. Turk Kardiyoloji Dernegi Arsivi, 2016, 44, 514-6. | 0.6 | 6 |
| 74 | Long-term outcome in patients with prosthetic valve endocarditis: Results from a single center in Turkey. Turk Kardiyoloji Dernegi Arsivi, 2016, 44, 105-13. | 0.6 | 0 |
| 75 | Usefulness of the Macruz Index for Predicting Successful Percutaneous Mitral Balloon Valvuloplasty in Patients with Mitral Stenosis. Medical Principles and Practice, 2016, 25, 110-116. | 1.1 | 1 |
| 76 | Pericardial effusion can affect the Tp-e interval and Tp-e/QT ratio. Cardiology Journal, 2016, 23, 360-360. | 0.5 | 0 |
| 77 | Gamma-glutamyl transferase predicts recurrences of atrial fibrillation after catheter ablation. Acta Cardiologica, 2016, 71, 205-10. | 0.3 | 2 |
| 78 | Perceived Benefits of Implantable Cardioverter Defibrillator Implantation among Heart Failure Patients and Its Relation to Quality of Life: A Cross-Sectional Study. Cardiology and Therapy, 2015, 4, 155-165. | 1.1 | 4 |
| 79 | De Novo Renal Artery Stenosis After Renal Sympathetic Denervation. Journal of Clinical Hypertension, 2015, 17, 242-243. | 1.0 | 5 |
| 80 | Woven right coronary artery: A rare coronary anomaly. Indian Heart Journal, 2015, 67, 611-612. | 0.2 | 4 |
| 81 | An unusual cardiovascular adverse effect of donepezil. Internal Medicine Journal, 2015, 45, 877-878. | 0.5 | 7 |
| 82 | Fatal prosthetic mitral valve encroachment during transcatheter aortic valve implantation. International Journal of Cardiology, 2015, 182, 235-236. | 0.8 | 10 |
| 83 | The usefulness of serum troponin levels to predict 1-year survival rates in infective endocarditis. International Journal of Infectious Diseases, 2015, 34, 71-75. | 1.5 | 10 |
| 84 | Comparison of the accuracy of three algorithms in predicting accessory pathways among adult Wolff-Parkinson-White syndrome patients. Journal of Interventional Cardiac Electrophysiology, 2015, 44, 213-219. | 0.6 | 16 |
| 85 | Absence of the right coronary artery with distal angulation of the left circumflex coronary artery. Herz, 2015, 40, 332-334. | 0.4 | 3 |
| 86 | Left main coronary artery thrombosis and acute anterior myocardial infarction related to energy drink. International Journal of Cardiology, 2015, 179, 66-67. | 0.8 | 20 |
| 87 | Ä°lk tanÄ± akut koroner sendrom ile baÄyvuran hastalarda koroner arter ÅşaplarÄ±n prediyabet ve diyabet ile iliÅkisinin incelenmesi. Turkish Journal of Clinics and Laboratory, 0, , . | 0.2 | 0 |