

# George B Coura-Filho

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8721795/publications.pdf>

Version: 2024-02-01

28  
papers

234  
citations

1162367

8  
h-index

1058022

14  
g-index

28  
all docs

28  
docs citations

28  
times ranked

363  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Prostate Cancer Imaging: What We Already Know and What Is on the Horizon. <i>Radiographics</i> , 2022, 42, E123-E124.  | 1.4 | 1         |
| 2  | SDHB large deletions are associated with absence of MIBG uptake in metastatic lesions of malignant paragangliomas. <i>Endocrine</i> , 2021, 72, 586-590.   | 1.1 | 4         |
| 3  | 68Ga-Prostate-specific membrane antigen (PSMA) positron emission tomography (pet) in prostate cancer: a systematic review and meta-analysis. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2021, 47, 705-729.               | 0.7 | 11        |
| 4  | Comparison of 18F-NaF PET/CT with Other Imaging Methods in the Detection of Bone Metastases in Patients with Medullary Thyroid Cancer: a Report of a Series of 31 Cases. <i>Nuclear Medicine and Molecular Imaging</i> , 2020, 54, 281-291.                            | 0.6 | 8         |
| 5  | Evaluation of Parotid Salivary Gland Echo Texture by Ultrasound Examinations and Correlation With Whole-Body Scintigraphy After Radioiodine Therapy in Patients With Differentiated Thyroid Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2020, 39, 1811-1818. | 0.8 | 5         |
| 6  | Ultrasonography Echotexture as a surrogate for Sialadenitis secondary to 131I Radioiodine Therapy for differentiated Thyroid Cancer: a review and metaanalysis. <i>Clinics</i> , 2020, 75, e1843.  | 0.6 | 3         |
| 7  | 68Ga-DOTATATE PET. <i>Nuclear Medicine Communications</i> , 2019, 40, 920-926.   | 0.5 | 8         |
| 8  | Pediatric 131I-MIBG Therapy for Neuroblastoma. <i>Clinical Nuclear Medicine</i> , 2018, 43, 572-578.   | 0.7 | 9         |
| 9  | 18F-Fluoride Uptake in Soft Tissue Metastases of Medullary Thyroid Carcinoma as a Marker of Progressive Calcification. <i>Clinical Nuclear Medicine</i> , 2018, 43, 848-849.   | 0.7 | 4         |
| 10 | Comparison of 68Ga PET/CT to Other Imaging Studies in Medullary Thyroid Cancer: Superiority in Detecting Bone Metastases. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 3250-3259.  | 1.8 | 38        |
| 11 | Renal infiltration presenting as acute kidney injury in Hodgkin lymphoma – A case report and review of the literature. <i>Leukemia Research Reports</i> , 2018, 10, 41-43.   | 0.2 | 9         |
| 12 | Bone marrow uptake of 18F-fluorodeoxyglucose in Hodgkin lymphoma without bone involvement: comparison between patients with and without B symptoms. <i>Radiologia Brasileira</i> , 2018, 51, 78-80.  | 0.3 | 3         |
| 13 | Potential role of sorafenib as neoadjuvant therapy in unresectable papillary thyroid cancer. <i>Archives of Endocrinology and Metabolism</i> , 2018, 62, 370-375.  | 0.3 | 12        |
| 14 | Guidelines for the management of neuroendocrine tumours by the Brazilian gastrointestinal tumour group. <i>Ecancermedicalscience</i> , 2017, 11, 716.  | 0.6 | 16        |
| 15 | Receiver operating characteristic (ROC) curve for classification of 18F-NaF uptake on PET/CT. <i>Radiologia Brasileira</i> , 2016, 49, 12-16.  | 0.3 | 5         |
| 16 | Estimating 131I biokinetics and radiation doses to the red marrow and whole body in thyroid cancer patients: probe detection versus image quantification. <i>Radiologia Brasileira</i> , 2016, 49, 150-157.  | 0.3 | 9         |
| 17 | Diagnostic reference level. <i>Nuclear Medicine Communications</i> , 2016, 37, 525-533.  | 0.5 | 16        |
| 18 | SPECT-CT-Guided Thoracoscopic Biopsy of Sentinel Lymph Nodes in the Internal Mammary Chain in Patients with Breast Cancer: A Pilot Study. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2016, 11, 94-98.                      | 0.4 | 5         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Prediction of iodine-131 biokinetics and radiation doses from therapy on the basis of tracer studies. Nuclear Medicine Communications, 2016, 37, 473-479.  | 0.5 | 5         |
| 20 | Clinical and Dosimetric Variables Related to Outcome After Treatment of Gravesâ€™ Disease With 550 and 1110 MBq of <sup>131</sup> I. Clinical Nuclear Medicine, 2015, 40, 715-719.                             | 0.7 | 11        |
| 21 | Comparison of standardized uptake values measured on <sup>18</sup> F-NaF PET/CT scans using three different tube current intensities. Radiologia Brasileira, 2015, 48, 17-20.                                  | 0.3 | 1         |
| 22 | Dose calibrator linearity test: <sup>99m</sup> Tc versus <sup>18</sup> F radioisotopes. Radiologia Brasileira, 2015, 48, 26-32.  | 0.3 | 1         |
| 23 | Effects of Thyroid Hormone Withdrawal and Recombinant Human Thyrotropin on Glomerular Filtration Rate During Radioiodine Therapy for Well-Differentiated Thyroid Cancer. Thyroid, 2015, 25, 1291-1296.         | 2.4 | 17        |
| 24 | Dose Calibrator Linearity Testing: Radioisotope <sup>99m</sup> Tc or <sup>18</sup> F? An Alternative for Reducing Costs in Nuclear Medicine Quality Control. World Journal of Nuclear Medicine, 2015, 14, 165. | 0.3 | 2         |
| 25 | O SUS na medicina nuclear do Brasil: avaliaÃ§Ã£o e comparaÃ§Ã£o dos dados fornecidos pelo Datasus e CNEN. Radiologia Brasileira, 2014, 47, 141-148.  | 0.3 | 8         |
| 26 | Graves' disease radioiodine-therapy: Choosing target absorbed doses for therapy planning. Medical Physics, 2013, 41, 012503.   | 1.6 | 8         |
| 27 | Determining thyroid <sup>131</sup> I effective half-life for the treatment planning of Gravesâ€™ disease. Medical Physics, 2013, 40, 022502.   | 1.6 | 10        |
| 28 | Incidental Finding of Anterior Cranial Fossa Meningioma on <sup>18</sup> F-Fluoride PET/CT. Clinical Nuclear Medicine, 2013, 38, 913-915.  | 0.7 | 5         |