

Yong-Xiang Leng

List of Publications by Citations

Source: <https://exaly.com/author-pdf/872282/yong-xiang-leng-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

170
papers

3,978
citations

34
h-index

56
g-index

209
ext. papers

4,334
ext. citations

4
avg, IF

4.92
L-index

#	Paper	IF	Citations
170	Hemocompatibility of titanium oxide films. <i>Biomaterials</i> , 2003 , 24, 2177-87	15.6	329
169	Antithrombogenic investigation of surface energy and optical bandgap and hemocompatibility mechanism of Ti(Ta(+5))O ₂ thin films. <i>Biomaterials</i> , 2002 , 23, 2545-52	15.6	146
168	Comparison of tribological behaviours of AlCrN and TiAlN coatings Deposited by physical vapor deposition. <i>Wear</i> , 2007 , 263, 1423-1429	3.5	142
167	Activation of platelets adhered on amorphous hydrogenated carbon (a-C:H) films synthesized by plasma immersion ion implantation-deposition (PIII-D). <i>Biomaterials</i> , 2003 , 24, 2821-9	15.6	137
166	Biocompatibility of pure iron: In vitro assessment of degradation kinetics and cytotoxicity on endothelial cells. <i>Materials Science and Engineering C</i> , 2009 , 29, 1589-1592	8.3	131
165	Blood compatibility and sp ³ /sp ² contents of diamond-like carbon (DLC) synthesized by plasma immersion ion implantation-deposition. <i>Surface and Coatings Technology</i> , 2002 , 156, 289-294	4.4	114
164	Immobilization of selenocystamine on TiO ₂ surfaces for in situ catalytic generation of nitric oxide and potential application in intravascular stents. <i>Biomaterials</i> , 2011 , 32, 1253-63	15.6	112
163	The effects of amorphous carbon films deposited on polyethylene terephthalate on bacterial adhesion. <i>Biomaterials</i> , 2004 , 25, 3163-70	15.6	104
162	Biomedical properties of tantalum nitride films synthesized by reactive magnetron sputtering. <i>Thin Solid Films</i> , 2001 , 398-399, 471-475	2.2	99
161	Surface characterization and blood compatibility of poly(ethylene terephthalate) modified by plasma surface grafting. <i>Surface and Coatings Technology</i> , 2005 , 196, 307-311	4.4	98
160	Surface modification of biomaterials by plasma immersion ion implantation. <i>Surface and Coatings Technology</i> , 2004 , 186, 218-226	4.4	94
159	Bacterial repellence from polyethylene terephthalate surface modified by acetylene plasma immersion ion implantation deposition. <i>Surface and Coatings Technology</i> , 2004 , 186, 299-304	4.4	85
158	Wear and corrosion properties of diamond like carbon (DLC) coating on stainless steel, CoCrMo and Ti6Al4V substrates. <i>Surface and Coatings Technology</i> , 2015 , 273, 12-19	4.4	76
157	Fabrication of TiD/TiN duplex coatings on biomedical titanium alloys by metal plasma immersion ion implantation and reactive plasma nitriding/oxidation. <i>Surface and Coatings Technology</i> , 2001 , 138, 296-300	4.4	67
156	The biocompatibility of the tantalum and tantalum oxide films synthesized by pulse metal vacuum arc source deposition. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2006 , 242, 30-32	1.2	66
155	Surface modification of ultra-high molecular weight polyethylene (UHMWPE) by argon plasma. <i>Applied Surface Science</i> , 2010 , 256, 3941-3945	6.7	63
154	Wettability and biocompatibility of nitrogen-doped hydrogenated amorphous carbon films: Effect of nitrogen. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2006 , 242, 22-25	1.2	60

153	Mechanical properties and platelet adhesion behavior of diamond-like carbon films synthesized by pulsed vacuum arc plasma deposition. <i>Surface Science</i> , 2003 , 531, 177-184	1.8	57
152	Tribocorrosion behavior of DLC-coated CoCrMo alloy in simulated biological environment. <i>Vacuum</i> , 2013 , 92, 39-43	3.7	54
151	The mechanical properties of the ultrahigh molecular weight polyethylene (UHMWPE) modified by oxygen plasma. <i>Surface and Coatings Technology</i> , 2011 , 205, 2697-2701	4.4	53
150	The microstructure and mechanical properties of multilayer diamond-like carbon films with different modulation ratios. <i>Applied Surface Science</i> , 2013 , 264, 207-212	6.7	51
149	Cu films prepared by bipolar pulsed high power impulse magnetron sputtering. <i>Vacuum</i> , 2018 , 150, 216-221	3.7	48
148	Surface modification of polymeric materials by plasma immersion ion implantation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2005 , 237, 417-421	1.2	46
147	Titanium film deposition by high-power impulse magnetron sputtering: Influence of pulse duration. <i>Vacuum</i> , 2012 , 86, 2114-2119	3.7	45
146	In vivo study of TiO ₂ thin film fabricated by PIII. <i>Surface and Coatings Technology</i> , 2002 , 156, 284-288	4.4	43
145	Properties of titanium oxide biomaterials synthesized by titanium plasma immersion ion implantation and reactive ion oxidation. <i>Thin Solid Films</i> , 2000 , 377-378, 573-577	2.2	43
144	Biological responses of diamond-like carbon (DLC) films with different structures in biomedical application. <i>Materials Science and Engineering C</i> , 2016 , 69, 751-9	8.3	40
143	Anticoagulant surface modification of titanium via layer-by-layer assembly of collagen and sulfated chitosan multilayers. <i>Journal of Biomedical Materials Research - Part A</i> , 2009 , 89, 575-84	5.4	39
142	Structure and properties of biomedical TiO ₂ films synthesized by dual plasma deposition. <i>Surface and Coatings Technology</i> , 2002 , 156, 295-300	4.4	38
141	Structure and properties of passivating titanium oxide films fabricated by DC plasma oxidation. <i>Surface and Coatings Technology</i> , 2003 , 166, 176-182	4.4	38
140	Spectroscopic ellipsometry investigation of amorphous carbon films with different sp ³ content: relation with protein adsorption. <i>Thin Solid Films</i> , 2004 , 455-456, 530-534	2.2	36
139	Influence of oxygen pressure on the properties and biocompatibility of titanium oxide fabricated by metal plasma ion implantation and deposition. <i>Thin Solid Films</i> , 2002 , 420-421, 408-413	2.2	36
138	Effect of modulation periods on the microstructure and mechanical properties of DLC/TiC multilayer films deposited by filtered cathodic vacuum arc method. <i>Applied Surface Science</i> , 2015 , 328, 319-324	6.7	35
137	Behavior of cultured human umbilical vein endothelial cells on titanium oxide films fabricated by plasma immersion ion implantation and deposition. <i>Surface and Coatings Technology</i> , 2004 , 186, 270-276	4.4	35
136	Biomedical response of tantalum oxide films deposited by DC reactive unbalanced magnetron sputtering. <i>Surface and Coatings Technology</i> , 2007 , 201, 8062-8065	4.4	34

135	Structure and properties of annealed amorphous hydrogenated carbon (a-C:H) films for biomedical applications. <i>Surface and Coatings Technology</i> , 2004 , 177-178, 747-751	4.4	31
134	Structure, mechanical and corrosion properties of TiN films deposited on stainless steel substrates with different inclination angles by DCMS and HPPMS. <i>Surface and Coatings Technology</i> , 2016 , 292, 54-62	4.4	30
133	Antibacterial activity of silver surface modified polyethylene terephthalate by filtered cathodic vacuum arc method. <i>Surface and Coatings Technology</i> , 2007 , 201, 6893-6896	4.4	28
132	TiN and TiO ₂ /TiN films fabricated by PIII-D for enhancement of corrosion and wear resistance of Ti6Al4V. <i>Surface and Coatings Technology</i> , 2004 , 186, 136-140	4.4	28
131	Effect of annealing on structure and biomedical properties of amorphous hydrogenated carbon films. <i>Surface and Coatings Technology</i> , 2004 , 186, 125-130	4.4	28
130	Synthesis of nitrogen incorporated carbon films by plasma immersion ion implantation and deposition. <i>Surface and Coatings Technology</i> , 2004 , 186, 118-124	4.4	27
129	Surface modification of coronary artery stent by TiO ₂ /TiN complex film coating prepared with plasma immersion ion implantation and deposition. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2006 , 242, 18-21	1.2	25
128	Syntheses of novel chitosan derivative with excellent solubility, anticoagulation, and antibacterial property by chemical modification. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 2641-2648	2.9	24
127	Dry sliding wear behavior of Mg-SiC nanocomposites with high volume fractions of reinforcement. <i>Materials Letters</i> , 2018 , 228, 112-115	3.3	24
126	Effects of magnetic field strength and deposition pressure on the properties of TiN films produced by high power pulsed magnetron sputtering (HPPMS). <i>Surface and Coatings Technology</i> , 2017 , 315, 258-267	4.4	23
125	Mechanical and corrosive behavior of Ti/TiN multilayer films with different modulation periods. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2007 , 257, 411-415	1.2	23
124	Properties of titanium oxide synthesized by pulsed metal vacuum arc deposition. <i>Surface and Coatings Technology</i> , 2004 , 176, 141-147	4.4	23
123	Deposition of a-C:H films on UHMWPE substrate and its wear-resistance. <i>Applied Surface Science</i> , 2009 , 256, 284-288	6.7	22
122	Haemocompatibility of hydrogenated amorphous carbon (a-C:H) films synthesized by plasma immersion ion implantation-deposition. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2003 , 206, 721-725	1.2	22
121	Microstructure and tribological properties of Ti(Cr)SiCN coating deposited by plasma enhanced magnetron sputtering. <i>Vacuum</i> , 2013 , 89, 168-173	3.7	21
120	Structure and composition study of carbon-doped titanium oxide film combined with first principles. <i>Journal of Advanced Ceramics</i> , 2014 , 3, 49-55	10.7	20
119	Hemocompatibility and antibacterial properties of lanthanum oxide films synthesized by dual plasma deposition. <i>Journal of Biomedical Materials Research - Part A</i> , 2008 , 87, 1027-33	5.4	20
118	The microstructure and properties of commercial pure iron modified by plasma nitriding. <i>Solid State Ionics</i> , 2008 , 179, 971-974	3.3	18

117	Hybrid elevated-temperature, low/high-voltage plasma immersion ion implantation of AISI304 stainless steel. <i>Surface and Coatings Technology</i> , 2001 , 135, 178-183	4.4	18
116	Effect of hydrogen flow on the properties of hydrogenated amorphous carbon films fabricated by electron cyclotron resonance plasma enhanced chemical vapor deposition. <i>Surface and Coatings Technology</i> , 2011 , 206, 1007-1010	4.4	17
115	Fabrication and surface characterization of pulsed reactive closed-field unbalanced magnetron sputtered amorphous silicon nitride films. <i>Surface and Coatings Technology</i> , 2006 , 200, 4144-4151	4.4	17
114	Mechanical properties and thermomechanical stability of diamond-like carbon films synthesized by pulsed vacuum arc plasma deposition. <i>Surface and Coatings Technology</i> , 2003 , 173, 67-73	4.4	17
113	Tailoring of titanium thin film properties in high power pulsed magnetron sputtering. <i>Vacuum</i> , 2018 , 150, 144-154	3.7	16
112	Corrosion susceptibility investigation of TiD film modified cobalt-chromium alloy (L-605) vascular stents by cyclic potentiodynamic polarization measurement. <i>Surface and Coatings Technology</i> , 2011 , 206, 893-896	4.4	16
111	Surface modification of 17-4PH stainless steel by DC plasma nitriding and titanium nitride film duplex treatment. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2007 , 257, 416-419	1.2	16
110	Comparative properties of titanium oxide biomaterials grown by pulsed vacuum arc plasma deposition and by unbalanced magnetron sputtering. <i>Surface and Coatings Technology</i> , 2006 , 201, 157-163	4.4	16
109	The adhesion and corrosion resistance of TiD films on CoCrMo alloy fabricated by high power pulsed magnetron sputtering (HPPMS). <i>Surface and Coatings Technology</i> , 2014 , 252, 8-14	4.4	15
108	Evaluation of mechanical properties of Ti(Cr)SiC(O)N coated cemented carbide tools. <i>Vacuum</i> , 2013 , 90, 50-58	3.7	15
107	A brief review of bio-tribology in cardiovascular devices. <i>Biosurface and Biotribology</i> , 2015 , 1, 249-262	1	15
106	Improved hardness and corrosion resistance of iron by Ti/TiN multilayer coating and plasma nitriding duplex treatment. <i>Surface and Coatings Technology</i> , 2010 , 204, 3082-3086	4.4	15
105	Behavior of endothelial cells on micro-patterned titanium oxide fabricated by plasma immersion ion implantation and deposition and plasma etching. <i>Surface and Coatings Technology</i> , 2007 , 201, 6874-6877	4.4	15
104	In vitro platelet adhesion and activation of polyethylene terephthalate modified by acetylene plasma immersion ion implantation and deposition. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2006 , 242, 12-14	1.2	15
103	Plasma characteristics and properties of Cu films prepared by high power pulsed magnetron sputtering. <i>Vacuum</i> , 2017 , 135, 93-100	3.7	14
102	Tribological behavior of diamond like carbon film sliding against CoCrMo or Al ₂ O ₃ in air and water environment. <i>Tribology International</i> , 2016 , 95, 456-461	4.9	14
101	The effect of hydrogen on the tribological behavior of diamond like carbon (DLC) coatings sliding against Al ₂ O ₃ in water environment. <i>Surface and Coatings Technology</i> , 2017 , 320, 619-623	4.4	14
100	Numerical and Experimental Study of Residual Stress of Multilayer Diamond-Like Carbon Films Prepared by Filtered Cathodic Vacuum Arc Deposition. <i>IEEE Transactions on Plasma Science</i> , 2012 , 40, 2261-2266	1.3	14

99	Structural characterization and mechanical properties of functionalized pulsed-plasma polymerized allylamine film. <i>Surface and Coatings Technology</i> , 2010 , 204, 3047-3052	4.4	14
98	Surface engineering of TiO ₂ films by photochemical immobilization of gelatin. <i>Materials Science and Engineering C</i> , 2008 , 28, 1495-1500	8.3	14
97	The microstructure and mechanical properties of TiN and TiO ₂ /TiN duplex films synthesized by plasma immersion ion implantation and deposition on artificial heart valve. <i>Surface and Coatings Technology</i> , 2006 , 201, 1012-1016	4.4	14
96	Deformation behavior of titanium nitride film prepared by plasma immersion ion implantation and deposition. <i>Surface and Coatings Technology</i> , 2002 , 156, 170-175	4.4	14
95	Optimal target sputtering mode for aluminum nitride thin film deposition by high power pulsed magnetron sputtering. <i>Vacuum</i> , 2019 , 160, 410-417	3.7	14
94	Enhanced endothelialization guided by fibronectin functionalized plasma polymerized acrylic acid film. <i>Materials Science and Engineering C</i> , 2012 , 32, 1025-1031	8.3	13
93	Tribological performance of ultra-high-molecular-weight polyethylene sliding against DLC-coated and nitrogen ion implanted CoCrMo alloy measured in a hip joint simulator. <i>Surface and Coatings Technology</i> , 2012 , 206, 4907-4914	4.4	13
92	Film characterization of titanium oxide films prepared by high-power impulse magnetron sputtering. <i>Surface and Coatings Technology</i> , 2011 , 206, 967-971	4.4	13
91	Effect of Ar plasma etching of TiO ₂ film surfaces on biological behavior of endothelial cell. <i>Surface and Coatings Technology</i> , 2007 , 201, 6901-6905	4.4	13
90	Composition, structure and properties of SiN _x films fabricated by pulsed reactive closed-field unbalanced magnetron sputtering. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2005 , 240, 741-751	1.2	13
89	The formation of the blood-like wear debris and tribological properties of Ag-doped diamond-like carbon films fabricated by a high-power pulsed plasma vapor deposition technique. <i>Vacuum</i> , 2020 , 173, 109125	3.7	13
88	Effect of wafer size on the film internal stress measurement by wafer curvature method. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2016 , 31, 93-99	1	12
87	The stability of DLC film on nitrided CoCrMo alloy in phosphate buffer solution. <i>Applied Surface Science</i> , 2014 , 308, 100-105	6.7	12
86	Wettability and bloodcompatibility of a-C:N:H films deposited by PIII-D. <i>Surface and Coatings Technology</i> , 2010 , 204, 3039-3042	4.4	12
85	Inhibition of adherent platelet activation produced by TiO ₂ thin film fabricated by PIII. <i>Surface and Coatings Technology</i> , 2004 , 186, 265-269	4.4	12
84	Multifunctional Ti-xCu coatings for cardiovascular interfaces: Control of microstructure and surface chemistry. <i>Materials Science and Engineering C</i> , 2019 , 104, 109969	8.3	11
83	Behavior of human umbilical vein endothelial cells on micro-patterned amorphous hydrogenated carbon films produced by plasma immersion ion implantation & deposition and plasma etching. <i>Diamond and Related Materials</i> , 2007 , 16, 550-557	3.5	11
82	Influence of Ag doping on the microstructure, mechanical properties, and adhesion stability of diamond-like carbon films. <i>Surface and Coatings Technology</i> , 2021 , 405, 126542	4.4	11

81	The biomedical properties of polyethylene terephthalate surface modified by silver ion implantation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2007 , 257, 141-145	1.2	10
80	Modulate the deposition rate through changing the combination of frequency and pulse width at constant duty cycle. <i>Surface and Coatings Technology</i> , 2015 , 281, 27-34	4.4	9
79	Reactive magnetron co-sputtering of Ti-xCuO coatings: Multifunctional interfaces for blood-contacting devices. <i>Materials Science and Engineering C</i> , 2020 , 116, 111198	8.3	9
78	Effects of screen-grid bias voltage on the microstructure and properties of the ultrahigh molecular weight polyethylene (UHMWPE) modified by oxygen plasma. <i>Vacuum</i> , 2012 , 86, 1945-1951	3.7	9
77	Theoretical calculation and experimental study of influence of oxygen vacancy on the electronic structure and hemocompatibility of rutile TiO ₂ . <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 2742-2748		9
76	The microstructure and properties of titanium dioxide films synthesized by unbalanced magnetron sputtering. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2007 , 257, 451-454	1.2	9
75	Dose-dependent cytotoxicity evaluation of graphite nanoparticles for diamond-like carbon film application on artificial joints. <i>Biomedical Materials (Bristol)</i> , 2017 , 12, 015018	3.5	8
74	Characterization of adsorption and lubrication of synovial fluid proteins and HA on DLC joint bearings surface. <i>Surface and Coatings Technology</i> , 2017 , 320, 320-332	4.4	8
73	Catalytic Formation of Nitric Oxide Mediated by TiCu Coatings Provides Multifunctional Interfaces for Cardiovascular Applications. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1701487	4.6	8
72	Effective Strategy for Enhancing the Performance of LiTiO Anodes in Lithium-Ion Batteries: Magnetron Sputtering Molybdenum Disulfide-Optimized Interface Architecture. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 26880-26890	9.5	8
71	In vitro cytocompatibility evaluation of hydrogenated and unhydrogenated carbon films. <i>Surface and Coatings Technology</i> , 2014 , 258, 913-920	4.4	8
70	Photochemical immobilization of bovine serum albumin on TiO ₂ and evaluations in vitro and in vivo. <i>Applied Surface Science</i> , 2008 , 255, 489-493	6.7	8
69	Corrosion resistance and antithrombogenic behavior of La and Nd ion implanted stainless steels. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2006 , 24, 1790-1794	2.9	8
68	Effect of tantalum content of titanium oxide film fabricated by magnetron sputtering on the behavior of cultured human umbilical vein endothelial cells (HUVEC). <i>Nuclear Instruments & Methods in Physics Research B</i> , 2006 , 242, 26-29	1.2	8
67	Bloodcompatibility improvement of titanium oxide film modified by phosphorus ion implantation. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2006 , 242, 15-17	1.2	8
66	Carbon-Doped Titanium Oxide Films by DC Reactive Magnetron Sputtering Using CO ₂ and O ₂ as Reactive Gas. <i>Acta Metallurgica Sinica (English Letters)</i> , 2014 , 27, 239-244	2.5	7
65	Corrosion Resistance of Ti-O Film Modified 316L Stainless Steel Coronary Stents In Vitro. <i>Journal of Materials Engineering and Performance</i> , 2012 , 21, 424-428	1.6	7
64	Ti-O/TiN films synthesized by plasma immersion ion implantation and deposition on 316L: Study of deformation behavior and mechanical properties. <i>Thin Solid Films</i> , 2005 , 484, 219-224	2.2	7

63	Formation of rod-shaped wear debris and the graphitization tendency of Cu-doped hydrogenated diamond-like carbon films. <i>Diamond and Related Materials</i> , 2020 , 102, 107654	3.5	7
62	Structure and stress of Cu films prepared by high power pulsed magnetron sputtering. <i>Vacuum</i> , 2019 , 160, 226-232	3.7	7
61	Evaluation of the Size-Dependent Cytotoxicity of DLC (Diamondlike Carbon) Wear Debris in Arthroplasty Applications. <i>ACS Biomaterials Science and Engineering</i> , 2017 , 3, 530-539	5.5	6
60	Si/a-C Nanocomposites with a Multiple Buffer Structure via One-Step Magnetron Sputtering for Ultrahigh-Stability Lithium-Ion Battery Anodes. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 45726-45736	8.5	6
59	Microstructure and Platelet Adhesion Behavior of Titanium Oxide Films Synthesized by Reactive High-Power Pulse Magnetron Sputtering. <i>IEEE Transactions on Plasma Science</i> , 2013 , 41, 1837-1843	1.3	6
58	Research of composition and photocatalytic property of carbon-doped Ti-O films prepared by R-MS using CO ₂ gas resource. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2013 , 307, 381-384	1.2	6
57	Fatigue durability and corrosion resistance of TiO ₂ films on CoCrMo alloy under cyclic deformation. <i>Surface and Coatings Technology</i> , 2015 , 275, 252-259	4.4	6
56	Structure and Properties of Ti-O-N Films Synthesized by Reactive Magnetic Sputtering. <i>Physica Procedia</i> , 2011 , 18, 40-45		6
55	Effect of hydrogen on the behavior of cultured human umbilical vein endothelial cells (HUVEC) on titanium oxide films fabricated by plasma immersion ion implantation and deposition. <i>Surface and Coatings Technology</i> , 2007 , 201, 8140-8145	4.4	6
54	The adhesion and clinical application of titanium oxide film on a 316 L vascular stent. <i>Surface and Coatings Technology</i> , 2019 , 363, 430-435	4.4	6
53	Effect of a hydrogenated interface on the wear behavior of a diamond-like carbon film in a water environment. <i>Diamond and Related Materials</i> , 2017 , 74, 53-58	3.5	5
52	Titanium interlayer between TiO ₂ film on CoCrMo implant alloy for improving adhesion: Detailed XPS and TEM analysis of the interface. <i>Surface and Coatings Technology</i> , 2015 , 277, 197-202	4.4	5
51	The structure and adhesion of hydrogenated amorphous carbon (a-C:H) films synthesized on CoCrMo alloy by plasma immersion ion implantation and deposition at different flow ratios of acetylene to argon. <i>Surface and Coatings Technology</i> , 2011 , 206, 994-998	4.4	5
50	Inhibition of bacterial adherence on the surface of biliary stent materials modified with chitosan. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2010 , 25, 795-798	1	5
49	Effects of process parameters on the structure of hydrogenated amorphous carbon films processed by electron cyclotron resonance plasma enhanced chemical vapor deposition. <i>Surface and Coatings Technology</i> , 2010 , 204, 3029-3033	4.4	5
48	Functional inorganic films fabricated by PIII(-D) for surface modification of blood contacting biomaterials: Fabrication parameters, characteristics and antithrombotic properties. <i>Surface and Coatings Technology</i> , 2007 , 201, 6828-6832	4.4	5
47	Studies of the composition, tribology and wetting behavior of silicon nitride films formed by pulsed reactive closed-field unbalanced magnetron sputtering. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2006 , 242, 33-36	1.2	5
46	Controlling synthesis of TiO ₂ /TiN gradient films by PIII. <i>Surface and Coatings Technology</i> , 2002 , 156, 208-213	4.4	5

45	In vitro cytotoxicity evaluation of nano-carbon particles with different sp/sp ratios. <i>Materials Science and Engineering C</i> , 2017 , 75, 854-862	8.3	4
44	The Effect of a TiN Interlayer on the Tribological Properties of Diamond-like Carbon Films Deposited on 7A04 Aluminum Alloy. <i>IEEE Transactions on Plasma Science</i> , 2011 , 39, 3144-3148	1.3	4
43	Surface engineered titanium alloys for biomedical devices 2010 , 568-602		4
42	Mechanical Properties of DLC/Ti-O Bilayer Films. <i>IEEE Transactions on Plasma Science</i> , 2009 , 37, 1136-1139	1.3	4
41	Antithrombogenic investigation and biological behavior of cultured human umbilical vein endothelial cells on Ti-O film. <i>Science in China Series D: Earth Sciences</i> , 2006 , 49, 20-28		4
40	Formation of a carbonaceous film on the surface of Cu in a bovine serum albumin solution. <i>Surface and Coatings Technology</i> , 2019 , 358, 611-616	4.4	3
39	Regulating the uniformity of DLC films in ECR plasma with negative substrate biasing. <i>Surface and Coatings Technology</i> , 2019 , 365, 15-23	4.4	3
38	Effects of Adsorption of Albumin and Gamma-Globulin on the Tribological Performance of a Diamond-Like Carbon Film. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2019 , 34, 1103-1108	1	3
37	Wear and Failure Process of TiN and DLC Films Monitored With Open Circuit Potential. <i>IEEE Transactions on Plasma Science</i> , 2013 , 41, 1844-1849	1.3	3
36	Electrochemical behaviors of TiO ₂ films synthesized by plasma-based ion implantation and deposition in fibrinogen containing PBS solution. <i>Surface and Coatings Technology</i> , 2007 , 201, 6889-6892	4.4	3
35	Study on wettabilities and platelet adhesion behavior of C:H and C:N:H films prepared by DC-MFCVA. <i>Applied Surface Science</i> , 2008 , 255, 469-472	6.7	3
34	Biomedical Applications of Plasma and Ion Beam Processing. <i>Journal of the Vacuum Society of Japan</i> , 2008 , 51, 81-92		3
33	Biocompatibility of Ti-Mn-N films with different manganese contents. <i>Surface and Coatings Technology</i> , 2020 , 403, 126354	4.4	3
32	Effect of nitrogen flow on the properties of carbon nitride films deposited by electron cyclotron resonance plasma-enhanced chemical vapor deposition. <i>Vacuum</i> , 2021 , 189, 110223	3.7	3
31	Nano dual-phase CuNiTiNbCr high entropy alloy films produced by high-power pulsed magnetron sputtering. <i>Surface and Coatings Technology</i> , 2021 , 420, 127325	4.4	3
30	Wear Mechanisms During Sliding of Ti64 Balls Against Bare and HFCVD Polycrystalline-Diamond-Coated WC-Co Exchangeable Inserts. <i>IEEE Transactions on Plasma Science</i> , 2012 , 40, 1829-1836	1.3	2
29	High frequency and low voltage plasma immersion ion implantation of nitrogen on industrial pure iron at different Rf power. <i>Surface and Coatings Technology</i> , 2011 , 206, 943-946	4.4	2
28	Studies of the composition, mechanical and electrical properties of N-doped carbon films prepared by DC-MFCAD. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2006 , 242, 324-327	1.2	2

27	Nitrogen Plasma Source Ion Implantation (PSII) for Improvement of Blood-Compatibility of Silicon. <i>Key Engineering Materials</i> , 2005 , 288-289, 335-338	0.4	2
26	Deposition of titanium films on complex bowl-shaped workpieces using DCMS and HiPIMS. <i>Surface and Coatings Technology</i> , 2022 , 128192	4.4	2
25	The role of metal ions in the behavior of bovine serum albumin molecules under physiological environment. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2021 , 267, 120604	4.4	2
24	Preparation and Tribological Properties of Modified Field Alloy Nanoparticles as Additives in Liquid Poly-alfa-olefin Solution. <i>Journal of Tribology</i> , 2019 , 141,	1.8	2
23	The microstructure and mechanical properties of Ti(CoCr)N films produced by DC magnetron sputtering. <i>International Journal of Modern Physics B</i> , 2019 , 33, 1950388	1.1	2
22	Tailoring the texture of titanium thin films deposited by high-power pulsed magnetron sputtering. <i>International Journal of Modern Physics B</i> , 2019 , 33, 1940017	1.1	2
21	Shellac: A Bioactive Coating for Surface Engineering of Cardiovascular Devices. <i>Advanced Materials Interfaces</i> , 2020 , 2200273	4.6	2
20	Effect of bias voltage on the properties of hydrogenated amorphous carbon films fabricated on CoCrMo alloy by electron cyclotron resonance plasma enhance chemical vapor deposition (ECR-PECVD). <i>Physics Procedia</i> , 2011 , 18, 122-127		1
19	Improving thromboresistance of TiO ₂ films by phosphorus-doping: Fabricating conditions, characteristics and antithrombotic behavior. <i>Surface and Coatings Technology</i> , 2007 , 201, 8066-8069	4.4	1
18	Blood Compatibility of Chitosan Immobilized on Poly(Ethylene Terephthalate) Surface Modified by Plasma and Ultraviolet Grafting. <i>Key Engineering Materials</i> , 2005 , 288-289, 327-330	0.4	1
17	TiCu Coatings Deposited by a Combination of HiPIMS and DC Magnetron Sputtering: The Role of Vacuum Annealing on Cu Diffusion, Microstructure, and Corrosion Resistance. <i>Coatings</i> , 2020 , 10, 1064	2.9	1
16	Effect of Ion Energy on the Microstructure and Properties of Titanium Nitride Thin Films Deposited by High Power Pulsed Magnetron Sputtering. <i>Coatings</i> , 2021 , 11, 579	2.9	1
15	Deformation behavior of TiO ₂ films deposited on NiTi shape memory alloy after tensile and water-bath heating tests. <i>Surface and Coatings Technology</i> , 2021 , 416, 127151	4.4	1
14	The uniformity of TiN films deposited on the inner surfaces of a hemispherical workpiece by high-power pulsed magnetron sputtering. <i>International Journal of Modern Physics B</i> , 2019 , 33, 1950329	1.1	1
13	Effect of grafted poly [2-methacryloyloxyethyl phosphorylcholine (MPC)] on tribological properties of ultra-high molecular weight polyethylene (UHMWPE). <i>International Journal of Modern Physics B</i> , 2019 , 33, 1940056	1.1	1
12	In vitro analysis of cell compatibility of TiCuN films with different Cu contents. <i>Surface and Coatings Technology</i> , 2021 , 408, 126790	4.4	1
11	Mechanism of protein biofilm formation on Ag-DLC films prepared for application in joint implants. <i>Surface and Coatings Technology</i> , 2021 , 422, 127553	4.4	1
10	Microstructure and properties of Ti ₂ AlN thin film synthesized by vacuum annealing of high power pulsed magnetron sputtering deposited Ti/AlN multilayers. <i>Surface and Coatings Technology</i> , 2021 , 425, 127749	4.4	1

9	Evaluation of the Crystal Structure and Mechanical Properties of Cu Doped TiN Films. <i>Coatings</i> , 2022 , 12, 652	2.9	1
8	The study of composition and surface electron structure of nitrogen-doped DLC film prepared by PIII-D. <i>Functional Materials Letters</i> , 2015 , 08, 1540015	1.2	0
7	Influence of peak current on substrate plasma sheath properties of Ti films deposited by high-power pulsed magnetron sputtering. <i>International Journal of Modern Physics B</i> , 2019 , 33, 1940016	1.1	0
6	Microstructure and mechanical properties of Cr films deposited with different peak powers by high-power impulse magnetron sputtering. <i>Rare Metals</i> , 2017 , 1	5.5	
5	Tribological Properties of Hydrogenated Amorphous Carbon (a-C:H) Films on Aluminium Alloy Substrate under Different Substrate Bias Voltages. <i>Materials Science Forum</i> , 2011 , 687, 784-790	0.4	
4	Deposition and first-principles calculation of carbon-doped titanium monoxide films. <i>Wuli Xuebao/Acta Physica Sinica</i> , 2013 , 62, 198103	0.6	
3	Structure of Al-based composite coatings prepared by thermal diffusion of the arc-ion plating Al coatings. <i>International Journal of Modern Physics B</i> , 2019 , 33, 1940021	1.1	
2	Wear behavior of fluorinated diamond-like carbon (DLC) film in bull serum albumin (BSA) solutions. <i>International Journal of Modern Physics B</i> , 2019 , 33, 1940057	1.1	
1	Tribological properties of MnTiN films and formation of graphite-like layers in physiological solution. <i>Vacuum</i> , 2022 , 200, 111021	3.7	