

Joseph L Napoli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8723876/publications.pdf>

Version: 2024-02-01

95
papers

6,227
citations

57758

44
h-index

71685

76
g-index

98
all docs

98
docs citations

98
times ranked

4907
citing authors

#	ARTICLE	IF	CITATIONS
1	Retinoic Acid: Sexually Dimorphic, Anti-Insulin and Concentration-Dependent Effects on Energy. <i>Nutrients</i> , 2022, 14, 1553.	4.1	8
2	The glucocorticoid receptor represses, whereas C/EBP β can enhance or repress CYP26A1 transcription. <i>IScience</i> , 2022, 25, 104564.	4.1	3
3	Vitamins Vitamin A (Retinoids)., 2021, , 1088-1096.		0
4	Retinoic acid exerts sexually dimorphic effects on muscle energy metabolism and function. <i>Journal of Biological Chemistry</i> , 2021, 297, 101101.	3.4	5
5	Retinoid metabolism and functions mediated by retinoid binding-proteins. <i>Methods in Enzymology</i> , 2020, 637, 55-75.	1.0	8
6	Post-natal all-trans-retinoic acid biosynthesis. <i>Methods in Enzymology</i> , 2020, 637, 27-54.	1.0	20
7	Quantification of Dehydroepiandrosterone, 17 β -Estradiol, Testosterone, and Their Sulfates in Mouse Tissues by LC-MS/MS. <i>Analytical Chemistry</i> , 2019, 91, 14624-14630.	6.5	22
8	DGAT1 inhibits retinol-dependent regulatory T cell formation and mediates autoimmune encephalomyelitis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 3126-3135.	7.1	16
9	RDH1 suppresses adiposity by promoting brown adipose adaptation to fasting and re-feeding. <i>Cellular and Molecular Life Sciences</i> , 2019, 76, 2425-2447.	5.4	15
10	Modest Decreases in Endogenous All-trans-Retinoic Acid Produced by a Mouse <i>Rdh10</i> Heterozygote Provoke Major Abnormalities in Adipogenesis and Lipid Metabolism. <i>Diabetes</i> , 2018, 67, 662-673.	0.6	37
11	Cellular retinoid binding-proteins, CRBP, CRABP, FABP5: Effects on retinoid metabolism, function and related diseases. , 2017, 173, 19-33.		174
12	<i>Raldh1</i> promotes adiposity during adolescence independently of retinal signaling. <i>PLoS ONE</i> , 2017, 12, e0187669.	2.5	11
13	Normalizing Microbiota-Induced Retinoic Acid Deficiency Stimulates Protective CD8 + T Cell-Mediated Immunity in Colorectal Cancer. <i>Immunity</i> , 2016, 45, 641-655.	14.3	128
14	Restoring Retinoic Acid Attenuates Intestinal Inflammation and Tumorigenesis in APCMin/+ Mice. <i>Cancer Immunology Research</i> , 2016, 4, 917-926.	3.4	37
15	Functions of Intracellular Retinoid Binding-Proteins. <i>Sub-Cellular Biochemistry</i> , 2016, 81, 21-76.	2.4	66
16	Quantitation of retinaldehyde in small biological samples using ultrahigh-performance liquid chromatography tandem mass spectrometry. <i>Analytical Biochemistry</i> , 2015, 484, 162-168.	2.4	7
17	Insulin Regulates Retinol Dehydrogenase Expression and All-trans-retinoic Acid Biosynthesis through FoxO1. <i>Journal of Biological Chemistry</i> , 2015, 290, 7259-7268.	3.4	39
18	Consumption of Clarified Grapefruit Juice Ameliorates High-Fat Diet Induced Insulin Resistance and Weight Gain in Mice. <i>PLoS ONE</i> , 2014, 9, e108408.	2.5	30

#	ARTICLE	IF	CITATIONS
19	Effects of Diet and Strain on Mouse Serum and Tissue Retinoid Concentrations. PLoS ONE, 2014, 9, e99435.	2.5	41
20	Retinoic Acid Biosynthesis Is Impaired in Human and Murine Endometriosis. Biology of Reproduction, 2014, 91, 84.	2.7	38
21	Endogenous Retinoids in the Pathogenesis of Alopecia Areata. Journal of Investigative Dermatology, 2013, 133, 334-343.	0.7	49
22	Retinoic acid controls the homeostasis of pre-cDC-derived splenic and intestinal dendritic cells. Journal of Experimental Medicine, 2013, 210, 1961-1976.	8.5	120
23	The Retinol Dehydrogenase Rdh10 Localizes to Lipid Droplets during Acyl Ester Biosynthesis. Journal of Biological Chemistry, 2013, 288, 589-597.	3.4	41
24	Reorganization of cellular retinol-binding protein type 1 and lecithin:retinol acyltransferase during retinyl ester biosynthesis. Biochimica Et Biophysica Acta - General Subjects, 2012, 1820, 859-869.	2.4	18
25	Physiological insights into all-trans-retinoic acid biosynthesis. Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids, 2012, 1821, 152-167.	2.4	277
26	Identification of RALDH2 as a Visually Regulated Retinoic Acid Synthesizing Enzyme in the Chick Choroid. , 2012, 53, 1649.		32
27	Morphological defects in a novel Rdh10 mutant that has reduced retinoic acid biosynthesis and signaling. Genesis, 2012, 50, 415-423.	1.6	35
28	Binding affinities of CRBPI and CRBPII for 9-cis-retinoids. Biochimica Et Biophysica Acta - General Subjects, 2011, 1810, 514-518.	2.4	24
29	Effects of ethanol on physiological retinoic acid levels. IUBMB Life, 2011, 63, n/a-n/a.	3.4	21
30	Multiple Retinol and Retinal Dehydrogenases Catalyze All-trans-retinoic Acid Biosynthesis in Astrocytes. Journal of Biological Chemistry, 2011, 286, 6542-6553.	3.4	56
31	Crbpl Modulates Glucose Homeostasis and Pancreas 9-cis-Retinoic Acid Concentrations. Molecular and Cellular Biology, 2011, 31, 3277-3285.	2.3	42
32	Role of the retinoic acid receptor- β in HIV-associated nephropathy. Kidney International, 2011, 79, 624-634.	5.2	64
33	Retinoic Acid Is a Cofactor for Translational Regulation of Vascular Endothelial Growth Factor in Human Endometrial Stromal Cells. Molecular Endocrinology, 2010, 24, 148-160.	3.7	43
34	Altered Retinoic Acid Metabolism in Diabetic Mouse Kidney Identified by ^{18}O Isotopic Labeling and 2D Mass Spectrometry. PLoS ONE, 2010, 5, e11095.	2.5	45
35	Ethanol elevates physiological all-trans-retinoic acid levels in select loci through altering retinoid metabolism in multiple loci: a potential mechanism of ethanol toxicity. FASEB Journal, 2010, 24, 823-832.	0.5	73
36	Identification of 9-cis-retinoic acid as a pancreas-specific autacoid that attenuates glucose-stimulated insulin secretion. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 21884-21889.	7.1	102

#	ARTICLE	IF	CITATIONS
37	Quantification of Endogenous Retinoids. <i>Methods in Molecular Biology</i> , 2010, 652, 1-54.	0.9	113
38	Retinol Esterification by DGAT1 Is Essential for Retinoid Homeostasis in Murine Skin. <i>Journal of Biological Chemistry</i> , 2009, 284, 4292-4299.	3.4	83
39	Rdh12 Activity and Effects on Retinoid Processing in the Murine Retina. <i>Journal of Biological Chemistry</i> , 2009, 284, 21468-21477.	3.4	46
40	A Gene Knockout Corroborates the Integral Function of Cellular Retinol-binding Protein in Retinoid Metabolism. <i>Nutrition Reviews</i> , 2009, 58, 230-236.	5.8	39
41	Retinoic Acid from the Meninges Regulates Cortical Neuron Generation. <i>Cell</i> , 2009, 139, 597-609.	28.9	366
42	HPLC/UV quantitation of retinal, retinol, and retinyl esters in serum and tissues. <i>Analytical Biochemistry</i> , 2008, 378, 71-79.	2.4	153
43	Quantitative Profiling of Endogenous Retinoic Acid in Vivo and in Vitro by Tandem Mass Spectrometry. <i>Analytical Chemistry</i> , 2008, 80, 1702-1708.	6.5	209
44	The Nuclear Transcription Factor RAR α Associates with Neuronal RNA Granules and Suppresses Translation. <i>Journal of Biological Chemistry</i> , 2008, 283, 20841-20847.	3.4	75
45	All-trans-retinoic acid stimulates translation and induces spine formation in hippocampal neurons through a membrane-associated RAR α . <i>FASEB Journal</i> , 2008, 22, 236-245.	0.5	153
46	Altered vitamin A homeostasis and increased size and adiposity in the rdh12 Δ mouse. <i>FASEB Journal</i> , 2007, 21, 2886-2896.	0.5	81
47	Ontogeny of rdh9 (Crad3) expression: Ablation causes changes in retinoid and steroid metabolizing enzymes, but RXR and androgen signaling seem normal. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2007, 1770, 694-705.	2.4	10
48	Quantification of endogenous retinoic acid in limited biological samples by LC/MS/MS. <i>Biochemical Journal</i> , 2005, 388, 363-369.	3.7	185
49	Elements in the N-terminal Signaling Sequence That Determine Cytosolic Topology of Short-chain Dehydrogenases/Reductases. <i>Journal of Biological Chemistry</i> , 2004, 279, 51482-51489.	3.4	20
50	Ethanol increases retinoic acid production in cerebellar astrocytes and in cerebellum. <i>Developmental Brain Research</i> , 2004, 153, 233-241.	1.7	40
51	Reduction of all-trans-Retinal in the Mouse Liver Peroxisome Fraction by the Short-Chain Dehydrogenase/Reductase RRD: α Induction by the PPAR α Ligand Clofibrate. <i>Biochemistry</i> , 2003, 42, 4190-4196.	2.5	49
52	Gene structure and minimal promoter of mouse rdh1. <i>Gene</i> , 2003, 305, 121-131.	2.2	3
53	Identification of a Mouse Short-chain Dehydrogenase/Reductase Gene, Retinol Dehydrogenase-similar. <i>Journal of Biological Chemistry</i> , 2003, 278, 40079-40087.	3.4	7
54	Mouse Retinal Dehydrogenase 4 (RALDH4), Molecular Cloning, Cellular Expression, and Activity in 9-cis-Retinoic Acid Biosynthesis in Intact Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 9856-9861.	3.4	106

#	ARTICLE	IF	CITATIONS
55	cis-Retinol/Androgen Dehydrogenase, Isozyme 3 (CRAD3): A Short-Chain Dehydrogenase Active in a Reconstituted Path of 9-cis-Retinoic Acid Biosynthesis in Intact Cells. <i>Biochemistry</i> , 2002, 41, 3477-3483.	2.5	18
56	SDR-O : an orphan short-chain dehydrogenase/reductase localized at mouse chromosome 10/human chromosome 12. <i>Gene</i> , 2002, 294, 141-146.	2.2	14
57	Analysis of Mouse Retinal Dehydrogenase Type 2 Promoter and Expression. <i>Genomics</i> , 2001, 74, 245-250.	2.9	32
58	17 β -Hydroxysteroid dehydrogenase type 9 and other short-chain dehydrogenases/reductases that catalyze retinoid, 17 β - and 3 α -hydroxysteroid metabolism. <i>Molecular and Cellular Endocrinology</i> , 2001, 171, 103-109.	3.2	58
59	The N-Terminus of Retinol Dehydrogenase Type 1 Signals Cytosolic Orientation in the Microsomal Membrane. <i>Biochemistry</i> , 2001, 40, 12533-12540.	2.5	21
60	Cellular expression of retinal dehydrogenase types 1 and 2: Effects of vitamin A status on testis mRNA. <i>Journal of Cellular Physiology</i> , 2001, 186, 220-232.	4.1	54
61	Molecular Characterization of a Mouse Short Chain Dehydrogenase/Reductase Active with All-trans-retinol in Intact Cells, mRDH1. <i>Journal of Biological Chemistry</i> , 2001, 276, 44083-44090.	3.4	44
62	Retinoic acid regulates the morphological development of sympathetic neurons. , 2000, 42, 383-393.		23
63	cDNA Cloning and Expression of a Human Aldehyde Dehydrogenase (ALDH) Active with 9-cis-Retinal and Identification of a Rat Ortholog, ALDH12. <i>Journal of Biological Chemistry</i> , 2000, 275, 40106-40112.	3.4	50
64	Complementary Deoxyribonucleic Acid Cloning and Enzymatic Characterization of a Novel 17 β /3 α -Hydroxysteroid/Retinoid Short Chain Dehydrogenase/Reductase1. <i>Endocrinology</i> , 1999, 140, 5275-5284.	2.8	57
65	Retinoic Acid: Its Biosynthesis and Metabolism. <i>Progress in Molecular Biology and Translational Science</i> , 1999, 63, 139-188.	1.9	161
66	Interactions of retinoid binding proteins and enzymes in retinoid metabolism. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 1999, 1440, 139-162.	2.4	339
67	Holo-Cellular Retinol-Binding Protein: A Distinction of Ligand-Binding Affinity from Efficiency as Substrate in Retinal Biosynthesis. <i>Biochemistry</i> , 1999, 38, 2088-2093.	2.5	27
68	Cloning and Characterization of Retinol Dehydrogenase Transcripts Expressed in Human Epidermal Keratinocytes. <i>Molecular Genetics and Metabolism</i> , 1999, 67, 62-73.	1.1	53
69	Activity of human 11-cis-retinol dehydrogenase (Rdh5) with steroids and retinoids and expression of its mRNA in extra-ocular human tissue. <i>Biochemical Journal</i> , 1999, 338, 23-27.	3.7	82
70	Activity of human 11-cis-retinol dehydrogenase (Rdh5) with steroids and retinoids and expression of its mRNA in extra-ocular human tissue. <i>Biochemical Journal</i> , 1999, 338, 23.	3.7	34
71	Quantitative Analyses of Naturally Occurring Retinoids. , 1998, 89, 29-40.		22
72	Expression and Purification of CRABPs from E. coli. , 1998, 89, 105-110.		1

#	ARTICLE	IF	CITATIONS
73	Cloning of a rat cDNA encoding retinal dehydrogenase isozyme type I and its expression in E. coli. <i>Gene</i> , 1997, 191, 167-172.	2.2	54
74	Enzymatic characteristics of retinal dehydrogenase type I expressed in Escherichia coli. <i>BBA - Proteins and Proteomics</i> , 1997, 1342, 175-181.	2.1	36
75	Coexpression of the mRNAs encoding retinol dehydrogenase isozymes and cellular retinol-binding protein. , 1997, 173, 36-43.		29
76	Retinoic acid biosynthesis and metabolism. <i>FASEB Journal</i> , 1996, 10, 993-1001.	0.5	337
77	Cloning of a cDNA Encoding an Aldehyde Dehydrogenase and Its Expression in. <i>Journal of Biological Chemistry</i> , 1996, 271, 16288-16293.	3.4	156
78	Cellular Retinol-binding Protein-supported Retinoic Acid Synthesis. <i>Journal of Biological Chemistry</i> , 1996, 271, 5610-5616.	3.4	99
79	Cloning of a cDNA for Liver Microsomal Retinol Dehydrogenase. <i>Journal of Biological Chemistry</i> , 1995, 270, 3900-3904.	3.4	122
80	Cloning of a cDNA for a Second Retinol Dehydrogenase Type II. <i>Journal of Biological Chemistry</i> , 1995, 270, 28408-28412.	3.4	90
81	Identification of 9-cis,13-cis-Retinoic Acid as a Major Circulating Retinoid in Plasma. <i>Biochemistry</i> , 1995, 34, 1203-1209.	2.5	51
82	Characterization of a microsomal retinol dehydrogenase: A short-chain alcohol dehydrogenase with integral and peripheral membrane forms that interacts with holo-CRBP (type I). <i>Biochemistry</i> , 1995, 34, 7027-7037.	2.5	79
83	Rat Liver Cytosolic Retinal Dehydrogenase: Comparison of 13-cis-, 9-cis-, and all-trans-Retinal as Substrates and Effects of Cellular Retinoid-Binding Proteins and Retinoic Acid on Activity. <i>Biochemistry</i> , 1994, 33, 1938-1943.	2.5	55
84	Multiple retinoid dehydrogenases in testes cytosol from alcohol dehydrogenase negative or positive deermice. <i>Biochemical Pharmacology</i> , 1992, 43, 2296-2298.	4.4	13
85	Microsomal retinal synthesis: retinol vs. holo-CRBP as substrate and evaluation of NADP, NAD and NADPH as cofactors. <i>BBA - Proteins and Proteomics</i> , 1992, 1120, 183-186.	2.1	27
86	Holocellular retinol binding protein as a substrate for microsomal retinal synthesis. <i>Biochemistry</i> , 1991, 30, 6224-6230.	2.5	134
87	Increase in ?-1,4-Galactosyltransferase Activity During PC12 Cell Differentiation Induced by Forskolin and 2-Chloroadenosine. <i>Journal of Neurochemistry</i> , 1991, 57, 708-713.	3.9	14
88	[52] Bile salt-independent retinyl ester hydrolase activities associated with membranes of rat tissues. <i>Methods in Enzymology</i> , 1990, 189, 459-469.	1.0	12
89	Retinoic acid synthesis by cytosol from the alcohol dehydrogenase negative deermouse. <i>Archives of Biochemistry and Biophysics</i> , 1989, 274, 171-178.	3.0	59
90	Cholate effects on all-trans-retinyl palmitate hydrolysis in tissue homogenates: Solubilization of multiple kidney membrane hydrolases. <i>Archives of Biochemistry and Biophysics</i> , 1989, 274, 192-199.	3.0	26

#	ARTICLE	IF	CITATIONS
91	Inhibition of retinoic acid metabolism by imidazole antimycotics in F9 embryonal carcinoma cells. <i>Biochemical Pharmacology</i> , 1987, 36, 1386-1388.	4.4	42
92	The biosynthesis of retinoic acid from retinol by rat tissues in vitro. <i>Archives of Biochemistry and Biophysics</i> , 1987, 255, 95-101.	3.0	107
93	13-cis-Retinoic acid metabolism in vivo. The major tissue metabolites in the rat have the all-trans configuration. <i>Biochemistry</i> , 1983, 22, 3933-3940.	2.5	51
94	Metabolism of 5,6-epoxyretinoic acid in vivo: isolation of a major intestinal metabolite. <i>Biochemistry</i> , 1982, 21, 1942-1949.	2.5	21
95	Tissue dependence of retinoic acid metabolism in vivo. <i>Lipids and Lipid Metabolism</i> , 1981, 666, 165-175.	2.6	38