
## Luis A Garcia

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8728557/publications.pdf Version: 2024-02-01



LUIS A CARCIA

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Application of flow cytometry to industrial microbial bioprocesses. Biochemical Engineering Journal, 2010, 48, 385-407.  | 1.8 | 242       |
| 2  | Production, purification and partial characterization of two extracellular proteases from Serratia marcescens grown in whey. Process Biochemistry, 2001, 36, 507-515.  | 1.8 | 64        |
| 3  | Lobophorin K, a New Natural Product with Cytotoxic Activity Produced by Streptomyces sp. M-207<br>Associated with the Deep-Sea Coral Lophelia pertusa. Marine Drugs, 2017, 15, 144.  | 2.2 | 58        |
| 4  | Two Streptomyces Species Producing Antibiotic, Antitumor, and Anti-Inflammatory Compounds Are<br>Widespread Among Intertidal Macroalgae and Deep-Sea Coral Reef Invertebrates from the Central<br>Cantabrian Sea. Microbial Ecology, 2015, 69, 512-524.          | 1.4 | 56        |
| 5  | MODELLING OF DIACETYL PRODUCTION DURING BEER FERMENTATION. Journal of the Institute of Brewing, 1994, 100, 179-183.  | 0.8 | 46        |
| 6  | Branimycins B and C, Antibiotics Produced by the Abyssal Actinobacterium <i>Pseudonocardia carboxydivorans</i> M-227. Journal of Natural Products, 2017, 80, 569-573.  | 1.5 | 46        |
| 7  | Diffusion of proteases in calcium alginate beads. Enzyme and Microbial Technology, 1992, 14, 586-590.  | 1.6 | 44        |
| 8  | Role of trehalose in the spores ofStreptomyces. FEMS Microbiology Letters, 1986, 35, 49-54.  | 0.7 | 43        |
| 9  | The Effect of SO2on the Production of Ethanol, Acetaldehyde, Organic Acids, and Flavor Volatiles<br>during Industrial Cider Fermentation. Journal of Agricultural and Food Chemistry, 2003, 51, 3455-3459.   | 2.4 | 43        |
| 10 | Application of Flow Cytometry to Segregated Kinetic Modeling Based on the Physiological States of Microorganisms. Applied and Environmental Microbiology, 2007, 73, 3993-4000.   | 1.4 | 42        |
| 11 | Paulomycin G, a New Natural Product with Cytotoxic Activity against Tumor Cell Lines Produced by<br>Deep-Sea Sediment Derived Micromonospora matsumotoense M-412 from the Avilés Canyon in the<br>Cantabrian Sea. Marine Drugs, 2017, 15, 271.                   | 2.2 | 42        |
| 12 | Ethanol and ethyl acetate production during the cider fermentation from laboratory to industrial scale. Process Biochemistry, 2003, 38, 1451-1456.   | 1.8 | 40        |
| 13 | Use of Flow Cytometry To Follow the Physiological States of Microorganisms in Cider Fermentation Processes. Applied and Environmental Microbiology, 2006, 72, 6725-6733.   | 1.4 | 40        |
| 14 | Quantitative Approach to Determining the Contribution of Viable-but-Nonculturable Subpopulations to Malolactic Fermentation Processes. Applied and Environmental Microbiology, 2009, 75, 2977-2981.  | 1.4 | 40        |
| 15 | Desertomycin G, a New Antibiotic with Activity against Mycobacterium tuberculosis and Human Breast<br>Tumor Cell Lines Produced by Streptomyces althioticus MSM3, Isolated from the Cantabrian Sea<br>Intertidal Macroalgae Ulva sp Marine Drugs, 2019, 17, 114. | 2.2 | 35        |
| 16 | Anthracimycin B, a Potent Antibiotic against Gram-Positive Bacteria Isolated from Cultures of the<br>Deep-Sea Actinomycete Streptomyces cyaneofuscatus M-169. Marine Drugs, 2018, 16, 406.   | 2.2 | 34        |
| 17 | Controlled malolactic fermentation in cider using Oenococcus oeni immobilized in alginate beads and comparison with free cell fermentation. Enzyme and Microbial Technology, 2001, 28, 35-41.  | 1.6 | 33        |
| 18 | Pharmacological Potential of Phylogenetically Diverse Actinobacteria Isolated from Deep-Sea Coral<br>Ecosystems of the Submarine Avilés Canyon in the Cantabrian Sea. Microbial Ecology, 2017, 73, 338-352.  | 1.4 | 33        |

LUIS A GARCIA

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Changes in Organic Acids During Malolactic Fermentation at Different Temperatures in<br>Yeast-Fermented Apple Juice. Journal of the Institute of Brewing, 1999, 105, 191-196.   | 0.8 | 31        |
| 20 | Population dynamics of lactic acid bacteria during spontaneous malolactic fermentation in industrial cider. Food Research International, 2010, 43, 2101-2107.   | 2.9 | 31        |
| 21 | Activation and silencing of secondary metabolites in Streptomyces albus and Streptomyces lividans<br>after transformation with cosmids containing the thienamycin gene cluster from Streptomyces<br>cattleya. Archives of Microbiology, 2014, 196, 345-355. | 1.0 | 31        |
| 22 | New 3-Hydroxyquinaldic Acid Derivatives from Cultures of the Marine Derived Actinomycete Streptomyces cyaneofuscatus M-157. Marine Drugs, 2018, 16, 371.  | 2.2 | 31        |
| 23 | Volatile Compounds in Cider: Inoculation Time and Fermentation Temperature Effects. Journal of the Institute of Brewing, 2006, 112, 210-214.  | 0.8 | 29        |
| 24 | A Note - Production of Vinegar from Whey. Journal of the Institute of Brewing, 2003, 109, 356-358.  | 0.8 | 28        |
| 25 | Fusel Alcohols Production in Beer Fermentation Processes. Process Biochemistry, 1994, 29, 303-309.  | 1.8 | 26        |
| 26 | Mixing power, external convection, and effectiveness in bioreactors. , 1996, 51, 131-140.   |     | 26        |
| 27 | Comparison of Bacillus subtilis and Serratia marcescens as protease producers under different operating conditions. Journal of Bioscience and Bioengineering, 1999, 88, 35-40.  | 1.1 | 26        |
| 28 | Prevalent lactic acid bacteria in cider cellars and efficiency of Oenococcus oeni strains. Food<br>Microbiology, 2012, 32, 32-37.   | 2.1 | 26        |
| 29 | Nutrient balance and metabolic analysis in a Kluyveromyces marxianus fermentation with lactose-added whey. Brazilian Journal of Chemical Engineering, 2009, 26, 445-456.  | 0.7 | 25        |
| 30 | Atmospheric Dispersal of Bioactive Streptomyces albidoflavus Strains Among Terrestrial and Marine<br>Environments. Microbial Ecology, 2016, 71, 375-386.  | 1.4 | 25        |
| 31 | Production of an Alcoholic Beverage by Fermentation of Whey Permeate with <i>Kluyveromyces<br/>fragilis</i> 1: Primary Metabolism. Journal of the Institute of Brewing, 2000, 106, 367-375.   | 0.8 | 24        |
| 32 | Myceligenerans cantabricum sp. nov., a barotolerant actinobacterium isolated from a deep cold-water<br>coral. International Journal of Systematic and Evolutionary Microbiology, 2015, 65, 1328-1334.   | 0.8 | 23        |
| 33 | Simultaneous and sequential fermentations with yeast and lactic acid bacteria in apple juice. Journal of Industrial Microbiology and Biotechnology, 1999, 22, 48-51.  | 1.4 | 21        |
| 34 | Atmospheric Precipitations, Hailstone and Rainwater, as a Novel Source of Streptomyces Producing<br>Bioactive Natural Products. Frontiers in Microbiology, 2018, 9, 773.  | 1.5 | 21        |
| 35 | Mechanism for mixing and homogenization in beer fermentation. Bioprocess and Biosystems Engineering, 1994, 10, 179-184.   | 0.5 | 19        |
| 36 | ?Diffusion? of microorganisms in calcium alginate beads. Biotechnology Letters, 1995, 9, 809-814.   | 0.5 | 18        |

LUIS A GARCIA

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Analysis and description of the evolution of alginate immobilised cells systems. Journal of<br>Biotechnology, 2000, 80, 203-215.   | 1.9 | 18        |
| 38 | Prediction of ester production in industrial beer fermentation. Enzyme and Microbial Technology, 1994, 16, 66-71.  | 1.6 | 17        |
| 39 | Modelling and description of internal profiles in immobilized cells systems. Biochemical Engineering<br>Journal, 1998, 1, 225-232.   | 1.8 | 16        |
| 40 | Protein diffusion in alginate beads monitored by confocal microscopy. The application of wavelets<br>for data reconstruction and analysis. Journal of Industrial Microbiology and Biotechnology, 1999, 23,<br>155-165. | 1.4 | 16        |
| 41 | Organic Acids in Cider with Simultaneous Inoculation of Yeast and Malolactic Bacteria: Effect of Fermentation Temperature. Journal of the Institute of Brewing, 1999, 105, 229-232.                                    | 0.8 | 16        |
| 42 | Malolactic bioconversion using a Oenococcus oeni strain for cider production: effect of yeast extract supplementation. Journal of Industrial Microbiology and Biotechnology, 2003, 30, 699-704.                        | 1.4 | 16        |
| 43 | Production of an Alcoholic Beverage by Fermentation of Whey Permeate with <i>Kluyveromyces fragilis</i> II: Aroma Composition. Journal of the Institute of Brewing, 2000, 106, 377-382.                                | 0.8 | 13        |
| 44 | Influence of controlled inoculation of malolactic fermentation on the sensory properties of industrial cider. Journal of Industrial Microbiology and Biotechnology, 2014, 41, 853-867.                                 | 1.4 | 13        |
| 45 | Mixing in unstirred batch fermenters. The Chemical Engineering Journal, 1993, 51, B57-B61.   | 0.4 | 12        |
| 46 | Application of neural networks for controlling and predicting quality parameters in beer fermentation. Journal of Industrial Microbiology, 1995, 15, 401-406.  | 0.9 | 12        |
| 47 | Stirring and Mixing Effects at Different Cider Fermentation Scales. Food and Bioproducts Processing, 2002, 80, 129-134.  | 1.8 | 12        |
| 48 | Fermentation of individual proteins for protease production by Serratia marcescens. Biochemical<br>Engineering Journal, 2004, 19, 147-153.   | 1.8 | 12        |
| 49 | Bioactive Natural Products in Actinobacteria Isolated in Rainwater From Storm Clouds Transported by Western Winds in Spain. Frontiers in Microbiology, 2021, 12, 773095.   | 1.5 | 12        |
| 50 | The evolution of the structure of calcium alginate beads and cell leakage during protease production. Process Biochemistry, 1996, 31, 813-822.   | 1.8 | 10        |
| 51 | Mixed cultures ofSerratia marcescensandKluyveromyces fragilisfor simultaneous protease production and COD removal of whey. Journal of Applied Microbiology, 2007, 103, 864-870.  | 1.4 | 10        |
| 52 | Intracellular pool ofStreptomycesspores: Amino acids, nucleosides, adenine nucleotide levels and energy charge. FEMS Microbiology Letters, 1983, 19, 215-219.  | 0.7 | 8         |
| 53 | Effects of SO <sub>2</sub> on lactic acid bacteria physiology when used as a preservative compound in malolactic fermentation. Journal of the Institute of Brewing, 2012, 118, 89-96.                                  | 0.8 | 8         |
| 54 | Influence of a malolactic starter on the quality of the cider produced on an industrial scale.<br>European Food Research and Technology, 2005, 221, 168-174.   | 1.6 | 6         |

LUIS A GARCIA

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Whey Vinegar. , 2009, , 273-288.   |     | 6         |
| 56 | Taking advantage of the flow cytometry technique for improving malolactic starters production.<br>European Food Research and Technology, 2009, 228, 543-552. | 1.6 | 5         |
| 57 | Taking Advantage of Temperature Changes to Determine the Progress of a Cider Fermentation. Journal of the Institute of Brewing, 2002, 108, 32-33.            | 0.8 | 4         |
| 58 | SIMULATION OF A TWO PHASE FLOW BY CFD: ANALYSIS OF THE COMPUTATIONAL METHOD. Chemical Engineering Communications, 1999, 173, 197-214.                        | 1.5 | 2         |
| 59 | Cleaning in Place. , 2011, , 983-997.  |     | 0         |