

Nils Wierup

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/872907/publications.pdf>

Version: 2024-02-01

89
papers

5,084
citations

101543

36
h-index

91884

69
g-index

90
all docs

90
docs citations

90
times ranked

8294
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | The role of CART in islet biology. <i>Peptides</i> , 2022, 149, 170708. | 2.4 | 3 |
| 2 | Overexpressed beta cell CART increases insulin secretion in mouse models of insulin resistance and diabetes. <i>Peptides</i> , 2022, 151, 170747. | 2.4 | 5 |
| 3 | Lessons from single-cell RNA sequencing of human islets. <i>Diabetologia</i> , 2022, 65, 1241-1250. | 6.3 | 17 |
| 4 | GK-rats respond to gastric bypass surgery with improved glycemia despite unaffected insulin secretion and beta cell mass. <i>Peptides</i> , 2021, 136, 170445. | 2.4 | 6 |
| 5 | SCRT1 is a novel beta cell transcription factor with insulin regulatory properties. <i>Molecular and Cellular Endocrinology</i> , 2021, 521, 111107. | 3.2 | 4 |
| 6 | Metabolic Effects of Gastric Bypass Surgery: Is It All About Calories?. <i>Diabetes</i> , 2020, 69, 2027-2035. | 0.6 | 24 |
| 7 | Ghrelin suppresses insulin secretion in human islets and type 2 diabetes patients have diminished islet ghrelin cell number and lower plasma ghrelin levels. <i>Molecular and Cellular Endocrinology</i> , 2020, 511, 110835. | 3.2 | 25 |
| 8 | No direct effect of SGLT2 activity on glucagon secretion. <i>Diabetologia</i> , 2019, 62, 1011-1023. | 6.3 | 58 |
| 9 | Effects of GIP on regional blood flow during normoglycemia and hyperglycemia in anesthetized rats. <i>Physiological Reports</i> , 2018, 6, e13685. | 1.7 | 5 |
| 10 | Intestinal CART is a regulator of GIP and GLP-1 secretion and expression. <i>Molecular and Cellular Endocrinology</i> , 2018, 476, 8-16. | 3.2 | 7 |
| 11 | Early deficits in insulin secretion, beta cell mass and islet blood perfusion precede onset of autoimmune type 1 diabetes in BioBreeding rats. <i>Diabetologia</i> , 2018, 61, 896-905. | 6.3 | 10 |
| 12 | Glutamine-Elicited Secretion of Glucagon-Like Peptide 1 Is Governed by an Activated Glutamate Dehydrogenase. <i>Diabetes</i> , 2018, 67, 372-384. | 0.6 | 20 |
| 13 | Liver blood dynamics after bariatric surgery: the effects of mixed-meal test and incretin infusions. <i>Endocrine Connections</i> , 2018, 7, 888-896. | 1.9 | 12 |
| 14 | Bariatric Surgery Enhances Splanchnic Vascular Responses in Patients With Type 2 Diabetes. <i>Diabetes</i> , 2017, 66, 880-885. | 0.6 | 13 |
| 15 | Endogenous beta-cell CART regulates insulin secretion and transcription of beta-cell genes. <i>Molecular and Cellular Endocrinology</i> , 2017, 447, 52-60. | 3.2 | 12 |
| 16 | Gastric bypass in the pig increases GIP levels and decreases active GLP-1 levels. <i>Peptides</i> , 2017, 90, 78-82. | 2.4 | 13 |
| 17 | Mitochondrial transcription factor B2 is essential for mitochondrial and cellular function in pancreatic I β -cells. <i>Molecular Metabolism</i> , 2017, 6, 651-663. | 6.5 | 37 |
| 18 | Sulforaphane reduces hepatic glucose production and improves glucose control in patients with type 2 diabetes. <i>Science Translational Medicine</i> , 2017, 9, . | 12.4 | 240 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | CFTR is involved in the regulation of glucagon secretion in human and rodent alpha cells. <i>Scientific Reports</i> , 2017, 7, 90. | 3.3 | 48 |
| 20 | Effects of meal and incretins in the regulation of splanchnic blood flow. <i>Endocrine Connections</i> , 2017, 6, 179-187. | 1.9 | 21 |
| 21 | Experiments suggesting extra-digestive effects of enteral pancreatic amylase and its peptides on glucose homeostasis in a pig model. <i>Scientific Reports</i> , 2017, 7, 8628. | 3.3 | 14 |
| 22 | Ghrelin rescues skeletal muscle catabolic profile in the R6/2 mouse model of Huntington's disease. <i>Scientific Reports</i> , 2017, 7, 13896. | 3.3 | 17 |
| 23 | Nuclear import of glucokinase in pancreatic beta-cells is mediated by a nuclear localization signal and modulated by SUMOylation. <i>Molecular and Cellular Endocrinology</i> , 2017, 454, 146-157. | 3.2 | 5 |
| 24 | Roux-en-Y gastric bypass versus calorie restriction: support for surgery per se as the direct contributor to altered responses of insulin and incretins to a mixed meal. <i>Surgery for Obesity and Related Diseases</i> , 2017, 13, 234-242. | 1.2 | 20 |
| 25 | Ghrelin Is a Regulator of Glucagon-Like Peptide 1 Secretion and Transcription in Mice. <i>Frontiers in Endocrinology</i> , 2017, 8, 135. | 3.5 | 16 |
| 26 | Genetic determinants of circulating GIP and GLP-1 concentrations. <i>JCI Insight</i> , 2017, 2, . | 5.0 | 46 |
| 27 | The impact of Roux-en-Y gastric bypass surgery on normal metabolism in a porcine model. <i>PLoS ONE</i> , 2017, 12, e0173137. | 2.5 | 10 |
| 28 | The density of parasympathetic axons is reduced in the exocrine pancreas of individuals recently diagnosed with type 1 diabetes. <i>PLoS ONE</i> , 2017, 12, e0179911. | 2.5 | 21 |
| 29 | Decreased insulin secretion and glucose clearance in exocrine pancreas-insufficient pigs. <i>Experimental Physiology</i> , 2016, 101, 100-112. | 2.0 | 18 |
| 30 | Increased Melatonin Signaling Is a Risk Factor for Type 2 Diabetes. <i>Cell Metabolism</i> , 2016, 23, 1067-1077. | 16.2 | 194 |
| 31 | CART is overexpressed in human type 2 diabetic islets and inhibits glucagon secretion and increases insulin secretion. <i>Diabetologia</i> , 2016, 59, 1928-1937. | 6.3 | 24 |
| 32 | HMGB1 binds to the rs7903146 locus in TCF7L2 in human pancreatic islets. <i>Molecular and Cellular Endocrinology</i> , 2016, 430, 138-145. | 3.2 | 14 |
| 33 | Serotonin (5-HT) receptor 2b activation augments glucose-stimulated insulin secretion in human and mouse islets of Langerhans. <i>Diabetologia</i> , 2016, 59, 744-754. | 6.3 | 64 |
| 34 | Mucosal glucagon-like peptide-1 and glucose-dependent insulinotropic polypeptide cell numbers in the super-obese human foregut after gastric bypass. <i>Surgery for Obesity and Related Diseases</i> , 2015, 11, 1237-1246. | 1.2 | 53 |
| 35 | Malignant presacral ghrelinoma with long-standing hyperghrelinemia. <i>Uppsala Journal of Medical Sciences</i> , 2015, 120, 299-304. | 0.9 | 7 |
| 36 | Short- and Long-Term Hormonal and Metabolic Consequences of Reversing Gastric Bypass to Normal Anatomy in a Type 2 Diabetes Patient. <i>Obesity Surgery</i> , 2015, 25, 180-185. | 2.1 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | A Central Role for GRB10 in Regulation of Islet Function in Man. <i>PLoS Genetics</i> , 2014, 10, e1004235. | 3.5 | 164 |
| 38 | TCF7L2 is a master regulator of insulin production and processing. <i>Human Molecular Genetics</i> , 2014, 23, 6419-6431. | 2.9 | 166 |
| 39 | Gastric Bypass Improves β -Cell Function and Increases β -Cell Mass in a Porcine Model. <i>Diabetes</i> , 2014, 63, 1665-1671. | 0.6 | 67 |
| 40 | Loss of TFB1M results in mitochondrial dysfunction that leads to impaired insulin secretion and diabetes. <i>Human Molecular Genetics</i> , 2014, 23, 5733-5749. | 2.9 | 51 |
| 41 | The islet ghrelin cell. <i>Journal of Molecular Endocrinology</i> , 2014, 52, R35-R49. | 2.5 | 85 |
| 42 | Glucose-dependent insulinotropic polypeptide lowers branched chain amino acids in hyperglycemic rats. <i>Regulatory Peptides</i> , 2014, 189, 11-16. | 1.9 | 0 |
| 43 | Cocaine- and amphetamine-regulated transcript is expressed in adipocytes and regulate lipid- and glucose homeostasis. <i>Regulatory Peptides</i> , 2013, 182, 35-40. | 1.9 | 26 |
| 44 | Expression profiling of cell cycle genes in human pancreatic islets with and without type 2 diabetes. <i>Molecular and Cellular Endocrinology</i> , 2013, 375, 35-42. | 3.2 | 47 |
| 45 | Effects of Ingestion Routes on Hormonal and Metabolic Profiles in Gastric-Bypassed Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, E856-E861. | 3.6 | 34 |
| 46 | Link Between GIP and Osteopontin in Adipose Tissue and Insulin Resistance. <i>Diabetes</i> , 2013, 62, 2088-2094. | 0.6 | 75 |
| 47 | Cocaine- and Amphetamine-regulated Transcript (CART) Protects Beta Cells against Glucotoxicity and Increases Cell Proliferation. <i>Journal of Biological Chemistry</i> , 2013, 288, 3208-3218. | 3.4 | 30 |
| 48 | Autoimmunity against INS-IGF2 Protein Expressed in Human Pancreatic Islets*. <i>Journal of Biological Chemistry</i> , 2013, 288, 29013-29023. | 3.4 | 33 |
| 49 | Expression of Cocaine- and Amphetamine-Regulated Transcript Is Associated with Worse Survival in Small Bowel Carcinoid Tumors. <i>Clinical Cancer Research</i> , 2012, 18, 3668-3676. | 7.0 | 19 |
| 50 | A Major Lineage of Enteroendocrine Cells Coexpress CCK, Secretin, GIP, GLP-1, PYY, and Neurotensin but Not Somatostatin. <i>Endocrinology</i> , 2012, 153, 5782-5795. | 2.8 | 269 |
| 51 | Impact of an Exercise Intervention on DNA Methylation in Skeletal Muscle From First-Degree Relatives of Patients With Type 2 Diabetes. <i>Diabetes</i> , 2012, 61, 3322-3332. | 0.6 | 334 |
| 52 | HTR1A a Novel Type 1 Diabetes Susceptibility Gene on Chromosome 5p13-q13. <i>PLoS ONE</i> , 2012, 7, e35439. | 2.5 | 20 |
| 53 | Cocaine- and Amphetamine-Regulated Transcript in Neuroendocrine Tumors. <i>Neuroendocrinology</i> , 2011, 94, 228-236. | 2.5 | 18 |
| 54 | Evidence for Presence and Functional Effects of Kv1.1 Channels in β -Cells: General Survey and Results from mceph/mceph Mice. <i>PLoS ONE</i> , 2011, 6, e18213. | 2.5 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Biomechanical properties and innervation of the female caveolin-1 deficient detrusor. <i>British Journal of Pharmacology</i> , 2011, 162, 1156-1170. | 5.4 | 27 |
| 56 | Distribution of melatonin receptors in murine pancreatic islets. <i>Journal of Pineal Research</i> , 2011, 50, 412-417. | 7.4 | 49 |
| 57 | Gastrointestinal dysfunction contributes to weight loss in Huntington's disease mice. <i>Neurobiology of Disease</i> , 2011, 44, 1-8. | 4.4 | 88 |
| 58 | Nesfatin-1 stimulates glucagon and insulin secretion and beta cell NUCB2 is reduced in human type 2 diabetic subjects. <i>Cell and Tissue Research</i> , 2011, 346, 393-405. | 2.9 | 68 |
| 59 | Pleiotropic Effects of GIP on Islet Function Involve Osteopontin. <i>Diabetes</i> , 2011, 60, 2424-2433. | 0.6 | 83 |
| 60 | β -Cell Specific Overexpression of GPR39 Protects against Streptozotocin-Induced Hyperglycemia. <i>International Journal of Endocrinology</i> , 2011, 2011, 1-8. | 1.5 | 19 |
| 61 | Metabolic effects of whole grain wheat and whole grain rye in the C57BL/6J mouse. <i>Nutrition</i> , 2010, 26, 230-239. | 2.4 | 25 |
| 62 | First Report on Metastasizing Small Bowel Carcinoids in First-Degree Relatives in Three Generations. <i>Neuroendocrinology</i> , 2010, 91, 318-323. | 2.5 | 20 |
| 63 | Increased β -cell volume in mice fed a high-fat diet: A dynamic study over 12 months. <i>Islets</i> , 2010, 2, 353-356. | 1.8 | 76 |
| 64 | Covariation of plasma ghrelin and motilin in irritable bowel syndrome. <i>Peptides</i> , 2010, 31, 1109-1112. | 2.4 | 36 |
| 65 | Apelin is a novel islet peptide. <i>Regulatory Peptides</i> , 2010, 162, 44-51. | 1.9 | 64 |
| 66 | Phosphodiesterase 3B Is Localized in Caveolae and Smooth ER in Mouse Hepatocytes and Is Important in the Regulation of Glucose and Lipid Metabolism. <i>PLoS ONE</i> , 2009, 4, e4671. | 2.5 | 31 |
| 67 | Common variant in MTNR1B associated with increased risk of type 2 diabetes and impaired early insulin secretion. <i>Nature Genetics</i> , 2009, 41, 82-88. | 21.4 | 642 |
| 68 | Islet β -cell area and hormone expression are unaltered in Huntington's disease. <i>Histochemistry and Cell Biology</i> , 2008, 129, 623-629. | 1.7 | 24 |
| 69 | Increased metabolism in the R6/2 mouse model of Huntington's disease. <i>Neurobiology of Disease</i> , 2008, 29, 41-51. | 4.4 | 114 |
| 70 | Lack of cholesterol mobilization in islets of hormone-sensitive lipase deficient mice impairs insulin secretion. <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 558-562. | 2.1 | 15 |
| 71 | Long-Term Nicotine Exposure Causes Increased Concentrations of Trypsinogens and Amylase in Pancreatic Extracts in the Rat. <i>Pancreas</i> , 2008, 37, 288-294. | 1.1 | 22 |
| 72 | Ghrelin and Motilin Are Cosecreted from a Prominent Endocrine Cell Population in the Small Intestine. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3573-3581. | 3.6 | 83 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Rat insulin promoter 2-Cre recombinase mice bred onto a pure C57BL/6J background exhibit unaltered glucose tolerance. <i>Journal of Endocrinology</i> , 2007, 194, 551-555. | 2.6 | 28 |
| 74 | Gastric ghrelin cell development is hampered and plasma ghrelin is reduced by delayed weaning in rats. <i>Journal of Endocrinology</i> , 2007, 192, 345-352. | 2.6 | 20 |
| 75 | DPP-4 inhibition improves glucose tolerance and increases insulin and GLP-1 responses to gastric glucose in association with normalized islet topography in mice with β^2 -cell-specific overexpression of human islet amyloid polypeptide. <i>Regulatory Peptides</i> , 2007, 143, 97-103. | 1.9 | 38 |
| 76 | Capsaicin-sensitive sensory fibers in the islets of Langerhans contribute to defective insulin secretion in Zucker diabetic rat, an animal model for some aspects of human type 2 diabetes. <i>European Journal of Neuroscience</i> , 2007, 25, 213-223. | 2.6 | 144 |
| 77 | Characterisation of CART-containing neurons and cells in the porcine pancreas, gastro-intestinal tract, adrenal and thyroid glands. <i>BMC Neuroscience</i> , 2007, 8, 51. | 1.9 | 57 |
| 78 | β^2 -cell PDE3B regulates Ca ²⁺ -stimulated exocytosis of insulin. <i>Cellular Signalling</i> , 2007, 19, 1505-1513. | 3.6 | 25 |
| 79 | Inflammatory Response in White Adipose Tissue in the Non-Obese Hormone-Sensitive Lipase Null Mouse Model. <i>Journal of Proteome Research</i> , 2006, 5, 1701-1710. | 3.7 | 23 |
| 80 | CART is a novel islet regulatory peptide. <i>Peptides</i> , 2006, 27, 2031-2036. | 2.4 | 47 |
| 81 | Early and rapid development of insulin resistance, islet dysfunction and glucose intolerance after high-fat feeding in mice overexpressing phosphodiesterase 3B. <i>Journal of Endocrinology</i> , 2006, 189, 629-641. | 2.6 | 26 |
| 82 | CART Regulates Islet Hormone Secretion and Is Expressed in the β^2 -Cells of Type 2 Diabetic Rats. <i>Diabetes</i> , 2006, 55, 305-311. | 0.6 | 63 |
| 83 | Ultrastructure of islet ghrelin cells in the human fetus. <i>Cell and Tissue Research</i> , 2005, 319, 423-428. | 2.9 | 47 |
| 84 | Antral G-cell in gastrin and gastrin-cholecystokinin knockout animals. <i>Cell and Tissue Research</i> , 2005, 321, 141-146. | 2.9 | 5 |
| 85 | The R6/2 transgenic mouse model of Huntington's disease develops diabetes due to deficient β^2 -cell mass and exocytosis. <i>Human Molecular Genetics</i> , 2005, 14, 565-574. | 2.9 | 129 |
| 86 | Reduced Ghrelin, Islet Amyloid Polypeptide, and Peptide YY Expression in the Stomach of Gastrin-Cholecystokinin Knockout Mice. <i>Endocrinology</i> , 2005, 146, 4464-4471. | 2.8 | 15 |
| 87 | Orexin loss in Huntington's disease. <i>Human Molecular Genetics</i> , 2005, 14, 39-47. | 2.9 | 246 |
| 88 | Loss-of-Function Mutation of the Galanin Gene Is Associated with Perturbed Islet Function in Mice. <i>Endocrinology</i> , 2004, 145, 3190-3196. | 2.8 | 70 |
| 89 | β^2 -Cell-targeted Overexpression of Phosphodiesterase 3B in Mice Causes Impaired Insulin Secretion, Glucose Intolerance, and Deranged Islet Morphology. <i>Journal of Biological Chemistry</i> , 2004, 279, 15214-15222. | 3.4 | 51 |