Luis Alberto Henriquez-Hernandez

List of Publications by Year in Descending Order

Source:

https://exaly.com/author-pdf/8730322/luis-alberto-henriquez-hernandez-publications-by-year.pdf **Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111	2,213	28	39
papers	citations	h-index	g-index
113	2,601 ext. citations	5.6	4.72
ext. papers		avg, IF	L-index

#	Paper	IF	Citations
111	Medical Psychotropics in Forensic Autopsies in European Countries: Results from a Three-Year Retrospective Study in Spain <i>Toxics</i> , 2022 , 10,	4.7	1
110	Comparative study of organic contaminants in agricultural soils at the archipelagos of the Macaronesia <i>Environmental Pollution</i> , 2022 , 301, 118979	9.3	3
109	Critical review of analytical methods for the determination of flame retardants in human matrices <i>Analytica Chimica Acta</i> , 2022 , 1193, 338828	6.6	1
108	Human biomonitoring of persistent and non-persistent pollutants in a representative sample of the general population from Cape Verde: Results from the PERVEMAC-II study <i>Environmental Pollution</i> , 2022 , 119331	9.3	0
107	Concentration of heavy metals and rare earth elements in patients with brain tumours: Analysis in tumour tissue, non-tumour tissue, and blood. <i>International Journal of Environmental Health Research</i> , 2021 , 31, 741-754	3.6	9
106	An Easy Procedure to Quantify Anticoagulant Rodenticides and Pharmaceutical Active Compounds in Soils. <i>Toxics</i> , 2021 , 9,	4.7	2
105	Validation of a Method Scope Extension for the Analysis of POPs in Soil and Verification in Organic and Conventional Farms of the Canary Islands. <i>Toxics</i> , 2021 , 9,	4.7	4
104	Nutritional Evaluation and Risk Assessment of the Exposure to Essential and Toxic Elements in Dogs and Cats through the Consumption of Pelleted Dry Food: How Important Is the Quality of the Feed?. <i>Toxics</i> , 2021 , 9,	4.7	1
103	Reductions in blood concentrations of persistent organic pollutants in the general population of Barcelona from 2006 to 2016. <i>Science of the Total Environment</i> , 2021 , 777, 146013	10.2	1
102	A Method Scope Extension for the Simultaneous Analysis of POPs, Current-Use and Banned Pesticides, Rodenticides, and Pharmaceuticals in Liver. Application to Food Safety and Biomonitoring. <i>Toxics</i> , 2021 , 9,	4.7	2
101	Extension of an extraction method for the determination of 305 organic compounds in clay-loam soil to soils of different characteristics. <i>MethodsX</i> , 2021 , 8, 101476	1.9	2
100	Role of Pet Dogs and Cats as Sentinels of Human Exposure to Polycyclic Aromatic Hydrocarbons 2020 , 65-81		
99	Risk assessment of the exposure to mycotoxins in dogs and cats through the consumption of commercial dry food. <i>Science of the Total Environment</i> , 2020 , 708, 134592	10.2	15
98	Database of persistent organic pollutants in umbilical cord blood: Concentration of organochlorine pesticides, PCBs, BDEs and polycyclic aromatic hydrocarbons. <i>Data in Brief</i> , 2020 , 28, 104918	1.2	1
97	Association between Heavy Metals and Rare Earth Elements with Acute Ischemic Stroke: A Case-Control Study Conducted in the Canary Islands (Spain). <i>Toxics</i> , 2020 , 8,	4.7	4
96	Supporting dataset on the optimization and validation of a QuEChERS-based method for the determination of 218 pesticide residues in clay loam soil. <i>Data in Brief</i> , 2020 , 33, 106393	1.2	5
95	Serum concentration of toxic metals and rare earth elements in children and adolescent. International Journal of Environmental Health Research, 2020, 30, 696-712	3.6	3

94	Organic pollutants in marine plastic debris from Canary Islands beaches. <i>Science of the Total Environment</i> , 2019 , 662, 22-31	10.2	84
93	Trends of Lipophilic, Antioxidant and Hematological Parameters Associated with Conventional and Electronic Smoking Habits in Middle-Age Romanians. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
92	Dietary Intake of Essential, Toxic, and Potentially Toxic Elements from Mussels () in the Spanish Population: A Nutritional Assessment. <i>Nutrients</i> , 2019 , 11,	6.7	10
91	Assessment of 22 inorganic elements in human amniotic fluid: a cross-sectional study conducted in Canary Islands (Spain). <i>International Journal of Environmental Health Research</i> , 2019 , 29, 130-139	3.6	4
90	Body burden of organohalogenated pollutants and polycyclic aromatic hydrocarbons in Romanian population: Influence of age, gender, body mass index, and habitat. <i>Science of the Total Environment</i> , 2019 , 656, 709-716	10.2	17
89	Association between prenatal exposure to multiple persistent organic pollutants (POPs) and growth indicators in newborns. <i>Environmental Research</i> , 2019 , 171, 285-292	7.9	18
88	Differential exposure to 33 toxic elements through cigarette smoking, based on the type of tobacco and rolling paper used. <i>Environmental Research</i> , 2019 , 169, 368-376	7.9	13
87	Occurrence of 44 elements in human cord blood and their association with growth indicators in newborns. <i>Environment International</i> , 2018 , 116, 43-51	12.9	35
86	Pattern of blood concentrations of 47 elements in two populations from the same geographical area but with different geological origin and lifestyles: Canary Islands (Spain) vs. Morocco. <i>Science of the Total Environment</i> , 2018 , 636, 709-716	10.2	15
85	Body burden of toxic metals and rare earth elements in non-smokers, cigarette smokers and electronic cigarette users. <i>Environmental Research</i> , 2018 , 166, 269-275	7.9	53
84	Reduction of persistent and semi-persistent organic pollutants in fillets of farmed European seabass (Dicentrarchus labrax) fed low fish oil diets. <i>Science of the Total Environment</i> , 2018 , 643, 1239-1	2 ¹ 47 ²	7
83	Consumption of organic meat does not diminish the carcinogenic potential associated with the intake of persistent organic pollutants (POPs). <i>Environmental Science and Pollution Research</i> , 2017 , 24, 4261-4273	5.1	19
82	Comparative analysis of selected semi-persistent and emerging pollutants in wild-caught fish and aquaculture associated fish using Bogue (Boops boops) as sentinel species. <i>Science of the Total Environment</i> , 2017 , 581-582, 199-208	10.2	25
81	Simvastatin down-regulates differential genetic profiles produced by organochlorine mixtures in primary breast cell (HMEC). <i>Chemico-Biological Interactions</i> , 2017 , 268, 85-92	5	2
8o	Determinants of increasing serum POPs in a population at high risk for cardiovascular disease. Results from the PREDIMED-CANARIAS study. <i>Environmental Research</i> , 2017 , 156, 477-484	7.9	23
79	Simultaneous quantification of 49 elements associated to e-waste in human blood by ICP-MS for routine analysis. <i>MethodsX</i> , 2017 , 4, 328-334	1.9	15
78	Ethanol levels in legally autopsied subjects: Analytical approach and epidemiological relevance in a prospective study in the touristic region of the Canary Islands (Spain). <i>Journal of Clinical Forensic and Legal Medicine</i> , 2017 , 52, 40-45	1.7	2
77	Blood levels of toxic metals and rare earth elements commonly found in e-waste may exert subtle effects on hemoglobin concentration in sub-Saharan immigrants. <i>Environment International</i> , 2017 , 109, 20-28	12.9	42

76	Study of the influencing factors of the blood levels of toxic elements in Africans from 16 countries. <i>Environmental Pollution</i> , 2017 , 230, 817-828	9.3	17
75	Persistent organic pollutants and risk of diabetes and obesity on healthy adults: Results from a cross-sectional study in Spain. <i>Science of the Total Environment</i> , 2017 , 607-608, 1096-1102	10.2	22
74	The heartworm (Dirofilaria immitis) seems to be able to metabolize organochlorine pesticides and polychlorinated biphenyls: A case-control study in dogs. <i>Science of the Total Environment</i> , 2017 , 575, 1445-1452	10.2	6
73	Comparative study of the intake of toxic persistent and semi persistent pollutants through the consumption of fish and seafood from two modes of production (wild-caught and farmed). <i>Science of the Total Environment</i> , 2017 , 575, 919-931	10.2	27
72	Potential Role of Pet Cats As a Sentinel Species for Human Exposure to Flame Retardants. <i>Frontiers in Veterinary Science</i> , 2017 , 4, 79	3.1	18
71	Different pattern of contamination by legacy POPs in two populations from the same geographical area but with completely different lifestyles: Canary Islands (Spain) vs. Morocco. <i>Science of the Total Environment</i> , 2016 , 541, 51-57	10.2	22
70	Are pet dogs good sentinels of human exposure to environmental polycyclic aromatic hydrocarbons, organochlorine pesticides and polychlorinated biphenyls?. <i>Journal of Applied Animal Research</i> , 2016 , 44, 135-145	1.7	14
69	Rate of exposure of a sentinel species, invasive American mink (Neovison vison) in Scotland, to anticoagulant rodenticides. <i>Science of the Total Environment</i> , 2016 , 569-570, 1013-1021	10.2	25
68	Organochlorine Pesticides Exposure and Bladder Cancer: Evaluation from a Gene-Environment Perspective in a Hospital-Based Case-Control Study in the Canary Islands (Spain). <i>Journal of Agromedicine</i> , 2016 , 21, 34-42	1.9	9
67	Differential gene expression pattern in human mammary epithelial cells induced by realistic organochlorine mixtures described in healthy women and in women diagnosed with breast cancer. <i>Toxicology Letters</i> , 2016 , 246, 42-8	4.4	10
66	Relationship of polychlorinated biphenyls (PCBs) with parasitism, iron homeostasis, and other health outcomes: Results from a cross-sectional study on recently arrived African immigrants. <i>Environmental Research</i> , 2016 , 150, 549-556	7.9	6
65	Assessment of human health hazards associated with the dietary exposure to organic and inorganic contaminants through the consumption of fishery products in Spain. <i>Science of the Total Environment</i> , 2016 , 557-558, 808-18	10.2	39
64	Estimated exposure to EU regulated mycotoxins and risk characterization of aflatoxin-induced hepatic toxicity through the consumption of the toasted cereal flour called "gofio", a traditional food of the Canary Islands (Spain). <i>Food and Chemical Toxicology</i> , 2016 , 93, 73-81	4.7	16
63	Association between single-nucleotide polymorphisms in DNA double-strand break repair genes and prostate cancer aggressiveness in the Spanish population. <i>Prostate Cancer and Prostatic Diseases</i> , 2016 , 19, 28-34	6.2	10
62	Influence of parasitism in dogs on their serum levels of persistent organochlorine compounds and polycyclic aromatic hydrocarbons. <i>Science of the Total Environment</i> , 2016 , 562, 128-135	10.2	12
61	Genetic variations in genes involved in testosterone metabolism are associated with prostate cancer progression: A Spanish multicenter study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2015 , 33, 331.e1-7	2.8	5
60	The assessment of daily dietary intake reveals the existence of a different pattern of bioaccumulation of chlorinated pollutants between domestic dogs and cats. <i>Science of the Total Environment</i> , 2015 , 530-531, 45-52	10.2	26
59	Plasma levels of pollutants are much higher in loggerhead turtle populations from the Adriatic Sea than in those from open waters (Eastern Atlantic Ocean). <i>Science of the Total Environment</i> , 2015 , 523, 161-9	10.2	34

58	Daily intake of anthropogenic pollutants through yogurt consumption in the Spanish population. Journal of Applied Animal Research, 2015 , 43, 373-383	1.7	12
57	In vitro evaluation of oestrogenic/androgenic activity of the serum organochlorine pesticide mixtures previously described in a breast cancer case-control study. <i>Science of the Total Environment</i> , 2015 , 537, 197-202	10.2	17
56	Continued implication of the banned pesticides carbofuran and aldicarb in the poisoning of domestic and wild animals of the Canary Islands (Spain). <i>Science of the Total Environment</i> , 2015 , 505, 1093-9	10.2	65
55	Intraethnic variation in steroid-5-alpha-reductase polymorphismsin prostate cancer patients: a potential factor implicated in 5-alpha-reductase inhibitor treatment. <i>Journal of Genetics</i> , 2015 , 94, 335-4	4 ^{1.2}	2
54	Exposure to polycyclic aromatic hydrocarbons (PAHs) and bladder cancer: evaluation from a gene-environment perspective in a hospital-based case-control study in the Canary Islands (Spain). International Journal of Occupational and Environmental Health, 2015, 21, 23-30		30
53	Validated analytical methodology for the simultaneous determination of a wide range of pesticides in human blood using GC-MS/MS and LC-ESI/MS/MS and its application in two poisoning cases. Science and Justice - Journal of the Forensic Science Society, 2015 , 55, 307-15	2	29
52	An estimation of the carcinogenic risk associated with the intake of multiple relevant carcinogens found in meat and charcuterie products. <i>Science of the Total Environment</i> , 2015 , 514, 33-41	10.2	23
51	Monitoring serum PCB levels in the adult population of the Canary Islands (Spain). <i>AIMS Environmental Science</i> , 2015 , 2, 345-352	1.9	
50	Methodology for the identification of 117 pesticides commonly involved in the poisoning of wildlife using GC-MS-MS and LC-MS-MS. <i>Journal of Analytical Toxicology</i> , 2014 , 38, 155-63	2.9	28
49	Assessment of anticoagulant rodenticide exposure in six raptor species from the Canary Islands (Spain). <i>Science of the Total Environment</i> , 2014 , 485-486, 371-376	10.2	43
48	Assessment of current dietary intake of organochlorine contaminants and polycyclic aromatic hydrocarbons in killer whales (Orcinus orca) through direct determination in a group of whales in captivity. <i>Science of the Total Environment</i> , 2014 , 472, 1044-51	10.2	11
47	Blood pressure in relation to contamination by polychlorobiphenyls and organochlorine pesticides: Results from a population-based study in the Canary Islands (Spain). <i>Environmental Research</i> , 2014 , 135, 48-54	7.9	37
46	Socioeconomic development as a determinant of the levels of organochlorine pesticides and PCBs in the inhabitants of Western and Central African countries. <i>Science of the Total Environment</i> , 2014 , 497-498, 97-105	10.2	27
45	New biological markers in the decision of treatment of head and neck cancer patients. <i>Clinical and Translational Oncology</i> , 2014 , 16, 849-58	3.6	2
44	Results of a model of secondary prevention for osteoporotic fracture coordinated by rheumatology and focused on the nurse and primary care physicians. <i>Reumatologa Claica</i> , 2014 , 10, 299-303	0.9	17
43	Influence of the rehabilitation of injured loggerhead turtles (Caretta caretta) on their blood levels of environmental organic pollutants and elements. <i>Science of the Total Environment</i> , 2014 , 487, 436-42	10.2	22
42	Consumption of foods of animal origin as determinant of contamination by organochlorine pesticides and polychlorobiphenyls: results from a population-based study in Spain. <i>Chemosphere</i> , 2014 , 114, 121-8	8.4	40
41	Single nucleotide polymorphisms in DNA repair genes as risk factors associated to prostate cancer progression. <i>BMC Medical Genetics</i> , 2014 , 15, 143	2.1	15

40	Assessment of the exposure to organochlorine pesticides, PCBs and PAHs in six species of predatory birds of the Canary Islands, Spain. <i>Science of the Total Environment</i> , 2014 , 472, 146-53	10.2	57
39	Radio-induced apoptosis of peripheral blood CD8 T[lymphocytes is a novel prognostic factor for survival in cervical carcinoma patients. <i>Strahlentherapie Und Onkologie</i> , 2014 , 190, 210-6	4.3	15
38	Reply to the letter to the editor from Foray and Colin, entitled Relationship between radiosensitivity, initial DNA damage, apoptosis and gene expression: between reproducible works and technical artefactsS genetics are essential in the response of normal tissues to radiation. <i>Breast</i>	3.6	1
37	Multi-residue method for the determination of 57 persistent organic pollutants in human milk and colostrum using a QuEChERS-based extraction procedure. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 9523-36	4.4	70
36	Influence of the method of production of eggs on the daily intake of polycyclic aromatic hydrocarbons and organochlorine contaminants: an independent study in the Canary Islands (Spain). <i>Food and Chemical Toxicology</i> , 2013 , 60, 455-62	4.7	44
35	High-throughput genotyping system as a robust and useful tool in oncology: experience from a single institution. <i>Biologicals</i> , 2013 , 41, 424-9	1.8	8
34	Molecular biomarkers in the decision of treatment of cervical carcinoma patients. <i>Clinical and Translational Oncology</i> , 2013 , 15, 587-92	3.6	4
33	Common genomic signaling among initial DNA damage and radiation-induced apoptosis in peripheral blood lymphocytes from locally advanced breast cancer patients. <i>Breast</i> , 2013 , 22, 28-33	3.6	6
32	Polymorphisms in DNA-repair genes in a cohort of prostate cancer patients from different areas in Spain: heterogeneity between populations as a confounding factor in association studies. <i>PLoS ONE</i> , 2013 , 8, e69735	3.7	9
31	Polymorphisms of glutathione S-transferase [and []MDR1 and VEGF genes as risk factors of bladder cancer: a case-control study. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 660-5	2.8	17
30	Plasminogen activator inhibitor-1 (PAI-1) expression in relation to hypoxia and oncoproteins in clinical cervical tumors. <i>Strahlentherapie Und Onkologie</i> , 2012 , 188, 1139-45	4.3	6
29	Levels of organochlorine contaminants in organic and conventional cheeses and their impact on the health of consumers: an independent study in the Canary Islands (Spain). <i>Food and Chemical Toxicology</i> , 2012 , 50, 4325-32	4.7	32
28	Complex organochlorine pesticide mixtures as determinant factor for breast cancer risk: a population-based case-control study in the Canary Islands (Spain). <i>Environmental Health</i> , 2012 , 11, 28	6	59
27	Role of IGF-1 receptor in radiation response. <i>Translational Oncology</i> , 2012 , 5, 1-9	4.9	48
26	Prediction of normal tissue toxicity as part of the individualized treatment with radiotherapy in oncology patients. <i>Surgical Oncology</i> , 2012 , 21, 201-6	2.5	25
25	MVP expression in the prediction of clinical outcome of locally advanced oral squamous cell carcinoma patients treated with radiotherapy. <i>Radiation Oncology</i> , 2012 , 7, 147	4.2	8
24	Influence of neonatal hypothyroidism on hepatic gene expression and lipid metabolism in adulthood. <i>PLoS ONE</i> , 2012 , 7, e37386	3.7	14
23	The relationship between dioxin-like polychlorobiphenyls and IGF-I serum levels in healthy adults: evidence from a cross-sectional study. <i>PLoS ONE</i> , 2012 , 7, e38213	3.7	7

(2009-2012)

22	Polychlorobiphenyls and organochlorine pesticides in conventional and organic brands of milk: occurrence and dietary intake in the population of the Canary Islands (Spain). <i>Chemosphere</i> , 2012 , 88, 307-15	8.4	48	
21	Microsatellite polymorphisms in the EGFR, NOTCH4 and E2F4 genes and their association with breast cancer risk. <i>International Journal of Biological Markers</i> , 2012 , 27, e219-26	2.8	2	
20	Background levels of polychlorinated biphenyls in the population of the Canary Islands (Spain). <i>Environmental Research</i> , 2011 , 111, 10-6	7.9	40	
19	IGF-1R expression predicts clinical outcome in patients with locally advanced oral squamous cell carcinoma. <i>Oral Oncology</i> , 2011 , 47, 615-9	4.4	31	
18	BCL-2, in combination with MVP and IGF-1R expression, improves prediction of clinical outcome in complete response cervical carcinoma patients treated by radiochemotherapy. <i>Gynecologic Oncology</i> , 2011 , 122, 585-9	4.9	20	
17	MVP and vaults: a role in the radiation response. <i>Radiation Oncology</i> , 2011 , 6, 148	4.2	28	
16	Combined low initial DNA damage and high radiation-induced apoptosis confers clinical resistance to long-term toxicity in breast cancer patients treated with high-dose radiotherapy. <i>Radiation Oncology</i> , 2011 , 6, 60	4.2	25	
15	Role of CD4 and CD8 T-lymphocytes, B-lymphocytes and Natural Killer cells in the prediction of radiation-induced late toxicity in cervical cancer patients. <i>International Journal of Radiation Biology</i> , 2011 , 87, 424-31	2.9	22	
14	The effect of in vivo growth hormone treatment on blood gene expression in adults with growth hormone deficiency reveals potential biomarkers to monitor growth hormone therapy. <i>Clinical Endocrinology</i> , 2010 , 72, 800-6	3.4	12	
13	Amifostine modulates radio-induced apoptosis of peripheral blood lymphocytes in head and neck cancer patients. <i>Journal of Radiation Research</i> , 2010 , 51, 603-7	2.4	6	
12	TYMS, MTHFR, p53 and MDR1 gene polymorphisms in breast cancer patients treated with adjuvant therapy. <i>Cancer Epidemiology</i> , 2010 , 34, 490-3	2.8	7	
11	Distribution of TYMS, MTHFR, p53 and MDR1 gene polymorphisms in patients with breast cancer treated with neoadjuvant chemotherapy. <i>Cancer Epidemiology</i> , 2010 , 34, 634-8	2.8	23	
10	Microsatellite instability predicts clinical outcome in radiation-treated endometrioid endometrial cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2010 , 76, 9-13	4	31	
9	Prediction of clinical toxicity in locally advanced head and neck cancer patients by radio-induced apoptosis in peripheral blood lymphocytes (PBLs). <i>Radiation Oncology</i> , 2010 , 5, 4	4.2	29	
8	Radiation induced apoptosis and initial DNA damage are inversely related in locally advanced breast cancer patients. <i>Radiation Oncology</i> , 2010 , 5, 85	4.2	24	
7	Constitutive gene expression profile segregates toxicity in locally advanced breast cancer patients treated with high-dose hyperfractionated radical radiotherapy. <i>Radiation Oncology</i> , 2009 , 4, 17	4.2	25	
6	Severe hypoxia induces chemo-resistance in clinical cervical tumors through MVP over-expression. <i>Radiation Oncology</i> , 2009 , 4, 29	4.2	31	
5	Prediction of clinical toxicity in localized cervical carcinoma by radio-induced apoptosis study in peripheral blood lymphocytes (PBLs). <i>Radiation Oncology</i> , 2009 , 4, 58	4.2	32	

4	Gene polymorphisms in TYMS, MTHFR, p53 and MDR1 as risk factors for breast cancer: a case-control study. <i>Oncology Reports</i> , 2009 , 22, 1425-33	3.5	52
3	Role of pituitary hormones on 17alpha-ethinylestradiol-induced cholestasis in rat. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 320, 695-705	4.7	29
2	Photoaffinity labeling identification of thyroid hormone-regulated glucocorticoid-binding peptides in rat liver endoplasmic reticulum: an oligomeric protein with high affinity for 16beta-hydroxylated stanozolol. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2003 , 87, 253-64	5.1	2
1	Solubilization and photoaffinity labeling identification of glucocorticoid binding peptides in endoplasmic reticulum from rat liver. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2003 , 84, 245-53	5.1	3