

Ann Josefsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8730955/publications.pdf>

Version: 2024-02-01

95
papers

2,850
citations

201385

27
h-index

189595

50
g-index

95
all docs

95
docs citations

95
times ranked

3665
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of depressive symptoms in late pregnancy and postpartum. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 251-255.	1.3	345
2	The Swedish validation of Edinburgh Postnatal Depression Scale (EPDS) during pregnancy. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 414-418.	0.7	182
3	Weight gain restriction for obese pregnant women: a case-control intervention study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 44-50.	1.1	156
4	Obstetric, somatic, and demographic risk factors for postpartum depressive symptoms. <i>Obstetrics and Gynecology</i> , 2002, 99, 223-228.	1.2	141
5	Effect of maternal stress during pregnancy on the risk for preterm birth. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 5.	0.9	112
6	A follow-up study of postpartum depressed women: recurrent maternal depressive symptoms and child behavior after four years. <i>Archives of Women's Mental Health</i> , 2007, 10, 141-145.	1.2	97
7	Health, Sociodemographic Data, and Pregnancy Outcome in Women With Antepartum Depressive Symptoms. <i>Obstetrics and Gynecology</i> , 2004, 104, 459-466.	1.2	96
8	Obstetric outcome for women who received individualized treatment for fear of childbirth during pregnancy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 44-49.	1.3	85
9	Pelvic Girdle Pain and Lumbar Pain in Relation to Postpartum Depressive Symptoms. <i>Spine</i> , 2007, 32, 1430-1436.	1.0	73
10	Obstetric, Somatic, and Demographic Risk Factors for Postpartum Depressive Symptoms. <i>Obstetrics and Gynecology</i> , 2002, 99, 223-228.	1.2	67
11	Parvovirus B19 infection during pregnancy treated with high-dose intravenous gammaglobulin. <i>Lancet</i> , The, 1995, 345, 660-661.	6.3	64
12	Snoring during pregnancy and its relation to sleepiness and pregnancy outcome - a prospective study. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 15.	0.9	59
13	Preterm birth or foetal growth impairment and psychiatric hospitalization in adolescence and early adulthood in a Swedish population-based birth cohort. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 54-61.	2.2	57
14	Secondary fear of childbirth prolongs the time to subsequent delivery. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013, 92, 210-214.	1.3	57
15	Physical activity and psychological well-being in obese pregnant and postpartum women attending a weight-gain restriction programme. <i>Midwifery</i> , 2014, 30, 11-16.	1.0	51
16	Premature birth and low birthweight are associated with a lower rate of reproduction in adulthood: a Swedish population-based registry study. <i>Human Reproduction</i> , 2012, 27, 1170-1178.	0.4	44
17	An open trial with cognitive behavioral therapy for blood- and injection phobia in pregnant women—a group intervention program. <i>Archives of Women's Mental Health</i> , 2010, 13, 259-265.	1.2	40
18	Prevalence of anxiety and depressive symptoms among obese pregnant and postpartum women: an intervention study. <i>BMC Public Health</i> , 2010, 10, 766.	1.2	39

#	ARTICLE	IF	CITATIONS
19	Restless legs syndrome during and after pregnancy and its relation to snoring. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012, 91, 850-855.	1.3	39
20	Psychiatric illness in women requesting caesarean section. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 351-358.	1.1	37
21	Attitudes towards cesarean section in a nationwide sample of obstetricians and gynecologists. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 438-444.	1.3	34
22	Temperament and character in women with postpartum depression. <i>Archives of Women's Mental Health</i> , 2007, 10, 3-7.	1.2	33
23	Hospitalizations in Adolescence and Early Adulthood Among Swedish Men and Women Born Preterm or Small for Gestational Age. <i>Epidemiology</i> , 2008, 19, 63-70.	1.2	31
24	Risk for congenital malformations in offspring of women who have undergone bariatric surgery. A national cohort. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2013, 120, 1477-1482.	1.1	31
25	Effects of continuous midwifery labour support for women with severe fear of childbirth. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 115.	0.9	31
26	Hyperemesis gravidarum that requires hospitalization and the use of antiemetic drugs in relation to maternal body composition. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 412.e1-412.e5.	0.7	30
27	Bariatric surgery in a national cohort of women: sociodemographics and obstetric outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 206.e1-206.e8.	0.7	30
28	Obstetric and perinatal outcomes among women with blood- and injection phobia during pregnancy. <i>Journal of Affective Disorders</i> , 2011, 129, 289-295.	2.0	29
29	Mental health in women 20â€“23â€¦years after IVF treatment: a Swedish cross-sectional study. <i>BMJ Open</i> , 2015, 5, e009426.	0.8	29
30	Maternal obesity as a risk factor for early childhood type 1 diabetes: a nationwide, prospective, population-based caseâ€“control study. <i>Diabetologia</i> , 2018, 61, 130-137.	2.9	29
31	Reproduction and mode of delivery in women with vaginismus or localised provoked vestibulodynia: a Swedish registerâ€“based study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015, 122, 329-334.	1.1	28
32	Consumer satisfaction with a weight-gain intervention programme for obese pregnant women. <i>Midwifery</i> , 2008, 24, 163-167.	1.0	26
33	Obstetric outcomes for nulliparous women who received routine individualized treatment for severe fear of childbirth - a retrospective case control study. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 126.	0.9	26
34	The importance of maternal BMI on infant's birth weight in four BMI groups for the period 1978â€“2001. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 391-396.	1.3	25
35	Use of hormonal contraceptives in relation to antidepressant therapy: A nationwide population-based study. <i>European Journal of Contraception and Reproductive Health Care</i> , 2010, 15, 41-47.	0.6	24
36	Differences in prescription rates and odds ratios of antidepressant drugs in relation to individual hormonal contraceptives: A nationwide population-based study with age-specific analyses. <i>European Journal of Contraception and Reproductive Health Care</i> , 2012, 17, 106-118.	0.6	24

#	ARTICLE	IF	CITATIONS
37	Co-administration of human papillomavirus-16/18 AS04-adjuvanted vaccine with hepatitis B vaccine: Randomized study in healthy girls. <i>Vaccine</i> , 2011, 29, 9276-9283.	1.7	23
38	Postpartum depressive symptoms and its association to daytime sleepiness and restless legs during pregnancy. <i>BMC Pregnancy and Childbirth</i> , 2016, 16, 137.	0.9	23
39	Maternal obesity and risk of Down syndrome in the offspring. <i>Prenatal Diagnosis</i> , 2014, 34, 310-315.	1.1	22
40	Caesarean section per se does not increase the risk of offspring developing type 1 diabetes: a Swedish population-based study. <i>Diabetologia</i> , 2015, 58, 2517-2524.	2.9	22
41	Sleepiness and sleep-disordered breathing during pregnancy. <i>Sleep and Breathing</i> , 2016, 20, 1231-1237.	0.9	22
42	Reproductive patterns and pregnancy outcomes in women with congenital heart disease - a Swedish population-based study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 659-665.	1.3	19
43	Incidence of Perthesâ€™ disease in children born between 1973 and 1993. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017, 88, 96-100.	1.2	19
44	Continuation rates of oral hormonal contraceptives in a cohort of first-time users: a population-based registry study, Sweden 2005â€“2010. <i>BMJ Open</i> , 2013, 3, e003401.	0.8	18
45	Weight after childbirth: a 2â€year followâ€up of obese women in a weightâ€gain restriction program. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2011, 90, 103-110.	1.3	17
46	Leptin and adiponectin in cord blood from children of normal weight, overweight and obese mothers. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013, 102, 620-624.	0.7	17
47	CYP2D6 genotypes and depressive symptoms during late pregnancy and postpartum. <i>Nordic Journal of Psychiatry</i> , 2004, 58, 61-64.	0.7	16
48	Weight gain restriction during pregnancy is safe for both the mother and neonate. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 1158-1162.	1.3	16
49	Maternal obesity (Class III), gestational weight gain and maternal leptin levels during and after pregnancy: a prospective cohort study. <i>BMC Obesity</i> , 2016, 3, 28.	3.1	16
50	Risk of postnatal depression or suicide after in vitro fertilisation treatment: a nationwide caseâ€control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 435-442.	1.1	16
51	Attitudes towards mode of birth among Swedish midwives. <i>Midwifery</i> , 2010, 26, 38-44.	1.0	14
52	Prevalence of blood and injection phobia among pregnant women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1276-1279.	1.3	13
53	Diurnal and seasonal variation of cholecystokinin peptides in humans. <i>Neuropeptides</i> , 2007, 41, 59-63.	0.9	12
54	Birth characteristics in a clinical sample of women seeking infertility treatment: a caseâ€control study. <i>BMJ Open</i> , 2014, 4, e004197.	0.8	12

#	ARTICLE	IF	CITATIONS
55	Major depressive disorder in women and risk for future generations: population-based three-generation study. <i>BJPsych Open</i> , 2019, 5, e8.	0.3	11
56	A Comparison Between Swedish Midwives and Obstetricians & Gynecologists Opinions on Cesarean Section. <i>Maternal and Child Health Journal</i> , 2011, 15, 555-560.	0.7	10
57	Anxiety in women - a Swedish national three-generational cohort study. <i>BMC Psychiatry</i> , 2018, 18, 168.	1.1	10
58	Salivary cortisol in pregnant women suffering from blood and injection phobia. <i>Archives of Women's Mental Health</i> , 2011, 14, 405-411.	1.2	9
59	Effects of a Gestational Weight Gain Restriction Program for Obese Pregnant Women: Children's Weight Development during the First Five Years of Life. <i>Childhood Obesity</i> , 2016, 12, 162-170.	0.8	9
60	Mental health after first childbirth in women requesting a caesarean section; a retrospective register-based study. <i>BMC Pregnancy and Childbirth</i> , 2017, 17, 326.	0.9	9
61	Prenatal stress, anxiety and depression alter transcripts, proteins and pathways associated with immune responses at the maternal-fetal interface. <i>Biology of Reproduction</i> , 2022, 106, 449-462.	1.2	9
62	Trends in induced abortions between 1975 and 2000 in a cohort of women born in 1960-64 in four Scandinavian countries. <i>European Journal of Contraception and Reproductive Health Care</i> , 2009, 14, 334-339.	0.6	8
63	Birth characteristics of women with Marfan syndrome, obstetric and neonatal outcomes of their pregnancies - A nationwide cohort and case-control study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 215, 106-111.	0.5	8
64	Parity-related variation in cortisol concentrations in hair during pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 637-644.	1.1	8
65	Size for gestational age affects the risk for type 1 diabetes in children and adolescents: a Swedish national case-control study. <i>Diabetologia</i> , 2021, 64, 1113-1120.	2.9	8
66	Prevalence of depressive symptoms in late pregnancy and postpartum. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2001, 80, 251-251.	1.3	8
67	Influence of obesity on the use of sickness absence and social benefits among pregnant working women. <i>Public Health</i> , 2007, 121, 656-662.	1.4	7
68	Trends in caesarean section and instrumental deliveries in relation to Body Mass Index: a clinical survey during 1978 - 2001. <i>Reproductive Health</i> , 2010, 7, 18.	1.2	7
69	Total cost comparison of standard antenatal care with a weight gain restriction programme for obese pregnant women. <i>Public Health</i> , 2011, 125, 311-317.	1.4	7
70	Intergenerational Cohort Study of Preterm and Small-for-Gestational-Age Birth in Twins and Singletons. <i>Twin Research and Human Genetics</i> , 2015, 18, 581-590.	0.3	7
71	Expression of Stress-Mediating Genes is Increased in Term Placentas of Women with Chronic Self-Perceived Anxiety and Depression. <i>Genes</i> , 2020, 11, 869.	1.0	7
72	Nuchal translucency as a screening test for chromosomal abnormalities in a routine first trimester ultrasound examination. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 497-9.	1.3	7

#	ARTICLE	IF	CITATIONS
73	Nuchal translucency as a screening test for chromosomal abnormalities in a routine first trimester ultrasound examination. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998, 77, 497-499.	1.3	6
74	Influence of Rest During Pregnancy on Birth Weight in Working Women. <i>Obstetrics and Gynecology</i> , 2006, 107, 991-996.	1.2	6
75	Drug use in pregnant womenâ€™ a pilot study of the coherence between reported use of drugs and presence of drugs in plasma. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 535-539.	0.8	6
76	Risk factors during pregnancy and delivery for the development of Perthesâ€™ disease, a nationwide Swedish study of 2.1 million individuals. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 192.	0.9	6
77	Congenital heart disease in men â€™ birth characteristics and reproduction: a national cohort study. <i>BMC Pregnancy and Childbirth</i> , 2014, 14, 187.	0.9	5
78	Weight six years after childbirth: A follow-up of obese women in a weight-gain restriction programme. <i>Midwifery</i> , 2014, 30, 506-511.	1.0	5
79	Risk of postpartum psychosis after IVF treatment: a nationwide case-control study. <i>Human Reproduction</i> , 2017, 32, 139-146.	0.4	5
80	Reproduction, fear of childbirth and obstetric outcomes in women treated for fear of childbirth in their first pregnancy: A historical cohort. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 374-381.	1.3	5
81	Mental disorders and risk factors among pregnant women with depressive symptoms in Swedenâ€™ A caseâ€™control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1068-1074.	1.3	5
82	Knowledge and attitudes of Swedish politicians concerning induced abortion. <i>European Journal of Contraception and Reproductive Health Care</i> , 2012, 17, 438-450.	0.6	4
83	Effects of a weight-gain restriction programme for obese pregnant women on sickness absence and pregnancy benefits. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 106-110.	0.6	4
84	The impact of major depressive disorder and antidepressant medication before and during pregnancy on obstetric and neonatal outcomes: A nationwide population-based study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 257, 42-50.	0.5	4
85	The risk of postpartum hemorrhage when lowering the oxytocin dose in planned cesarean section, a pilot study. <i>Sexual and Reproductive Healthcare</i> , 2021, 29, 100641.	0.5	4
86	Hospitalization in adolescence affects the likelihood of giving birth: a Swedish populationâ€™based register study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009, 98, 561-566.	0.7	3
87	Trends in induced abortion among Nordic women aged 40-44 years. <i>Reproductive Health</i> , 2011, 8, 23.	1.2	3
88	Reimbursement of hormonal contraceptives and the frequency of induced abortion among teenagers in Sweden. <i>BMC Public Health</i> , 2014, 14, 523.	1.2	3
89	Effects of a gestational weight gain restriction program for obese women: Sibling pairsâ€™ weight development during the first five years of life. <i>Sexual and Reproductive Healthcare</i> , 2018, 17, 65-74.	0.5	3
90	Cholecystokinin in plasma and cerebrospinal fluidâ€™ A study in healthy young women. <i>Peptides</i> , 2010, 31, 1625-1628.	1.2	2

#	ARTICLE	IF	CITATIONS
91	Reproductive patterns among twins - a Swedish register study of men and women born 1973-1983. BMC Pregnancy and Childbirth, 2013, 13, 6.	0.9	2
92	Hospitalization in Adolescence and Young Adulthood Among Twins and Singletons: A Swedish Cohort Study of Subjects Born Between 1973 and 1983. Twin Research and Human Genetics, 2013, 16, 707-715.	0.3	1
93	Study protocol for a modified antenatal care program for pregnant women with a low risk for adverse outcomes—a stepped wedge cluster non-inferiority randomized trial. BMC Pregnancy and Childbirth, 2022, 22, 299.	0.9	1
94	Author response to: Weight gain restriction for obese pregnant women: a case-control intervention study. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 796-796.	1.1	0
95	Weight gain restriction for obese pregnant women. Acta Obstetrica Et Gynecologica Scandinavica, 2010, 89, 1613-1613.	1.3	0