

Ann Josefsson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8730955/publications.pdf>

Version: 2024-02-01

95
papers

2,850
citations

201674
27
h-index

189892
50
g-index

95
all docs

95
docs citations

95
times ranked

3665
citing authors

#	ARTICLE	IF	CITATIONS
1	Study protocol for a modified antenatal care program for pregnant women with a low risk for adverse outcomes—a stepped wedge cluster non-inferiority randomized trial. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 299.	2.4	1
2	Prenatal stress, anxiety and depression alter transcripts, proteins and pathways associated with immune responses at the maternal-fetal interface. <i>Biology of Reproduction</i> , 2022, 106, 449-462.	2.7	9
3	Parity-related variation in cortisol concentrations in hair during pregnancy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2021, 128, 637-644.	2.3	8
4	The impact of major depressive disorder and antidepressant medication before and during pregnancy on obstetric and neonatal outcomes: A nationwide population-based study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021, 257, 42-50.	1.1	4
5	Mental disorders and risk factors among pregnant women with depressive symptoms in Sweden—a case-control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2021, 100, 1068-1074.	2.8	5
6	Size for gestational age affects the risk for type 1 diabetes in children and adolescents: a Swedish national case-control study. <i>Diabetologia</i> , 2021, 64, 1113-1120.	6.3	8
7	The risk of postpartum hemorrhage when lowering the oxytocin dose in planned cesarean section, a pilot study. <i>Sexual and Reproductive Healthcare</i> , 2021, 29, 100641.	1.2	4
8	Expression of Stress-Mediating Genes is Increased in Term Placentas of Women with Chronic Self-Perceived Anxiety and Depression. <i>Genes</i> , 2020, 11, 869.	2.4	7
9	Risk factors during pregnancy and delivery for the development of Perthes™ disease, a nationwide Swedish study of 2.1 million individuals. <i>BMC Pregnancy and Childbirth</i> , 2020, 20, 192.	2.4	6
10	Reproduction, fear of childbirth and obstetric outcomes in women treated for fear of childbirth in their first pregnancy: A historical cohort. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2019, 98, 374-381.	2.8	5
11	Major depressive disorder in women and risk for future generations: population-based three-generation study. <i>BJPsych Open</i> , 2019, 5, e8.	0.7	11
12	Drug use in pregnant women—a pilot study of the coherence between reported use of drugs and presence of drugs in plasma. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 535-539.	1.9	6
13	Maternal obesity as a risk factor for early childhood type 1 diabetes: a nationwide, prospective, population-based case-control study. <i>Diabetologia</i> , 2018, 61, 130-137.	6.3	29
14	Anxiety in women - a Swedish national three-generational cohort study. <i>BMC Psychiatry</i> , 2018, 18, 168.	2.6	10
15	Effects of a gestational weight gain restriction program for obese women: Sibling pairs™ weight development during the first five years of life. <i>Sexual and Reproductive Healthcare</i> , 2018, 17, 65-74.	1.2	3
16	Risk of postpartum psychosis after IVF treatment: a nationwide case-control study. <i>Human Reproduction</i> , 2017, 32, 139-146.	0.9	5
17	Risk of postnatal depression or suicide after in vitro fertilisation treatment: a nationwide case-control study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 435-442.	2.3	16
18	Birth characteristics of women with Marfan syndrome, obstetric and neonatal outcomes of their pregnancies—a nationwide cohort and case-control study. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017, 215, 106-111.	1.1	8

#	ARTICLE	IF	CITATIONS
19	Incidence of Perthes™ disease in children born between 1973 and 1993. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 96-100.	3.3	19
20	Mental health after first childbirth in women requesting a caesarean section; a retrospective register-based study. BMC Pregnancy and Childbirth, 2017, 17, 326.	2.4	9
21	Effects of a Gestational Weight Gain Restriction Program for Obese Pregnant Women: Children's Weight Development during the First Five Years of Life. Childhood Obesity, 2016, 12, 162-170.	1.5	9
22	Postpartum depressive symptoms and its association to daytime sleepiness and restless legs during pregnancy. BMC Pregnancy and Childbirth, 2016, 16, 137.	2.4	23
23	Maternal obesity (Class III), gestational weight gain and maternal leptin levels during and after pregnancy: a prospective cohort study. BMC Obesity, 2016, 3, 28.	3.1	16
24	Sleepiness and sleep-disordered breathing during pregnancy. Sleep and Breathing, 2016, 20, 1231-1237.	1.7	22
25	Effect of maternal stress during pregnancy on the risk for preterm birth. BMC Pregnancy and Childbirth, 2016, 16, 5.	2.4	112
26	Intergenerational Cohort Study of Preterm and Small-for-Gestational-Age Birth in Twins and Singletons. Twin Research and Human Genetics, 2015, 18, 581-590.	0.6	7
27	Reproduction and mode of delivery in women with vaginismus or localised provoked vestibulodynia: a Swedish register-based study. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 329-334.	2.3	28
28	Mental health in women 20–23 years after IVF treatment: a Swedish cross-sectional study. BMJ Open, 2015, 5, e009426.	1.9	29
29	Psychiatric illness in women requesting caesarean section. BJOG: an International Journal of Obstetrics and Gynaecology, 2015, 122, 351-358.	2.3	37
30	Effects of continuous midwifery labour support for women with severe fear of childbirth. BMC Pregnancy and Childbirth, 2015, 15, 115.	2.4	31
31	Caesarean section per se does not increase the risk of offspring developing type 1 diabetes: a Swedish population-based study. Diabetologia, 2015, 58, 2517-2524.	6.3	22
32	Birth characteristics in a clinical sample of women seeking infertility treatment: a case-control study. BMJ Open, 2014, 4, e004197.	1.9	12
33	Physical activity and psychological well-being in obese pregnant and postpartum women attending a weight-gain restriction programme. Midwifery, 2014, 30, 11-16.	2.3	51
34	Snoring during pregnancy and its relation to sleepiness and pregnancy outcome - a prospective study. BMC Pregnancy and Childbirth, 2014, 14, 15.	2.4	59
35	Maternal obesity and risk of Down syndrome in the offspring. Prenatal Diagnosis, 2014, 34, 310-315.	2.3	22
36	Congenital heart disease in men – birth characteristics and reproduction: a national cohort study. BMC Pregnancy and Childbirth, 2014, 14, 187.	2.4	5

#	ARTICLE	IF	CITATIONS
37	Obstetric outcomes for nulliparous women who received routine individualized treatment for severe fear of childbirth - a retrospective case control study. BMC Pregnancy and Childbirth, 2014, 14, 126.	2.4	26
38	Reimbursement of hormonal contraceptives and the frequency of induced abortion among teenagers in Sweden. BMC Public Health, 2014, 14, 523.	2.9	3
39	Weight six years after childbirth: A follow-up of obese women in a weight-gain restriction programme. Midwifery, 2014, 30, 506-511.	2.3	5
40	Risk for congenital malformations in offspring of women who have undergone bariatric surgery. A national cohort. BJOG: an International Journal of Obstetrics and Gynaecology, 2013, 120, 1477-1482.	2.3	31
41	Leptin and adiponectin in cord blood from children of normal weight, overweight and obese mothers. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, 620-624.	1.5	17
42	Effects of a weight-gain restriction programme for obese pregnant women on sickness absence and pregnancy benefits. Scandinavian Journal of Primary Health Care, 2013, 31, 106-110.	1.5	4
43	Secondary fear of childbirth prolongs the time to subsequent delivery. Acta Obstetrica Et Gynecologica Scandinavica, 2013, 92, 210-214.	2.8	57
44	Reproductive patterns among twins - a Swedish register study of men and women born 1973-1983. BMC Pregnancy and Childbirth, 2013, 13, 6.	2.4	2
45	Continuation rates of oral hormonal contraceptives in a cohort of first-time users: a population-based registry study, Sweden 2005-2010. BMJ Open, 2013, 3, e003401.	1.9	18
46	Hospitalization in Adolescence and Young Adulthood Among Twins and Singletons: A Swedish Cohort Study of Subjects Born Between 1973 and 1983. Twin Research and Human Genetics, 2013, 16, 707-715.	0.6	1
47	Knowledge and attitudes of Swedish politicians concerning induced abortion. European Journal of Contraception and Reproductive Health Care, 2012, 17, 438-450.	1.5	4
48	Premature birth and low birthweight are associated with a lower rate of reproduction in adulthood: a Swedish population-based registry study. Human Reproduction, 2012, 27, 1170-1178.	0.9	44
49	Differences in prescription rates and odds ratios of antidepressant drugs in relation to individual hormonal contraceptives: A nationwide population-based study with age-specific analyses. European Journal of Contraception and Reproductive Health Care, 2012, 17, 106-118.	1.5	24
50	Obstetric outcome for women who received individualized treatment for fear of childbirth during pregnancy. Acta Obstetrica Et Gynecologica Scandinavica, 2012, 91, 44-49.	2.8	85
51	Restless legs syndrome during and after pregnancy and its relation to snoring. Acta Obstetrica Et Gynecologica Scandinavica, 2012, 91, 850-855.	2.8	39
52	The Swedish validation of Edinburgh Postnatal Depression Scale (EPDS) during pregnancy. Nordic Journal of Psychiatry, 2011, 65, 414-418.	1.3	182
53	Co-administration of human papillomavirus-16/18 AS04-adjuvanted vaccine with hepatitis B vaccine: Randomized study in healthy girls. Vaccine, 2011, 29, 9276-9283.	3.8	23
54	Total cost comparison of standard antenatal care with a weight gain restriction programme for obese pregnant women. Public Health, 2011, 125, 311-317.	2.9	7

#	ARTICLE	IF	CITATIONS
55	Weight after childbirth: a 2-year follow-up of obese women in a weight-gain restriction program. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2011, 90, 103-110.	2.8	17
56	Reproductive patterns and pregnancy outcomes in women with congenital heart disease - a Swedish population-based study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2011, 90, 659-665.	2.8	19
57	Obstetric and perinatal outcomes among women with blood- and injection phobia during pregnancy. <i>Journal of Affective Disorders</i> , 2011, 129, 289-295.	4.1	29
58	Bariatric surgery in a national cohort of women: sociodemographics and obstetric outcomes. <i>American Journal of Obstetrics and Gynecology</i> , 2011, 205, 206.e1-206.e8.	1.3	30
59	A Comparison Between Swedish Midwives and Obstetricians & Gynecologists Opinions on Cesarean Section. <i>Maternal and Child Health Journal</i> , 2011, 15, 555-560.	1.5	10
60	Salivary cortisol in pregnant women suffering from blood and injection phobia. <i>Archives of Women's Mental Health</i> , 2011, 14, 405-411.	2.6	9
61	Trends in induced abortion among Nordic women aged 40-44 years. <i>Reproductive Health</i> , 2011, 8, 23.	3.1	3
62	Weight gain restriction for obese pregnant women. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2010, 89, 1613-1613.	2.8	0
63	An open trial with cognitive behavioral therapy for blood- and injection phobia in pregnant women—a group intervention program. <i>Archives of Women's Mental Health</i> , 2010, 13, 259-265.	2.6	40
64	Prevalence of anxiety and depressive symptoms among obese pregnant and postpartum women: an intervention study. <i>BMC Public Health</i> , 2010, 10, 766.	2.9	39
65	Trends in caesarean section and instrumental deliveries in relation to Body Mass Index: a clinical survey during 1978 - 2001. <i>Reproductive Health</i> , 2010, 7, 18.	3.1	7
66	Use of hormonal contraceptives in relation to antidepressant therapy: A nationwide population-based study. <i>European Journal of Contraception and Reproductive Health Care</i> , 2010, 15, 41-47.	1.5	24
67	Attitudes towards mode of birth among Swedish midwives. <i>Midwifery</i> , 2010, 26, 38-44.	2.3	14
68	Cholecystokinin in plasma and cerebrospinal fluid—A study in healthy young women. <i>Peptides</i> , 2010, 31, 1625-1628.	2.4	2
69	Hospitalization in adolescence affects the likelihood of giving birth: a Swedish population-based register study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2009, 98, 561-566.	1.5	3
70	Preterm birth or foetal growth impairment and psychiatric hospitalization in adolescence and early adulthood in a Swedish population-based birth cohort. <i>Acta Psychiatrica Scandinavica</i> , 2009, 119, 54-61.	4.5	57
71	The importance of maternal BMI on infant's birth weight in four BMI groups for the period 1978–2001. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2009, 88, 391-396.	2.8	25
72	Weight gain restriction during pregnancy is safe for both the mother and neonate. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2009, 88, 1158-1162.	2.8	16

#	ARTICLE	IF	CITATIONS
73	Trends in induced abortions between 1975 and 2000 in a cohort of women born in 1960â€“64 in four Scandinavian countries. <i>European Journal of Contraception and Reproductive Health Care</i> , 2009, 14, 334-339.	1.5	8
74	Weight gain restriction for obese pregnant women: a caseâ€“control intervention study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 44-50.	2.3	156
75	Attitudes towards cesarean section in a nationwide sample of obstetricians and gynecologists. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 438-444.	2.8	34
76	Prevalence of blood and injection phobia among pregnant women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2008, 87, 1276-1279.	2.8	13
77	Hyperemesis gravidarum that requires hospitalization and the use of antiemetic drugs in relation to maternal body composition. <i>American Journal of Obstetrics and Gynecology</i> , 2008, 198, 412.e1-412.e5.	1.3	30
78	Author response to: Weight gain restriction for obese pregnant women: a case-control intervention study. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2008, 115, 796-796.	2.3	0
79	Consumer satisfaction with a weight-gain intervention programme for obese pregnant women. <i>Midwifery</i> , 2008, 24, 163-167.	2.3	26
80	Hospitalizations in Adolescence and Early Adulthood Among Swedish Men and Women Born Preterm or Small for Gestational Age. <i>Epidemiology</i> , 2008, 19, 63-70.	2.7	31
81	Pelvic Girdle Pain and Lumbar Pain in Relation to Postpartum Depressive Symptoms. <i>Spine</i> , 2007, 32, 1430-1436.	2.0	73
82	Influence of obesity on the use of sickness absence and social benefits among pregnant working women. <i>Public Health</i> , 2007, 121, 656-662.	2.9	7
83	Diurnal and seasonal variation of cholecystokinin peptides in humans. <i>Neuropeptides</i> , 2007, 41, 59-63.	2.2	12
84	Temperament and character in women with postpartum depression. <i>Archives of Women's Mental Health</i> , 2007, 10, 3-7.	2.6	33
85	A follow-up study of postpartum depressed women: recurrent maternal depressive symptoms and child behavior after four years. <i>Archives of Women's Mental Health</i> , 2007, 10, 141-145.	2.6	97
86	Influence of Rest During Pregnancy on Birth Weight in Working Women. <i>Obstetrics and Gynecology</i> , 2006, 107, 991-996.	2.4	6
87	CYP2D6 genotypes and depressive symptoms during late pregnancy and postpartum. <i>Nordic Journal of Psychiatry</i> , 2004, 58, 61-64.	1.3	16
88	Health, Sociodemographic Data, and Pregnancy Outcome in Women With Antepartum Depressive Symptoms. <i>Obstetrics and Gynecology</i> , 2004, 104, 459-466.	2.4	96
89	Obstetric, Somatic, and Demographic Risk Factors for Postpartum Depressive Symptoms. <i>Obstetrics and Gynecology</i> , 2002, 99, 223-228.	2.4	67
90	Obstetric, somatic, and demographic risk factors for postpartum depressive symptoms. <i>Obstetrics and Gynecology</i> , 2002, 99, 223-228.	2.4	141

#	ARTICLE	IF	CITATIONS
91	Prevalence of depressive symptoms in late pregnancy and postpartum. Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 251-255.	2.8	345
92	Prevalence of depressive symptoms in late pregnancy and postpartum. Acta Obstetricia Et Gynecologica Scandinavica, 2001, 80, 251-251.	2.8	8
93	Nuchal translucency as a screening test for chromosomal abnormalities in a routine first trimester ultrasound examination. Acta Obstetricia Et Gynecologica Scandinavica, 1998, 77, 497-499.	2.8	6
94	Nuchal translucency as a screening test for chromosomal abnormalities in a routine first trimester ultrasound examination. Acta Obstetricia Et Gynecologica Scandinavica, 1998, 77, 497-9.	2.8	7
95	Parvovirus B19 infection during pregnancy treated with high-dose intravenous gammaglobulin. Lancet, The, 1995, 345, 660-661.	13.7	64