## Yasuhiro Usui

## List of Publications by Citations

Source: https://exaly.com/author-pdf/8731277/yasuhiro-usui-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,604 40 17 40 h-index g-index citations papers 1,964 41 5.4 3.97 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
40	Increasing CO2 threatens human nutrition. <i>Nature</i> , <b>2014</b> , 510, 139-42	50.4	762
39	Rice cultivar responses to elevated CO at two free-air CO enrichment (FACE) sites in Japan. <i>Functional Plant Biology</i> , <b>2013</b> , 40, 148-159	2.7	174
38	Rice grain yield and quality responses to free-air CO2 enrichment combined with soil and water warming. <i>Global Change Biology</i> , <b>2016</b> , 22, 1256-70	11.4	56
37	Impacts of elevated atmospheric COIon nutrient content of important food crops. <i>Scientific Data</i> , <b>2015</b> , 2, 150036	8.2	50
36	Heat-tolerant rice cultivars retain grain appearance quality under free-air CO2 enrichment. <i>Rice</i> , <b>2014</b> , 7, 6	5.8	41
35	Do the rich always become richer? Characterizing the leaf physiological response of the high-yielding rice cultivar Takanari to free-air CO2 enrichment. <i>Plant and Cell Physiology</i> , <b>2014</b> , 55, 381-	9 <b>1</b> .9	40
34	The effects of free-air COlenrichment (FACE) on carbon and nitrogen accumulation in grains of rice (Oryza sativa L.). <i>Journal of Experimental Botany</i> , <b>2013</b> , 64, 3179-88	7	37
33	Quantitative trait loci for large sink capacity enhance rice grain yield under free-air CO enrichment conditions. <i>Scientific Reports</i> , <b>2017</b> , 7, 1827	4.9	35
32	Effects of elevated carbon dioxide, elevated temperature, and rice growth stage on the community structure of rice root-associated bacteria. <i>Microbes and Environments</i> , <b>2014</b> , 29, 184-90	2.6	35
31	Increasing canopy photosynthesis in rice can be achieved without a large increase in water use-A model based on free-air CO enrichment. <i>Global Change Biology</i> , <b>2018</b> , 24, 1321-1341	11.4	33
30	Response of soil, leaf endosphere and phyllosphere bacterial communities to elevated CO2 and soil temperature in a rice paddy. <i>Plant and Soil</i> , <b>2015</b> , 392, 27-44	4.2	32
29	Grain growth of different rice cultivars under elevated CO2 concentrations affects yield and quality. <i>Field Crops Research</i> , <b>2015</b> , 179, 72-80	5.5	29
28	Elevated atmospheric CO2 levels affect community structure of rice root-associated bacteria. <i>Frontiers in Microbiology</i> , <b>2015</b> , 6, 136	5.7	26
27	A High-Yielding Rice Cultivar "Takanari" Shows No N Constraints on CO Fertilization. <i>Frontiers in Plant Science</i> , <b>2019</b> , 10, 361	6.2	20
26	How elevated CO2 affects our nutrition in rice, and how we can deal with it. <i>PLoS ONE</i> , <b>2019</b> , 14, e0212	8 <del>4</del> . <del>0</del>	19
25	Yield responses to elevated CO2 concentration among Japanese rice cultivars released since 1882. <i>Plant Production Science</i> , <b>2019</b> , 22, 352-366	2.4	17
24	Characterization of leaf blade- and leaf sheath-associated bacterial communities and assessment of their responses to environmental changes in COI temperature, and nitrogen levels under field conditions. Microbes and Environments 2015, 30, 51-62	2.6	17

## (2019-2016)

23	Effect of Elevated CO2 Concentration, Elevated Temperature and No Nitrogen Fertilization on Methanogenic Archaeal and Methane-Oxidizing Bacterial Community Structures in Paddy Soil. <i>Microbes and Environments</i> , <b>2016</b> , 31, 349-56	2.6	16
22	Elevated temperature has stronger effects on the soil food web of a flooded paddy than does CO2. <i>Soil Biology and Biochemistry</i> , <b>2014</b> , 70, 166-175	7.5	16
21	Rice Free-Air Carbon Dioxide Enrichment Studies to Improve Assessment of Climate Change Effects on Rice Agriculture. <i>Advances in Agricultural Systems Modeling</i> , <b>2016</b> , 45-68	0.3	15
20	Nitrogen Distribution in Leaf Canopies of High-Yielding Rice Cultivar Takanari. <i>Crop Science</i> , <b>2017</b> , 57, 2080-2088	2.4	14
19	Effects of herbicide application on carbon dioxide, dissolved oxygen, pH, and RpH in paddy-field ponded water. <i>Soil Science and Plant Nutrition</i> , <b>2011</b> , 57, 1-6	1.6	13
18	Fully automated, high-throughput instrumentation for measuring the 🛮 3C value of methane and application of the instrumentation to rice paddy samples. <i>Rapid Communications in Mass Spectrometry</i> , <b>2014</b> , 28, 2315-24	2.2	12
17	Planting geometry as a pre-screening technique for identifying CO2 responsive rice genotypes: a case study of panicle number. <i>Physiologia Plantarum</i> , <b>2014</b> , 152, 520-8	4.6	12
16	Effects of elevated [CO2] on stem and root lodging among rice cultivars. <i>Science Bulletin</i> , <b>2013</b> , 58, 17	87-1794	111
15	Temperature Difference between Meteorological Station and Nearby Farmland Clase Study for Kumagaya City in Japan Scientific Online Letters on the Atmosphere, <b>2014</b> , 10, 45-49	2.1	10
14	Oxalate contents in leaves of two rice cultivars grown at a free-air CO2 enrichment (FACE) site. <i>Plant Production Science</i> , <b>2019</b> , 22, 407-411	2.4	9
13	Absorption and emission of CO2 by ponded water of a paddy field. <i>Soil Science and Plant Nutrition</i> , <b>2003</b> , 49, 853-857	1.6	9
12	Effects of Elevated Atmospheric CO2 on Respiratory Rates in Mature Leaves of Two Rice Cultivars Grown at a Free-Air CO2 Enrichment Site and Analyses of the Underlying Mechanisms. <i>Plant and Cell Physiology</i> , <b>2018</b> , 59, 637-649	4.9	8
11	Analysis of factors related to varietal differences in the yield of rice (Oryza sativa L.) under Free-Air CO2 Enrichment (FACE) conditions. <i>Plant Production Science</i> , <b>2020</b> , 23, 19-27	2.4	6
10	Diurnal variation in CO2, dissolved oxygen (DO), pH and RpH and their correlations in ponded paddy field water. <i>Japanese Journal of Limnology</i> , <b>2013</b> , 74, 15-20	0.1	5
9	Effects of free-air CO2 enrichment on flower opening time in rice. <i>Plant Production Science</i> , <b>2019</b> , 22, 367-373	2.4	5
8	Five-year soil warming changes soil C and N dynamics in a single rice paddy field in Japan. <i>Science of the Total Environment</i> , <b>2021</b> , 756, 143845	10.2	5
7	Nitrogen resorption in senescing leaf blades of rice exposed to free-air CO2 enrichment (FACE) under different N fertilization levels. <i>Plant and Soil</i> , <b>2017</b> , 418, 231-240	4.2	4
6	Effects of free-air CO2 enrichment on heat-induced sterility and pollination in rice. <i>Plant Production Science</i> , <b>2019</b> , 22, 374-381	2.4	3

- Quantifying the Feedback Between Rice Architecture, Physiology, and Microclimate Under Current and Future CO2 Conditions. *Journal of Geophysical Research G: Biogeosciences*, **2020**, 125, e2019JG005452<sup>7</sup> 3
  - . . . .
- Factors destabilizing the control of Monochoria vaginalis by rice bran: its conflicting powers influence both suppression and promotion of germination in paddy soil. *Plant Production Science*, **2021**, 24, 83-93
- 2.4 3
- Comparison of growth and canopy surface temperature among three different cultivars of sugar beet (Beta vulgaris ssp. vulgaris) **2020**, 20, 121-127
- A review of improvements to methods for the measurement of dissolved oxygen, pH, and soil redox potential and the discovery of convective flow in ponded water of paddy fields **2013**, 13, 25-32
- Differences of the canopy surface temperature between F1s and their parents in sugar beet (Beta vulgaris L. ssp. vulgaris) **2021**, 21, 48-53