

Pierre-Louis Soubeyran

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8734013/publications.pdf>

Version: 2024-02-01

184
papers

12,919
citations

41323

49
h-index

24232

110
g-index

193
all docs

193
docs citations

193
times ranked

13305
citing authors

#	ARTICLE	IF	CITATIONS
1	Follicular Lymphoma International Prognostic Index. <i>Blood</i> , 2004, 104, 1258-1265.	0.6	1,552
2	Rituximab maintenance for 2 years in patients with high tumour burden follicular lymphoma responding to rituximab plus chemotherapy (PRIMA): a phase 3, randomised controlled trial. <i>Lancet</i> , The, 2011, 377, 42-51.	6.3	957
3	Screening older cancer patients: first evaluation of the G-8 geriatric screening tool. <i>Annals of Oncology</i> , 2012, 23, 2166-2172.	0.6	724
4	Follicular Lymphoma International Prognostic Index 2: A New Prognostic Index for Follicular Lymphoma Developed by the International Follicular Lymphoma Prognostic Factor Project. <i>Journal of Clinical Oncology</i> , 2009, 27, 4555-4562.	0.8	613
5	Rituximab (anti-CD20 monoclonal antibody) as single first-line therapy for patients with follicular lymphoma with a low tumor burden: clinical and molecular evaluation. <i>Blood</i> , 2001, 97, 101-106.	0.6	506
6	Screening for Vulnerability in Older Cancer Patients: The ONCODAGE Prospective Multicenter Cohort Study. <i>PLoS ONE</i> , 2014, 9, e115060.	1.1	437
7	Phase III Trial of Consolidation Therapy With Yttrium-90- ⁹⁰ Ibritumomab Tiuxetan Compared With No Additional Therapy After First Remission in Advanced Follicular Lymphoma. <i>Journal of Clinical Oncology</i> , 2008, 26, 5156-5164.	0.8	431
8	EORTC guidelines for the use of erythropoietic proteins in anaemic patients with cancer: 2006 update. <i>European Journal of Cancer</i> , 2007, 43, 258-270.	1.3	371
9	Predictors of Early Death Risk in Older Patients Treated With First-Line Chemotherapy for Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 1829-1834.	0.8	366
10	High-Dose Methotrexate-Based Chemotherapy Followed by Consolidating Radiotherapy in Non-AIDS-Related Primary Central Nervous System Lymphoma: European Organization for Research and Treatment of Cancer Lymphoma Group Phase II Trial 20962. <i>Journal of Clinical Oncology</i> , 2003, 21, 4483-4488.	0.8	308
11	High level of soluble programmed cell death ligand 1 in blood impacts overall survival in aggressive diffuse large B-Cell lymphoma: results from a French multicenter clinical trial. <i>Leukemia</i> , 2014, 28, 2367-2375.	3.3	281
12	EORTC guidelines for the use of erythropoietic proteins in anaemic patients with cancer. <i>European Journal of Cancer</i> , 2004, 40, 2201-2216.	1.3	257
13	Chemotherapy Alone as Initial Treatment for Primary CNS Lymphoma in Patients Older Than 60 Years: A Multicenter Phase II Study (26952) of the European Organization for Research and Treatment of Cancer Brain Tumor Group. <i>Journal of Clinical Oncology</i> , 2003, 21, 2726-2731.	0.8	249
14	Recurrent Mutations of <i>MYD88</i> and <i>TBL1XR1</i> in Primary Central Nervous System Lymphomas. <i>Clinical Cancer Research</i> , 2012, 18, 5203-5211.	3.2	210
15	Functional Decline in Older Patients With Cancer Receiving First-Line Chemotherapy. <i>Journal of Clinical Oncology</i> , 2013, 31, 3877-3882.	0.8	201
16	⁹⁰ Yttrium-Ibritumomab Tiuxetan Consolidation of First Remission in Advanced-Stage Follicular Non-Hodgkin Lymphoma: Updated Results After a Median Follow-Up of 7.3 Years From the International, Randomized, Phase III First-Line Indolent Trial. <i>Journal of Clinical Oncology</i> , 2013, 31, 1977-1983.	0.8	192
17	Radiotherapy or Autologous Stem-Cell Transplantation for Primary CNS Lymphoma in Patients 60 Years of Age and Younger: Results of the Intergroup ANOCEF-GOELAMS Randomized Phase II PRECIS Study. <i>Journal of Clinical Oncology</i> , 2019, 37, 823-833.	0.8	184
18	IGHV gene features and MYD88 L265P mutation separate the three marginal zone lymphoma entities and Waldenström macroglobulinemia/lymphoplasmacytic lymphomas. <i>Leukemia</i> , 2013, 27, 183-189.	3.3	169

#	ARTICLE	IF	CITATIONS
19	Impact of [¹⁸ F]Fluorodeoxyglucose Positron Emission Tomography Response Evaluation in Patients With High-Tumor Burden Follicular Lymphoma Treated With Immunochemotherapy: A Prospective Study From the Groupe d'Etudes des Lymphomes de l'Adulte and GOELAMS. <i>Journal of Clinical Oncology</i> , 2012, 30, 4317-4322.	0.8	168
20	EORTC Cancer in the Elderly Task Force guidelines for the use of colony-stimulating factors in elderly patients with cancer. <i>European Journal of Cancer</i> , 2003, 39, 2264-2272.	1.3	165
21	Methotrexate and temozolomide versus methotrexate, procarbazine, vincristine, and cytarabine for primary CNS lymphoma in an elderly population: an intergroup ANOCEF-GOELAMS randomised phase 2 trial. <i>Lancet Haematology</i> , 2015, 2, e251-e259.	2.2	164
22	Joint frailty models for recurring events and death using maximum penalized likelihood estimation: application on cancer events. <i>Biostatistics</i> , 2006, 8, 708-721.	0.9	151
23	Anthracycline cardiotoxicity in the elderly cancer patient: a SIOG expert position paper. <i>Annals of Oncology</i> , 2011, 22, 257-267.	0.6	148
24	Immune checkpoint inhibitors and elderly people: A review. <i>European Journal of Cancer</i> , 2017, 82, 155-166.	1.3	148
25	Risk Factors and Outcomes for Patients With Follicular Lymphoma Who Had Histologic Transformation After Response to First-Line Immunochemotherapy in the PRIMA Trial. <i>Journal of Clinical Oncology</i> , 2016, 34, 2575-2582.	0.8	142
26	Primary CNS lymphoma at first relapse/progression: characteristics, management, and outcome of 256 patients from the French LOC network. <i>Neuro-Oncology</i> , 2016, 18, 1297-1303.	0.6	135
27	Management and outcome of primary CNS lymphoma in the modern era. <i>Neurology</i> , 2020, 94, e1027-e1039.	1.5	125
28	R-CHOP 14 with or without radiotherapy in nonbulky limited-stage diffuse large B-cell lymphoma. <i>Blood</i> , 2018, 131, 174-181.	0.6	121
29	A systematic review on the association of the G8 with geriatric assessment, prognosis and course of treatment in older patients with cancer. <i>Journal of Geriatric Oncology</i> , 2019, 10, 847-858.	0.5	119
30	Identification of a Novel Proline-Arginine Motif Involved in CIN85-dependent Clustering of Cbl and Down-regulation of Epidermal Growth Factor Receptors. <i>Journal of Biological Chemistry</i> , 2003, 278, 39735-39746.	1.6	115
31	Nutritional Advice in Older Patients at Risk of Malnutrition during Treatment for Chemotherapy: A Two-Year Randomized Controlled Trial. <i>PLoS ONE</i> , 2014, 9, e108687.	1.1	96
32	Occupational exposure to pesticides and lymphoid neoplasms among men: results of a French case-control study. <i>Occupational and Environmental Medicine</i> , 2009, 66, 291-298.	1.3	93
33	Undernutrition in elderly patients with cancer: Target for diagnosis and intervention. <i>Critical Reviews in Oncology/Hematology</i> , 2008, 67, 243-254.	2.0	92
34	Optimizing the G8 Screening Tool for Older Patients With Cancer: Diagnostic Performance and Validation of a Six-Item Version. <i>Oncologist</i> , 2016, 21, 188-195.	1.9	85
35	Questionnaires and instruments for a multidimensional assessment of the older cancer patient: What clinicians need to know?. <i>European Journal of Cancer</i> , 2010, 46, 1019-1025.	1.3	72
36	Are psychosocial factors associated with quality of life in patients with haematological cancer? A critical review of the literature. <i>Psycho-Oncology</i> , 2013, 22, 241-249.	1.0	72

#	ARTICLE	IF	CITATIONS
37	Approach to therapy of diffuse large B-cell lymphoma in the elderly: the International Society of Geriatric Oncology (SIOG) expert position commentary. <i>Annals of Oncology</i> , 2015, 26, 1058-1068.	0.6	67
38	Geriatric assessment in the management of older patients with cancer – A systematic review (update). <i>Journal of Geriatric Oncology</i> , 2022, 13, 761-777.	0.5	67
39	Updated 6 Year Follow-Up Of The PRIMA Study Confirms The Benefit Of 2-Year Rituximab Maintenance In Follicular Lymphoma Patients Responding To Frontline Immunochemotherapy. <i>Blood</i> , 2013, 122, 509-509.	0.6	66
40	ESMO Consensus Conference on malignant lymphoma: general perspectives and recommendations for the clinical management of the elderly patient with malignant lymphoma. <i>Annals of Oncology</i> , 2018, 29, 544-562.	0.6	64
41	mTORC1 inhibition in cancer cells protects from glutaminolysis-mediated apoptosis during nutrient limitation. <i>Nature Communications</i> , 2017, 8, 14124.	5.8	62
42	Diffuse large B-cell lymphoma in the elderly: Impact of prognosis, comorbidities, geriatric assessment, and supportive care on clinical practice. An International Society of Geriatric Oncology (SIOG) Expert Position Paper. <i>Journal of Geriatric Oncology</i> , 2015, 6, 141-152.	0.5	61
43	Place of low-dose total body irradiation in the treatment of localized follicular non-Hodgkin's lymphoma: Results of a pilot study. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998, 40, 387-390.	0.4	60
44	Low Serum Vitamin D Levels Are Associated With Inferior Survival in Follicular Lymphoma: A Prospective Evaluation in SWOG and LYSA Studies. <i>Journal of Clinical Oncology</i> , 2015, 33, 1482-1490.	0.8	60
45	Geriatric Assessment and Management in Cancer. <i>Journal of Clinical Oncology</i> , 2021, 39, 2058-2067.	0.8	57
46	Clinical outcome of patients with follicular lymphoma receiving chemoimmunotherapy in the PRIMA study is not affected by FCGR3A and FCGR2A polymorphisms. <i>Blood</i> , 2012, 120, 2650-2657.	0.6	56
47	Detection of frailty in elderly cancer patients: Improvement of the G8 screening test. <i>Journal of Geriatric Oncology</i> , 2016, 7, 99-107.	0.5	55
48	Treatment patterns and outcomes in the management of anaemia in cancer patients in Europe: Findings from the Anaemia Cancer Treatment (ACT) study. <i>European Journal of Cancer</i> , 2009, 45, 1603-1615.	1.3	54
49	Low-grade follicular lymphomas: Analysis of prognosis in a series of 281 patients. <i>European Journal of Cancer & Clinical Oncology</i> , 1991, 27, 1606-1613.	0.9	53
50	p62/SQSTM1 upregulation constitutes a survival mechanism that occurs during granulocytic differentiation of acute myeloid leukemia cells. <i>Cell Death and Differentiation</i> , 2014, 21, 1852-1861.	5.0	53
51	Expression of the stress-induced p8 mRNA is transiently activated after culture medium change. <i>European Journal of Cell Biology</i> , 2001, 80, 720-725.	1.6	51
52	Modulation of the ATM/autophagy pathway by a G-quadruplex ligand tips the balance between senescence and apoptosis in cancer cells. <i>Nucleic Acids Research</i> , 2019, 47, 2739-2756.	6.5	50
53	One-Year Mortality in Older Patients with Cancer: Development and External Validation of an MNA-Based Prognostic Score. <i>PLoS ONE</i> , 2016, 11, e0148523.	1.1	50
54	Rituximab induction immunotherapy for first-line low-tumor-burden follicular lymphoma: survival analyses with 7-year follow-up. <i>Annals of Oncology</i> , 2012, 23, 2380-2385.	0.6	48

#	ARTICLE	IF	CITATIONS
55	Multidisciplinary development of the Geriatric Core Dataset for clinical research in older patients with cancer: A French initiative with international survey. <i>European Journal of Cancer</i> , 2018, 103, 61-68.	1.3	48
56	Granulocyte-macrophage colony-stimulating factor in patients with neutropenic fever is potent after low-risk but not after high-risk neutropenic chemotherapy regimens: results of a randomized phase III trial. <i>Journal of Clinical Oncology</i> , 1998, 16, 2930-2936.	0.8	46
57	Is there any place for a wait-and-see policy in stage I0 follicular lymphoma?. <i>Annals of Oncology</i> , 1996, 7, 713-718.	0.6	43
58	Cigarette smoking, alcohol drinking, and risk of lymphoid neoplasms: results of a French case-control study. <i>Cancer Causes and Control</i> , 2008, 19, 1147-1160.	0.8	43
59	Semen analysis and cryoconservation before treatment in Hodgkin's disease. <i>Annals of Oncology</i> , 2000, 11, 679-684.	0.6	42
60	Single Treatment with Rituximab Monotherapy for Low-Tumor Burden Follicular Lymphoma (FL): Survival Analyses with Extended Follow-Up (F/Up) of 7 Years. <i>Blood</i> , 2006, 108, 486-486.	0.6	41
61	Diffuse large B-cell and peripheral T-cell non-Hodgkin's lymphoma in the frail elderly. <i>Journal of Geriatric Oncology</i> , 2011, 2, 36-44.	0.5	36
62	General joint frailty model for recurrent event data with a dependent terminal event: Application to follicular lymphoma data. <i>Statistics in Medicine</i> , 2012, 31, 1162-1176.	0.8	35
63	Barriers to inclusion of older adults in randomised controlled clinical trials on Non-Hodgkin's lymphoma: A systematic review. <i>Cancer Treatment Reviews</i> , 2013, 39, 812-817.	3.4	35
64	Targeted therapy and elderly people: A review. <i>European Journal of Cancer</i> , 2016, 69, 199-215.	1.3	34
65	Patient Preferences for Treatment Outcomes in Oncology with a Focus on the Older Patient: A Systematic Review. <i>Cancers</i> , 2022, 14, 1147.	1.7	34
66	Localized follicular lymphomas: Prognosis and survival of stages I and II in a retrospective series of 103 patients. <i>Radiotherapy and Oncology</i> , 1988, 13, 91-98.	0.3	33
67	Role of geriatric intervention in the treatment of older patients with cancer: rationale and design of a phase III multicenter trial. <i>BMC Cancer</i> , 2016, 16, 932.	1.1	33
68	Consolidation anti-CD22 fractionated radioimmunotherapy with 90 Y-epratuzumab tetraxetan following R-CHOP in elderly patients with diffuse large B-cell lymphoma: a prospective, single group, phase 2 trial. <i>Lancet Haematology</i> , 2017, 4, e35-e45.	2.2	33
69	Factors influencing general practitioners in the referral of elderly cancer patients. <i>BMC Cancer</i> , 2011, 11, 5.	1.1	32
70	Aggressive non-Hodgkin's lymphoma: Concomitant evaluation of interleukin-2, soluble interleukin-2 receptor, interleukin-4, interleukin-6, interleukin-10 and correlation with outcome. <i>Leukemia and Lymphoma</i> , 2006, 47, 603-611.	0.6	30
71	Patterns of response and relapse in primary CNS lymphomas after first-line chemotherapy: imaging analysis of the ANOCEF-GOELAMS prospective randomized trial. <i>Neuro-Oncology</i> , 2016, 19, now238.	0.6	30
72	Alterations in comprehensive geriatric assessment decrease survival of elderly patients with cancer. <i>European Journal of Cancer</i> , 2018, 90, 10-18.	1.3	30

#	ARTICLE	IF	CITATIONS
73	Predictive factors of depressive symptoms of elderly patients with cancer receiving first-line chemotherapy. <i>Psycho-Oncology</i> , 2017, 26, 15-21.	1.0	29
74	UV radiation exposure, skin type and lymphoid malignancies: results of a French caseâ€“control study. <i>Cancer Causes and Control</i> , 2008, 19, 305-315.	0.8	28
75	Erythropoietins should be used according to guidelines. <i>Lancet Oncology, The</i> , 2008, 9, 412-413.	5.1	27
76	Localized Store-Operated Calcium Influx Represses CD95-Dependent Apoptotic Effects of Rituximab in Non-Hodgkin B Lymphomas. <i>Journal of Immunology</i> , 2015, 195, 2207-2215.	0.4	26
77	Hodgkin lymphoma: a negative interimâ€“PET cannot circumvent the need for endâ€“ofâ€“treatmentâ€“PET evaluation. <i>British Journal of Haematology</i> , 2016, 175, 652-660.	1.2	23
78	Sociodemographic, socioeconomic, and clinical determinants of survival in patients with cancer: A systematic review of the literature focused on the elderly. <i>Journal of Geriatric Oncology</i> , 2018, 9, 6-14.	0.5	22
79	Development of a self-reported version of the G8 screening tool. <i>Journal of Geriatric Oncology</i> , 2019, 10, 926-930.	0.5	22
80	Ethmoidal cancers: A retrospective study of 22 cases. <i>International Journal of Radiation Oncology Biology Physics</i> , 1993, 25, 113-116.	0.4	21
81	BiOsimilaRs in the management of anaemia secondary to chemotherapy in HaEmatology and Oncology: results of the ORHEO observational study. <i>BMC Cancer</i> , 2014, 14, 503.	1.1	21
82	Whole Brain Radiotherapy (WBRT) Versus Intensive Chemotherapy with Haematopoietic Stem Cell Rescue (IC + HCR) for Primary Central Nervous System Lymphoma (PCNSL) in Young Patients: An Intergroup Anocef-Goelams Randomized Phase II Trial (PRECIS). <i>Blood</i> , 2016, 128, 782-782.	0.6	21
83	Managing cancer-related anaemia in congruence with the EORTC guidelines is an independent predictor of haemoglobin outcome: Initial evidence from the RESPOND study. <i>European Journal of Cancer</i> , 2009, 45, 8-11.	1.3	20
84	Screening methods for geriatric frailty. <i>Lancet Oncology, The</i> , 2013, 14, e1-e2.	5.1	20
85	The prognostic value of G8 for functional decline. <i>Journal of Geriatric Oncology</i> , 2019, 10, 921-925.	0.5	20
86	Occupation and Lymphoid Malignancies: Results From a French Case-Control Study. <i>Journal of Occupational and Environmental Medicine</i> , 2007, 49, 1339-1350.	0.9	19
87	Two parallel pathways connect glutamine metabolism and mTORC1 activity to regulate glutamoptosis. <i>Nature Communications</i> , 2021, 12, 4814.	5.8	19
88	Impact of comorbidities on the treatment of non-Hodgkinâ€“TMs lymphoma: a systematic review. <i>Expert Review of Hematology</i> , 2015, 8, 329-341.	1.0	18
89	Method for the Purification of Tissue DNA Suitable for PCR After Fixation with Bouinâ€“s Fluid. <i>Diagnostic Molecular Pathology</i> , 1997, 6, 167-173.	2.1	17
90	Vulnerable and frail elderly: An approach to the management of the main tumour types. <i>European Journal of Cancer</i> , 2008, 44, 488-493.	1.3	17

#	ARTICLE	IF	CITATIONS
91	Unmet needs in the scientific approach to older patients with lymphoma. <i>Haematologica</i> , 2017, 102, 972-975.	1.7	17
92	Temozolomide is effective and well tolerated in patients with primary vitreoretinal lymphoma. <i>Blood</i> , 2020, 135, 1811-1815.	0.6	17
93	Occupational exposure to organic solvents and lymphoid neoplasms in men: results of a French case-control study. <i>Occupational and Environmental Medicine</i> , 2010, 67, 664-672.	1.3	16
94	Bortezomib plus rituximab versus rituximab in patients with high-risk, relapsed, rituximab-naïve or rituximab-sensitive follicular lymphoma: subgroup analysis of a randomized phase 3 trial. <i>Journal of Hematology and Oncology</i> , 2012, 5, 67.	6.9	16
95	Determinants of functional decline in older adults experiencing cancer (the INCAPAC study). <i>Journal of Geriatric Oncology</i> , 2019, 10, 913-920.	0.5	16
96	Downregulation of Glutamine Synthetase, not glutaminolysis, is responsible for glutamine addiction in Notch1-driven acute lymphoblastic leukemia. <i>Molecular Oncology</i> , 2021, 15, 1412-1431.	2.1	16
97	Follicular lymphomas "a review of treatment modalities. <i>Critical Reviews in Oncology/Hematology</i> , 2000, 35, 13-32.	2.0	15
98	History of infections and vaccinations and risk of lymphoid neoplasms: does influenza immunization reduce the risk?. <i>Leukemia</i> , 2007, 21, 2075-2079.	3.3	15
99	The background and methodology of the Anaemia Cancer Treatment (A.C.T.) study: a global retrospective study of practice patterns and outcomes in the management of anaemia in cancer patients and their congruence with evidence-based guidelines. <i>Supportive Care in Cancer</i> , 2008, 16, 193-200.	1.0	15
100	Referral of elderly cancer patients to specialists: Action proposals for general practitioners. <i>Cancer Treatment Reviews</i> , 2012, 38, 935-941.	3.4	15
101	R-CHOP with or without Radiotherapy in Non-Bulky Limited-Stage Diffuse Large B Cell Lymphoma (DLBCL): Preliminary Results of the Prospective Randomized Phase III 02-03 Trial from the Lysa/Goelams Group. <i>Blood</i> , 2014, 124, 393-393.	0.6	15
102	mTOR Inhibition via Displacement of Phosphatidic Acid Induces Enhanced Cytotoxicity Specifically in Cancer Cells. <i>Cancer Research</i> , 2018, 78, 5384-5397.	0.4	14
103	Bendamustine and rituximab in elderly patients with low-tumour burden follicular lymphoma. Results of the Lysa phase II BRIEF study. <i>British Journal of Haematology</i> , 2018, 183, 76-86.	1.2	14
104	A genome-wide association study identifies susceptibility loci for primary central nervous system lymphoma at 6p25.3 and 3p22.1: a LOC Network study. <i>Neuro-Oncology</i> , 2019, 21, 1039-1048.	0.6	13
105	Role of Calcium Signaling in GA101-Induced Cell Death in Malignant Human B Cells. <i>Cancers</i> , 2019, 11, 291.	1.7	13
106	Taking care of older patients with cancer in the context of COVID-19 pandemic. <i>Lancet Oncology</i> , The, 2020, 21, e236.	5.1	13
107	Evaluation of efficacy and safety of FOLFIRI for elderly patients with gastric cancer: A first-line phase II study. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2011, 35, 823-830.	0.7	12
108	Single 4-Dose Rituximab Treatment for Low-Tumor Burden Follicular Lymphoma (FL): Survival Analyses with a Follow-Up (F/Up) of at Least 5 Years.. <i>Blood</i> , 2004, 104, 585-585.	0.6	12

#	ARTICLE	IF	CITATIONS
109	What Defines Quality of Life for Older Patients Diagnosed with Cancer? A Qualitative Study. <i>Cancers</i> , 2022, 14, 1123.	1.7	12
110	Adjuvant bacillus Calmette-Guérin therapy in non-Hodgkin's malignant lymphomas: long-term results of a randomized trial in a single institution.. <i>Journal of Clinical Oncology</i> , 1990, 8, 608-614.	0.8	11
111	A survey in general practice about undergraduate cancer education: Results from gironde (france). <i>Journal of Cancer Education</i> , 1991, 6, 153-157.	0.6	11
112	Promoting evidence-based management of anemia in cancer patients: concurrent and discriminant validity of RESPOND, a web-based clinical guidance system based on the EORTC guidelines for supportive care in cancer. <i>Supportive Care in Cancer</i> , 2010, 18, 847-858.	1.0	11
113	From suboptimal to optimal treatment in older patients with cancer. <i>Journal of Geriatric Oncology</i> , 2013, 4, 291-293.	0.5	11
114	Evolution of BCL-2/IgH hybrid gene RNA expression during treatment of T(14;18)-bearing follicular lymphomas. <i>British Journal of Cancer</i> , 1999, 81, 860-869.	2.9	10
115	Modeling individual and relative accuracy of screening tools in geriatric oncology. <i>Annals of Oncology</i> , 2017, 28, 1152-1157.	0.6	10
116	Rational therapeutic choice for older patients with lymphoma. <i>Current Opinion in Oncology</i> , 2017, 29, 322-327.	1.1	10
117	Consolidation Anti-CD22 Fractionated Radioimmunotherapy with 90Y Epratuzumab Tetraxetan Following R-CHOP In Elderly DLBCL Patients. <i>Blood</i> , 2010, 116, 2875-2875.	0.6	10
118	Current treatment of Hodgkin's disease. <i>Critical Reviews in Oncology/Hematology</i> , 2000, 35, 49-73.	2.0	9
119	90Y-Ibritumomab Tiuxetan (Zevalin®) Consolidation of First Remission In Advanced-Stage Follicular Non-Hodgkin's Lymphoma: Updated Results After a Median Follow-up of 66.2 Months From the International, Randomized, Phase III First-Line Indolent Trial (FIT) In 414 Patients. <i>Blood</i> , 2010, 116, 594-594.	0.6	9
120	Polymerase Chain Reaction Diagnosis of t(14;18) From Paraffin-Embedded Tissues Fixed With Holland Bouin Fluid. <i>Diagnostic Molecular Pathology</i> , 1998, 7, 184.	2.1	8
121	Modeling of treatment response to erythropoiesis-stimulating agents as a function of center- and patient-related variables: results from the Anemia Cancer Treatment (ACT) study. <i>Annals of Oncology</i> , 2009, 20, 1714-1721.	0.6	8
122	Increased frequency of hematopoietic malignancies in relatives of patients with lymphoid neoplasms: A French case-control study. <i>International Journal of Cancer</i> , 2009, 124, 1188-1195.	2.3	8
123	Chemotherapy treatment for older women with metastatic breast cancer: What is the evidence?. <i>Cancer Treatment Reviews</i> , 2011, 37, 590-598.	3.4	8
124	The EORTC Cancer in the Elderly Task Force, a Protostar for EORTC's future. <i>European Journal of Cancer</i> , Supplement, 2012, 10, 34-38.	2.2	8
125	Determinants of cancer treatment and mortality in older cancer patients using a multi-state model: Results from a population-based study (the INCAPAC study). <i>Cancer Epidemiology</i> , 2018, 55, 39-44.	0.8	8
126	Triarylpyridine Compounds and Chloroquine Act in Concert to Trigger Lysosomal Membrane Permeabilization and Cell Death in Cancer Cells. <i>Cancers</i> , 2020, 12, 1621.	1.7	8

#	ARTICLE	IF	CITATIONS
127	Competitive polymerase chain reaction to quantify tumor cells in peripheral blood of patients with T(14;18)-bearing follicular non-Hodgkin's lymphoma: An exploratory study in 8 patients. <i>International Journal of Cancer</i> , 1999, 84, 558-561.	2.3	7
128	Quality of life in patients with aggressive non-Hodgkin's lymphoma. Validation of the medical outcomes study short form 20 and the Rotterdam symptom checklist in older patients. <i>Critical Reviews in Oncology/Hematology</i> , 2002, 43, 219-226.	2.0	7
129	Calcium Independent Effect of Orai1 and STIM1 in Non-Hodgkin B Cell Lymphoma Dissemination. <i>Cancers</i> , 2018, 10, 402.	1.7	7
130	Targeting CAMKK2 and SOC Channels as a Novel Therapeutic Approach for Sensitizing Acute Promyelocytic Leukemia Cells to All-Trans Retinoic Acid. <i>Cells</i> , 2021, 10, 3364.	1.8	7
131	Variability of quantitative polymerase chain reaction detection of the bcl-2-IgH translocation in an international multicenter study. <i>Haematologica</i> , 2005, 90, 1706-7.	1.7	7
132	Management of unfit patients with unfavourable non-Hodgkin's lymphomas. <i>Cancer Treatment Reviews</i> , 2009, 35, 528-532.	3.4	6
133	Therapeutic strategies in elderly and very elderly patients. <i>Best Practice and Research in Clinical Haematology</i> , 2012, 25, 91-100.	0.7	6
134	Treatment of the elderly patient with mantle cell lymphoma. <i>Hematology American Society of Hematology Education Program</i> , 2016, 2016, 425-431.	0.9	6
135	Innovative approach to older patients with malignant hemopathies. <i>Haematologica</i> , 2016, 101, 893-895.	1.7	6
136	Approaches for vulnerable and frail older patients with diffuse large B-cell lymphomas. <i>Current Opinion in Oncology</i> , 2019, 31, 369-373.	1.1	6
137	Cognitive Impairment in Older Cancer Patients Treated with First-Line Chemotherapy. <i>Cancers</i> , 2021, 13, 6171.	1.7	6
138	Does Inflammation Contribute to Cancer Incidence and Mortality during Aging? A Conceptual Review. <i>Cancers</i> , 2022, 14, 1622.	1.7	6
139	Fludarabine phosphate-CVP in patients over 60 years of age with advanced, low-grade and follicular lymphoma: A dose-finding study. <i>European Journal of Cancer</i> , 2005, 41, 2630-2636.	1.3	5
140	Intraclass correlation metrics for the accuracy of algorithmic definitions in a computerized decision support system for supportive cancer care. <i>Supportive Care in Cancer</i> , 2007, 15, 1325-1329.	1.0	5
141	Huit fiches pratiques de conseil nutritionnel pour répondre aux besoins des patients âgés au cours de leur traitement de chimiothérapie: Étude INOGAD. <i>Oncologie</i> , 2011, 13, 83-89.	0.2	5
142	Treatment and outcomes of older versus younger women with HER2-positive metastatic breast cancer in the real-world national ESME database. <i>Breast</i> , 2021, 60, 138-146.	0.9	5
143	Consolidation Anti-CD22 Fractionated Radioimmunotherapy with 90y-Epratuzumab Tetraxetan Following R-CHOP in Elderly DLBCL Patients: A Lysa Phase II Prospective Trial. <i>Blood</i> , 2012, 120, 906-906.	0.6	5
144	Patterns of response and relapse of primary central nervous system lymphomas (PCNSL) following first line of high-dose methotrexate-based chemotherapy (hdMTX): Analysis of a prospective ANOCEF randomized phase II trial. <i>Journal of Clinical Oncology</i> , 2015, 33, 2035-2035.	0.8	5

#	ARTICLE	IF	CITATIONS
145	A phase II study for the evaluation of quinine as a modulator of multidrug resistance in non-Hodgkinâ€™s lymphoma. <i>European Journal of Cancer</i> , 2007, 43, 53-54.	1.3	4
146	Promoting evidence-based management of anemia in cancer patients: Background, development, and scientific validation of RESPOND, a web-based clinical guidance system based on the EORTC guidelines. <i>Critical Reviews in Oncology/Hematology</i> , 2008, 65, 32-42.	2.0	4
147	Biosimilar epoetin for the management of chemotherapy-induced anemia in elderly patients. <i>OncoTargets and Therapy</i> , 2016, Volume 9, 6689-6693.	1.0	4
148	Major depressive disorder and associated factors in elderly patients with non-Hodgkinâ€™s lymphoma. <i>Health Psychology and Behavioral Medicine</i> , 2017, 5, 57-65.	0.8	4
149	Impact of geriatric assessment for the therapeutic decision-making of breast cancer: results of a French survey. AFSOS and SOFOG collaborative work. <i>Breast Cancer Research and Treatment</i> , 2018, 168, 433-441.	1.1	4
150	Prognostic Value of Routinely Measured Inflammatory Biomarkers in Older Cancer Patients: Pooled Analysis of Three Cohorts. <i>Cancers</i> , 2021, 13, 6154.	1.7	4
151	A 1-Kb Bcl-2-PCR Fragment Detection in a Patient With Follicular Lymphoma and Development of a New Diagnostic PCR Method. <i>Diagnostic Molecular Pathology</i> , 2001, 10, 89-94.	2.1	3
152	Walking a tightrope: clinical use of ibrutinib in mantle cell lymphoma in the elderly. <i>Hematology American Society of Hematology Education Program</i> , 2016, 2016, 432-436.	0.9	3
153	Information needs of older patients newly diagnosed with cancer. <i>Journal of Geriatric Oncology</i> , 2022, 13, 265-272.	0.5	3
154	Granulocyte-colony-stimulating factor in elderly patients receiving chemotherapy for breast and gynaecological cancers: results of a French survey. <i>Anticancer Research</i> , 2014, 34, 5007-15.	0.5	3
155	Reply to J. Lagro et al. <i>Journal of Clinical Oncology</i> , 2012, 30, 4443-4445.	0.8	2
156	The French LOC Network for Primary CNS Lymphoma (PCNSL) Patients: What Can We Learn from a Large National Database?. <i>Blood</i> , 2016, 128, 926-926.	0.6	2
157	New Drugs for Follicular Lymphoma in Older Adults. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2014, 14, 657-664.	0.9	2
158	Using machine learning to predict mortality in older patients with cancer: Decision tree and random forest analyses from the ELCAPA and ONCODAGE prospective cohorts. <i>Journal of Clinical Oncology</i> , 2019, 37, 11516-11516.	0.8	2
159	Exploring Determinants of Interdisciplinary Collaboration within a Geriatric Oncology Setting: A Mixed-Method Study. <i>Cancers</i> , 2022, 14, 1386.	1.7	2
160	Optimising the response to epoetin beta for the treatment of cancer-related anaemia. <i>Current Medical Research and Opinion</i> , 2006, 22, S35-S44.	0.9	1
161	Lymphomes et autres tumeurs h�matologiques. , 2007, , 179-206.		1
162	Perspectives on cancer care in older patients in France. <i>Ecancermedicalsecience</i> , 2020, 14, 1103.	0.6	1

#	ARTICLE	IF	CITATIONS
163	Anaplastic large cell lymphoma: clinical features and prognosis in a retrospective series of 72 patients treated in a single institution. <i>European Journal of Cancer</i> , 1999, 35, S331.	1.3	0
164	Prise en charge des lymphomes chez les personnes Âgées. <i>Oncologie</i> , 2007, 9, 214-218.	0.2	0
165	R126 Qualit� de vie des patients atteints d'un cancer h�matologique et facteurs psychosociaux associ�s : une revue de la litt�rature internationale. <i>Bulletin Du Cancer</i> , 2010, 97, S65.	0.6	0
166	Overview of aggressive lymphomas in the older adult. <i>Aging Health</i> , 2010, 6, 191-200.	0.3	0
167	Consolidation par 90Y-epratuzumab en fractionn� dans le lymphome B diffus � grandes cellules�: r�sultats pr�liminaires d'une �tude de phase II. <i>Medecine Nucleaire</i> , 2011, 35, 478-486.	0.2	0
168	�valuation g�riatrique dans les h�mopathies lympho�des. <i>Oncologie</i> , 2011, 13, 589-594.	0.2	0
169	Modeling of treatment response to erythropoiesis-stimulating agents in older (age�70years) and younger (age<70years) patients with cancer and anemia: Findings from the Anemia Cancer Treatment study. <i>Journal of Geriatric Oncology</i> , 2013, 4, 196-201.	0.5	0
170	Management of elderly patients with chronic lymphocytic leukemia. <i>Hematologie</i> , 2013, 19, 10-20.	0.0	0
171	Covid-19 Pandemic and Geriatric Oncology. , 2021, , 1-8.		0
172	Tumors: Lymphomas. , 2021, , 1-10.		0
173	Reversion of Chemoresistance in Aggressive Lymphoma by Quinine. A Phase II Trial.. <i>Blood</i> , 2004, 104, 4572-4572.	0.6	0
174	Prospective Multicenter Study for Evaluating Cognitive Disorders in Hematology-Oncology: A Pilot Study of 118 Patients. <i>Blood</i> , 2008, 112, 1309-1309.	0.6	0
175	Prognostic factors of the loss of autonomy (LoA) in older patients with cancer receiving first-line chemotherapy.. <i>Journal of Clinical Oncology</i> , 2012, 30, 9012-9012.	0.8	0
176	Low Serum Vitamin D Levels Are Associated with Inferior Survival in Follicular Lymphoma: A Prospective Evaluation in SWOG and Lysa Studies.. <i>Blood</i> , 2012, 120, 2712-2712.	0.6	0
177	�tude des anomalies chromosomiques apr�s radioth�rapie chez des patients trait�s pour lymphome malin non-Hodgkinien. <i>Journal De Chimie Physique Et De Physico-Chimie Biologique</i> , 1998, 95, 832-835.	0.2	0
178	General Considerations on Treatment in Older Patients with Hematological Malignancies. , 2015, , 253-268.		0
179	Impact of Rituximab-Based Immunochemotherapy Induction and Maintenance on the Immunisation Rate Against Tetanus Toxin in Follicular Lymphoma Treated Patients : A Subanalysis of the PRIMA Study. <i>Blood</i> , 2014, 124, 4430-4430.	0.6	0
180	Validation of a geriatric screening test to detect frailty in elderly cancer patients: Improving the G8 test.. <i>Journal of Clinical Oncology</i> , 2015, 33, e12604-e12604.	0.8	0

#	ARTICLE	IF	CITATIONS
181	Abstract P1-19-19: Treatments and outcome in older versus younger women with HER2-positive metastatic breast cancer in the multicenter national observational ESME database. , 2020, ,		0
182	Tumors: Lymphomas. , 2021, , 5251-5260.		0
183	COVID-19 Pandemic and Geriatric Oncology. , 2021, , 1198-1206.		0
184	Health literacy in patients with cancer: A multicenter national study.. Journal of Clinical Oncology, 2022, 40, 6541-6541.	0.8	0