

Pierre-Louis Soubeyran

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8734013/pierre-louis-soubeyran-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

167
papers

10,003
citations

44
h-index

98
g-index

193
ext. papers

11,749
ext. citations

4.7
avg, IF

5.31
L-index

#	Paper	IF	Citations
167	Repenser la prise en charge des sujets âgés atteints d'un cancer : propositions du groupe Priorité G8 Cancer. <i>Bulletin Du Cancer</i> , 2022 , 109, 714-721	2.4	
166	COVID-19 Pandemic and Geriatric Oncology 2021 , 1198-1206		
165	Geriatric Assessment and Management in Cancer. <i>Journal of Clinical Oncology</i> , 2021 , 39, 2058-2067	2.2	14
164	Downregulation of Glutamine Synthetase, not glutaminolysis, is responsible for glutamine addiction in Notch1-driven acute lymphoblastic leukemia. <i>Molecular Oncology</i> , 2021 , 15, 1412-1431	7.9	5
163	Two parallel pathways connect glutamine metabolism and mTORC1 activity to regulate glutamoptosis. <i>Nature Communications</i> , 2021 , 12, 4814	17.4	3
162	Treatment and outcomes of older versus younger women with HER2-positive metastatic breast cancer in the real-world national ESME database. <i>Breast</i> , 2021 , 60, 138-146	3.6	1
161	Temozolomide is effective and well tolerated in patients with primary vitreoretinal lymphoma. <i>Blood</i> , 2020 , 135, 1811-1815	2.2	6
160	Triarylpyridine Compounds and Chloroquine Act in Concert to Trigger Lysosomal Membrane Permeabilization and Cell Death in Cancer Cells. <i>Cancers</i> , 2020 , 12,	6.6	4
159	Perspectives on cancer care in older patients in France. <i>Ecancermedicalscience</i> , 2020 , 14, 1103	2.7	1
158	Management and outcome of primary CNS lymphoma in the modern era: An LOC network study. <i>Neurology</i> , 2020 , 94, e1027-e1039	6.5	44
157	Taking care of older patients with cancer in the context of COVID-19 pandemic. <i>Lancet Oncology, The</i> , 2020 , 21, e236	21.7	9
156	Development of a self-reported version of the G8 screening tool. <i>Journal of Geriatric Oncology</i> , 2019 , 10, 926-930	3.6	9
155	A systematic review on the association of the G8 with geriatric assessment, prognosis and course of treatment in older patients with cancer. <i>Journal of Geriatric Oncology</i> , 2019 , 10, 847-858	3.6	53
154	A genome-wide association study identifies susceptibility loci for primary central nervous system lymphoma at 6p25.3 and 3p22.1: a LOC Network study. <i>Neuro-Oncology</i> , 2019 , 21, 1039-1048	1	12
153	Role of Calcium Signaling in GA101-Induced Cell Death in Malignant Human B Cells. <i>Cancers</i> , 2019 , 11,	6.6	8
152	Determinants of functional decline in older adults experiencing cancer (the INCAPAC study). <i>Journal of Geriatric Oncology</i> , 2019 , 10, 913-920	3.6	8
151	Radiotherapy or Autologous Stem-Cell Transplantation for Primary CNS Lymphoma in Patients 60 Years of Age and Younger: Results of the Intergroup ANOCEF-GOELAMS Randomized Phase II PRECIS Study. <i>Journal of Clinical Oncology</i> , 2019 , 37, 823-833	2.2	92

150	Using machine learning to predict mortality in older patients with cancer: Decision tree and random forest analyses from the ELCAPA and ONCODAGE prospective cohorts.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 11516-11516	2.2	0
149	Modulation of the ATM/autophagy pathway by a G-quadruplex ligand tips the balance between senescence and apoptosis in cancer cells. <i>Nucleic Acids Research</i> , 2019 , 47, 2739-2756	20.1	33
148	Approaches for vulnerable and frail older patients with diffuse large B-cell lymphomas. <i>Current Opinion in Oncology</i> , 2019 , 31, 369-373	4.2	4
147	The prognostic value of G8 for functional decline. <i>Journal of Geriatric Oncology</i> , 2019 , 10, 921-925	3.6	10
146	ESMO Consensus Conference on malignant lymphoma: general perspectives and recommendations for the clinical management of the elderly patient with malignant lymphoma. <i>Annals of Oncology</i> , 2018 , 29, 544-562	10.3	42
145	Alterations in comprehensive geriatric assessment decrease survival of elderly patients with cancer. <i>European Journal of Cancer</i> , 2018 , 90, 10-18	7.5	18
144	R-CHOP 14 with or without radiotherapy in nonbulky limited-stage diffuse large B-cell lymphoma. <i>Blood</i> , 2018 , 131, 174-181	2.2	78
143	Sociodemographic, socioeconomic, and clinical determinants of survival in patients with cancer: A systematic review of the literature focused on the elderly. <i>Journal of Geriatric Oncology</i> , 2018 , 9, 6-14	3.6	15
142	mTOR Inhibition via Displacement of Phosphatidic Acid Induces Enhanced Cytotoxicity Specifically in Cancer Cells. <i>Cancer Research</i> , 2018 , 78, 5384-5397	10.1	10
141	Bendamustine and rituximab in elderly patients with low-tumour burden follicular lymphoma. Results of the LYSA phase II BRIEF study. <i>British Journal of Haematology</i> , 2018 , 183, 76-86	4.5	10
140	Determinants of cancer treatment and mortality in older cancer patients using a multi-state model: Results from a population-based study (the INCAPAC study). <i>Cancer Epidemiology</i> , 2018 , 55, 39-44	2.8	5
139	Impact of geriatric assessment for the therapeutic decision-making of breast cancer: results of a French survey. AFSOS and SOFOG collaborative work. <i>Breast Cancer Research and Treatment</i> , 2018 , 168, 433-441	4.4	2
138	Calcium Independent Effect of Orai1 and STIM1 in Non-Hodgkin B Cell Lymphoma Dissemination. <i>Cancers</i> , 2018 , 10,	6.6	6
137	Multidisciplinary development of the Geriatric Core Dataset for clinical research in older patients with cancer: A French initiative with international survey. <i>European Journal of Cancer</i> , 2018 , 103, 61-68	7.5	24
136	Predictive factors of depressive symptoms of elderly patients with cancer receiving first-line chemotherapy. <i>Psycho-Oncology</i> , 2017 , 26, 15-21	3.9	20
135	Major depressive disorder and associated factors in elderly patients with non-Hodgkin lymphoma. <i>Health Psychology and Behavioral Medicine</i> , 2017 , 5, 57-65	2.2	3
134	mTORC1 inhibition in cancer cells protects from glutaminolysis-mediated apoptosis during nutrient limitation. <i>Nature Communications</i> , 2017 , 8, 14124	17.4	40
133	Modeling individual and relative accuracy of screening tools in geriatric oncology. <i>Annals of Oncology</i> , 2017 , 28, 1152-1157	10.3	5

132	Consolidation anti-CD22 fractionated radioimmunotherapy with Y-epratuzumab tetraxetan following R-CHOP in elderly patients with diffuse large B-cell lymphoma: a prospective, single group, phase 2 trial. <i>Lancet Haematology</i> , 2017 , 4, e35-e45	14.6	23
131	Rational therapeutic choice for older patients with lymphoma. <i>Current Opinion in Oncology</i> , 2017 , 29, 322-327	4.2	6
130	Immune checkpoint inhibitors and elderly people: A review. <i>European Journal of Cancer</i> , 2017 , 82, 155-166	16.6	99
129	Patterns of response and relapse in primary CNS lymphomas after first-line chemotherapy: imaging analysis of the ANOCEF-GOELAMS prospective randomized trial. <i>Neuro-Oncology</i> , 2017 , 19, 422-429	1	17
128	Hodgkin lymphoma: a negative interim-PET cannot circumvent the need for end-of-treatment-PET evaluation. <i>British Journal of Haematology</i> , 2016 , 175, 652-660	4.5	20
127	Targeted therapy and elderly people: A review. <i>European Journal of Cancer</i> , 2016 , 69, 199-215	7.5	22
126	Role of geriatric intervention in the treatment of older patients with cancer: rationale and design of a phase III multicenter trial. <i>BMC Cancer</i> , 2016 , 16, 932	4.8	22
125	Detection of frailty in elderly cancer patients: Improvement of the G8 screening test. <i>Journal of Geriatric Oncology</i> , 2016 , 7, 99-107	3.6	38
124	Primary CNS lymphoma at first relapse/progression: characteristics, management, and outcome of 256 patients from the French LOC network. <i>Neuro-Oncology</i> , 2016 , 18, 1297-303	1	80
123	Whole Brain Radiotherapy (WBRT) Versus Intensive Chemotherapy with Haematopoietic Stem Cell Rescue (IC + HCR) for Primary Central Nervous System Lymphoma (PCNSL) in Young Patients: An Intergroup Anocef-Goelams Randomized Phase II Trial (PRECIS). <i>Blood</i> , 2016 , 128, 782-782	2.2	17
122	The French LOC Network for Primary CNS Lymphoma (PCNSL) Patients: What Can We Learn from a Large National Database?. <i>Blood</i> , 2016 , 128, 926-926	2.2	2
121	One-Year Mortality in Older Patients with Cancer: Development and External Validation of an MNA-Based Prognostic Score. <i>PLoS ONE</i> , 2016 , 11, e0148523	3.7	41
120	Biosimilar epoetin for the management of chemotherapy-induced anemia in elderly patients. <i>OncoTargets and Therapy</i> , 2016 , 9, 6689-6693	4.4	4
119	Risk Factors and Outcomes for Patients With Follicular Lymphoma Who Had Histologic Transformation After Response to First-Line Immunochemotherapy in the PRIMA Trial. <i>Journal of Clinical Oncology</i> , 2016 , 34, 2575-82	2.2	106
118	Treatment of the elderly patient with mantle cell lymphoma. <i>Hematology American Society of Hematology Education Program</i> , 2016 , 2016, 425-431	3.1	6
117	Walking a tightrope: clinical use of ibrutinib in mantle cell lymphoma in the elderly. <i>Hematology American Society of Hematology Education Program</i> , 2016 , 2016, 432-436	3.1	2
116	Optimizing the G8 Screening Tool for Older Patients With Cancer: Diagnostic Performance and Validation of a Six-Item Version. <i>Oncologist</i> , 2016 , 21, 188-95	5.7	48
115	Localized Store-Operated Calcium Influx Represses CD95-Dependent Apoptotic Effects of Rituximab in Non-Hodgkin B Lymphomas. <i>Journal of Immunology</i> , 2015 , 195, 2207-15	5.3	18

114	Approach to therapy of diffuse large B-cell lymphoma in the elderly: the International Society of Geriatric Oncology (SIOG) expert position commentary. <i>Annals of Oncology</i> , 2015 , 26, 1058-1068	10.3	52
113	Low Serum Vitamin D Levels Are Associated With Inferior Survival in Follicular Lymphoma: A Prospective Evaluation in SWOG and LYSA Studies. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1482-90	2.2	50
112	Impact of comorbidities on the treatment of non-Hodgkin's lymphoma: a systematic review. <i>Expert Review of Hematology</i> , 2015 , 8, 329-41	2.8	14
111	Methotrexate and temozolomide versus methotrexate, procarbazine, vincristine, and cytarabine for primary CNS lymphoma in an elderly population: an intergroup ANOCEF-GOELAMS randomised phase 2 trial. <i>Lancet Haematology</i> , 2015 , 2, e251-9	14.6	115
110	Diffuse large B-cell lymphoma in the elderly: impact of prognosis, comorbidities, geriatric assessment, and supportive care on clinical practice. An International Society of Geriatric Oncology (SIOG) expert position paper. <i>Journal of Geriatric Oncology</i> , 2015 , 6, 141-52	3.6	47
109	Patterns of response and relapse of primary central nervous system lymphomas (PCNSL) following first line of high-dose methotrexate-based chemotherapy (hdMTX): Analysis of a prospective ANOCEF randomized phase II trial.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2035-2035	2.2	1
108	General Considerations on Treatment in Older Patients with Hematological Malignancies 2015 , 253-268		
107	Validation of a geriatric screening test to detect frailty in elderly cancer patients: Improving the G8 test.. <i>Journal of Clinical Oncology</i> , 2015 , 33, e12604-e12604	2.2	
106	p62/SQSTM1 upregulation constitutes a survival mechanism that occurs during granulocytic differentiation of acute myeloid leukemia cells. <i>Cell Death and Differentiation</i> , 2014 , 21, 1852-61	12.7	45
105	BiOsimilaRs in the management of anaemia secondary to chemotherapy in HaEmatology and Oncology: results of the ORHEO observational study. <i>BMC Cancer</i> , 2014 , 14, 503	4.8	17
104	High level of soluble programmed cell death ligand 1 in blood impacts overall survival in aggressive diffuse large B-Cell lymphoma: results from a French multicenter clinical trial. <i>Leukemia</i> , 2014 , 28, 2367-75	10.7	239
103	R-CHOP with or without Radiotherapy in Non-Bulky Limited-Stage Diffuse Large B Cell Lymphoma (DLBCL): Preliminary Results of the Prospective Randomized Phase III 02-03 Trial from the Lysa/Goelams Group. <i>Blood</i> , 2014 , 124, 393-393	2.2	13
102	Nutritional advice in older patients at risk of malnutrition during treatment for chemotherapy: a two-year randomized controlled trial. <i>PLoS ONE</i> , 2014 , 9, e108687	3.7	72
101	Screening for vulnerability in older cancer patients: the ONCODAGE Prospective Multicenter Cohort Study. <i>PLoS ONE</i> , 2014 , 9, e115060	3.7	266
100	New drugs for follicular lymphoma in older adults. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2014 , 14, 657-64	2.2	2
99	Impact of Rituximab-Based Immunochemotherapy Induction and Maintenance on the Immunisation Rate Against Tetanus Toxin in Follicular Lymphoma Treated Patients : A Subanalysis of the PRIMA Study. <i>Blood</i> , 2014 , 124, 4430-4430	2.2	
98	Granulocyte-colony-stimulating factor in elderly patients receiving chemotherapy for breast and gynaecological cancers: results of a French survey. <i>Anticancer Research</i> , 2014 , 34, 5007-15	2.3	2
97	Are psychosocial factors associated with quality of life in patients with haematological cancer? A critical review of the literature. <i>Psycho-Oncology</i> , 2013 , 22, 241-9	3.9	55

96	Barriers to inclusion of older adults in randomised controlled clinical trials on Non-Hodgkin's lymphoma: a systematic review. <i>Cancer Treatment Reviews</i> , 2013 , 39, 812-7	14.4	31
95	Modeling of treatment response to erythropoiesis-stimulating agents in older (age ≥ 70 years) and younger (age < 70 years) patients. <i>Journal of Geriatric Oncology</i> , 2013 , 4, 196-201	3.6	
94	Screening methods for geriatric frailty. <i>Lancet Oncology</i> , 2013 , 14, e1-2	21.7	15
93	From suboptimal to optimal treatment in older patients with cancer. <i>Journal of Geriatric Oncology</i> , 2013 , 4, 291-3	3.6	6
92	Functional decline in older patients with cancer receiving first-line chemotherapy. <i>Journal of Clinical Oncology</i> , 2013 , 31, 3877-82	2.2	152
91	90Yttrium-ibritumomab tiuxetan consolidation of first remission in advanced-stage follicular non-Hodgkin lymphoma: updated results after a median follow-up of 7.3 years from the International, Randomized, Phase III First-Line Indolent trial. <i>Journal of Clinical Oncology</i> , 2013 , 31, 1977-83	2.2	154
90	IGHV gene features and MYD88 L265P mutation separate the three marginal zone lymphoma entities and Waldenström macroglobulinemia/lymphoplasmacytic lymphomas. <i>Leukemia</i> , 2013 , 27, 183-9	10.7	138
89	Management of elderly patients with chronic lymphocytic leukemia. <i>Hematologie</i> , 2013 , 19, 10-20	0	
88	Updated 6 Year Follow-Up Of The PRIMA Study Confirms The Benefit Of 2-Year Rituximab Maintenance In Follicular Lymphoma Patients Responding To Frontline Immunochemotherapy. <i>Blood</i> , 2013 , 122, 509-509	2.2	61
87	Clinical outcome of patients with follicular lymphoma receiving chemoimmunotherapy in the PRIMA study is not affected by FCGR3A and FCGR2A polymorphisms. <i>Blood</i> , 2012 , 120, 2650-7	2.2	47
86	Impact of [(18)F]fluorodeoxyglucose positron emission tomography response evaluation in patients with high-tumor burden follicular lymphoma treated with immunochemotherapy: a prospective study from the Groupe d'Etudes des Lymphomes de l'Adulte and GOELAMS. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4317-22	2.2	140
85	Rituximab induction immunotherapy for first-line low-tumor-burden follicular lymphoma: survival analyses with 7-year follow-up. <i>Annals of Oncology</i> , 2012 , 23, 2380-2385	10.3	40
84	Therapeutic strategies in elderly and very elderly patients. <i>Best Practice and Research in Clinical Haematology</i> , 2012 , 25, 91-100	4.2	6
83	Bortezomib plus rituximab versus rituximab in patients with high-risk, relapsed, rituximab-naïve or rituximab-sensitive follicular lymphoma: subgroup analysis of a randomized phase 3 trial. <i>Journal of Hematology and Oncology</i> , 2012 , 5, 67	22.4	14
82	The EORTC Cancer in the Elderly Task Force, a Protostar for EORTC's future. <i>European Journal of Cancer</i> , 2012 , 10, 34-38	1.6	7
81	Referral of elderly cancer patients to specialists: action proposals for general practitioners. <i>Cancer Treatment Reviews</i> , 2012 , 38, 935-41	14.4	12
80	General joint frailty model for recurrent event data with a dependent terminal event: Application to follicular lymphoma data. <i>Statistics in Medicine</i> , 2012 , 31, 1162-76	2.3	23
79	Reply to J. Lagro et al. <i>Journal of Clinical Oncology</i> , 2012 , 30, 4443-4445	2.2	1

78	Screening older cancer patients: first evaluation of the G-8 geriatric screening tool. <i>Annals of Oncology</i> , 2012 , 23, 2166-2172	10.3	444
77	Recurrent mutations of MYD88 and TBL1XR1 in primary central nervous system lymphomas. <i>Clinical Cancer Research</i> , 2012 , 18, 5203-11	12.9	170
76	Consolidation Anti-CD22 Fractionated Radioimmunotherapy with 90y-Epratuzumab Tetraxetan Following R-CHOP in Elderly DLBCL Patients: A Lysa Phase II Prospective Trial. <i>Blood</i> , 2012 , 120, 906-906 ^{2.2}	2.2	3
75	Predictors of early death risk in older patients treated with first-line chemotherapy for cancer. <i>Journal of Clinical Oncology</i> , 2012 , 30, 1829-34	2.2	294
74	Prognostic factors of the loss of autonomy (LoA) in older patients with cancer receiving first-line chemotherapy.. <i>Journal of Clinical Oncology</i> , 2012 , 30, 9012-9012	2.2	
73	Low Serum Vitamin D Levels Are Associated with Inferior Survival in Follicular Lymphoma: A Prospective Evaluation in SWOG and Lysa Studies.. <i>Blood</i> , 2012 , 120, 2712-2712	2.2	
72	Evaluation of efficacy and safety of FOLFIRI for elderly patients with gastric cancer: a first-line phase II study. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2011 , 35, 823-30	2.4	11
71	Chemotherapy treatment for older women with metastatic breast cancer: what is the evidence?. <i>Cancer Treatment Reviews</i> , 2011 , 37, 590-8	14.4	7
70	Consolidation par 90Y-epratuzumab en fractionn ^é dans le lymphome B diffus ^à grandes cellules : r ^é sultats pr ^é liminaires d ^u une t ^u de de phase II. <i>Medecine Nucleaire</i> , 2011 , 35, 478-486	0.1	
69	Diffuse large B-cell and peripheral T-cell non-Hodgkin's lymphoma in the frail elderly. <i>Journal of Geriatric Oncology</i> , 2011 , 2, 36-44	3.6	30
68	Rituximab maintenance for 2 years in patients with high tumour burden follicular lymphoma responding to rituximab plus chemotherapy (PRIMA): a phase 3, randomised controlled trial. <i>Lancet, The</i> , 2011 , 377, 42-51	40	806
67	Huit fiches pratiques de conseil nutritionnel pour r ^é pondre aux besoins des patients g ^é au cours de leur traitement de chimioth ^é rapie: t ^u de INOGAD. <i>Oncologie</i> , 2011 , 13, 83-89	1	4
66	Évaluation g ^é riatrique dans les h ^é mopathies lympho ^é idies. <i>Oncologie</i> , 2011 , 13, 589-594	1	
65	Factors influencing general practitioners in the referral of elderly cancer patients. <i>BMC Cancer</i> , 2011 , 11, 5	4.8	27
64	Anthracycline cardiotoxicity in the elderly cancer patient: a SIOG expert position paper. <i>Annals of Oncology</i> , 2011 , 22, 257-67	10.3	118
63	Overview of aggressive lymphomas in the older adult. <i>Aging Health</i> , 2010 , 6, 191-200		
62	Occupational exposure to organic solvents and lymphoid neoplasms in men: results of a French case-control study. <i>Occupational and Environmental Medicine</i> , 2010 , 67, 664-72	2.1	14
61	Questionnaires and instruments for a multidimensional assessment of the older cancer patient: what clinicians need to know?. <i>European Journal of Cancer</i> , 2010 , 46, 1019-25	7.5	57

60	Promoting evidence-based management of anemia in cancer patients: concurrent and discriminant validity of RESPOND, a web-based clinical guidance system based on the EORTC guidelines for supportive care in cancer. <i>Supportive Care in Cancer</i> , 2010 , 18, 847-58	3.9	7
59	Consolidation Anti-CD22 Fractionated Radioimmunotherapy with 90Y Epratuzumab Tetraxetan Following R-CHOP In Elderly DLBCL Patients. <i>Blood</i> , 2010 , 116, 2875-2875	2.2	3
58	90Y-Ibritumomab Tiuxetan (Zevalin [®]) Consolidation of First Remission In Advanced-Stage Follicular Non-Hodgkin's Lymphoma: Updated Results After a Median Follow-up of 66.2 Months From the International, Randomized, Phase III First-Line Indolent Trial (FIT) In 414 Patients. <i>Blood</i> , 2010 , 116, 594-594	2.2	8
57	Modeling of treatment response to erythropoiesis-stimulating agents as a function of center- and patient-related variables: results from the Anemia Cancer Treatment (ACT) study. <i>Annals of Oncology</i> , 2009 , 20, 1714-21	10.3	7
56	Follicular lymphoma international prognostic index 2: a new prognostic index for follicular lymphoma developed by the international follicular lymphoma prognostic factor project. <i>Journal of Clinical Oncology</i> , 2009 , 27, 4555-62	2.2	483
55	Increased frequency of hematopoietic malignancies in relatives of patients with lymphoid neoplasms: a French case-control study. <i>International Journal of Cancer</i> , 2009 , 124, 1188-95	7.5	6
54	Occupational exposure to pesticides and lymphoid neoplasms among men: results of a French case-control study. <i>Occupational and Environmental Medicine</i> , 2009 , 66, 291-8	2.1	71
53	Management of unfit patients with unfavourable non-Hodgkin's lymphomas. <i>Cancer Treatment Reviews</i> , 2009 , 35, 528-32	14.4	5
52	Managing cancer-related anaemia in congruence with the EORTC guidelines is an independent predictor of haemoglobin outcome: initial evidence from the RESPOND study. <i>European Journal of Cancer</i> , 2009 , 45, 8-11	7.5	18
51	Treatment patterns and outcomes in the management of anaemia in cancer patients in Europe: findings from the Anaemia Cancer Treatment (ACT) study. <i>European Journal of Cancer</i> , 2009 , 45, 1603-15	7.5	51
50	Vulnerable and frail elderly: an approach to the management of the main tumour types. <i>European Journal of Cancer</i> , 2008 , 44, 488-93	7.5	16
49	Erythropoietins should be used according to guidelines. <i>Lancet Oncology</i> , 2008 , 9, 412-3	21.7	22
48	Phase III trial of consolidation therapy with yttrium-90-ibritumomab tiuxetan compared with no additional therapy after first remission in advanced follicular lymphoma. <i>Journal of Clinical Oncology</i> , 2008 , 26, 5156-64	2.2	378
47	UV radiation exposure, skin type and lymphoid malignancies: results of a French case-control study. <i>Cancer Causes and Control</i> , 2008 , 19, 305-15	2.8	24
46	Cigarette smoking, alcohol drinking, and risk of lymphoid neoplasms: results of a French case-control study. <i>Cancer Causes and Control</i> , 2008 , 19, 1147-60	2.8	34
45	The background and methodology of the Anaemia Cancer Treatment (A.C.T.) study: a global retrospective study of practice patterns and outcomes in the management of anaemia in cancer patients and their congruence with evidence-based guidelines. <i>Supportive Care in Cancer</i> , 2008 , 16, 193-200	3.9	14
44	Promoting evidence-based management of anemia in cancer patients: background, development, and scientific validation of RESPOND, a web-based clinical guidance system based on the EORTC guidelines. <i>Critical Reviews in Oncology/Hematology</i> , 2008 , 65, 32-42	7	4
43	Undernutrition in elderly patients with cancer: target for diagnosis and intervention. <i>Critical Reviews in Oncology/Hematology</i> , 2008 , 67, 243-54	7	79

42	Prospective Multicenter Study for Evaluating Cognitive Disorders in Hematology-Oncology: A Pilot Study of 118 Patients. <i>Blood</i> , 2008 , 112, 1309-1309	2.2	
41	Lymphomes et autres tumeurs h�matologiques 2007 , 179-206		1
40	History of infections and vaccinations and risk of lymphoid neoplasms: does influenza immunization reduce the risk?. <i>Leukemia</i> , 2007 , 21, 2075-9	10.7	14
39	Prise en charge des lymphomes chez les personnes g�es. <i>Oncologie</i> , 2007 , 9, 214-218	1	
38	Intraclass correlation metrics for the accuracy of algorithmic definitions in a computerized decision support system for supportive cancer care. <i>Supportive Care in Cancer</i> , 2007 , 15, 1325-1329	3.9	5
37	Joint frailty models for recurring events and death using maximum penalized likelihood estimation: application on cancer events. <i>Biostatistics</i> , 2007 , 8, 708-21	3.7	117
36	Occupation and lymphoid malignancies: results from a French case-control study. <i>Journal of Occupational and Environmental Medicine</i> , 2007 , 49, 1339-50	2	17
35	A phase II study for the evaluation of quinine as a modulator of multidrug resistance in non-Hodgkin's lymphoma. <i>European Journal of Cancer</i> , 2007 , 43, 53-4	7.5	2
34	EORTC guidelines for the use of erythropoietic proteins in anaemic patients with cancer: 2006 update. <i>European Journal of Cancer</i> , 2007 , 43, 258-70	7.5	302
33	Aggressive non-Hodgkin's lymphoma: concomitant evaluation of interleukin-2, soluble interleukin-2 receptor, interleukin-4, interleukin-6, interleukin-10 and correlation with outcome. <i>Leukemia and Lymphoma</i> , 2006 , 47, 603-11	1.9	27
32	Optimising the response to epoetin beta for the treatment of cancer-related anaemia. <i>Current Medical Research and Opinion</i> , 2006 , 22, S35-S44	2.5	
31	Single Treatment with Rituximab Monotherapy for Low-Tumor Burden Follicular Lymphoma (FL): Survival Analyses with Extended Follow-Up (F/Up) of 7 Years.. <i>Blood</i> , 2006 , 108, 486-486	2.2	36
30	Fludarabine phosphate-CVP in patients over 60 years of age with advanced, low-grade and follicular lymphoma: a dose-finding study. <i>European Journal of Cancer</i> , 2005 , 41, 2630-6	7.5	4
29	L'�apprentissage de la relation et de l'�examen cliniques en cancfologie. <i>Oncologie</i> , 2005 , 7, 65-69	1	1
28	Variability of quantitative polymerase chain reaction detection of the bcl-2-IgH translocation in an international multicenter study. <i>Haematologica</i> , 2005 , 90, 1706-7	6.6	7
27	EORTC guidelines for the use of erythropoietic proteins in anaemic patients with cancer. <i>European Journal of Cancer</i> , 2004 , 40, 2201-16	7.5	211
26	Follicular lymphoma international prognostic index. <i>Blood</i> , 2004 , 104, 1258-65	2.2	1348
25	Single 4-Dose Rituximab Treatment for Low-Tumor Burden Follicular Lymphoma (FL): Survival Analyses with a Follow-Up (F/Up) of at Least 5 Years.. <i>Blood</i> , 2004 , 104, 585-585	2.2	10

24	Reversion of Chemoresistance in Aggressive Lymphoma by Quinine. A Phase II Trial.. <i>Blood</i> , 2004 , 104, 4572-4572	2.2	
23	High-dose methotrexate-based chemotherapy followed by consolidating radiotherapy in non-AIDS-related primary central nervous system lymphoma: European Organization for Research and Treatment of Cancer Lymphoma Group Phase II Trial 20962. <i>Journal of Clinical Oncology</i> , 2003 , 21, 1488-93	2.2	272
22	Chemotherapy alone as initial treatment for primary CNS lymphoma in patients older than 60 years: a multicenter phase II study (26952) of the European Organization for Research and Treatment of Cancer Brain Tumor Group. <i>Journal of Clinical Oncology</i> , 2003 , 21, 2726-31	2.2	222
21	EORTC Cancer in the Elderly Task Force guidelines for the use of colony-stimulating factors in elderly patients with cancer. <i>European Journal of Cancer</i> , 2003 , 39, 2264-72	7.5	148
20	Identification of a novel proline-arginine motif involved in CIN85-dependent clustering of Cbl and down-regulation of epidermal growth factor receptors. <i>Journal of Biological Chemistry</i> , 2003 , 278, 39735-46	5.4	103
19	Quality of life in patients with aggressive non-Hodgkin's lymphoma. Validation of the medical outcomes study short form 20 and the Rotterdam symptom checklist in older patients. <i>Critical Reviews in Oncology/Hematology</i> , 2002 , 43, 219-26	7	7
18	A 1-kb Bcl-2-PCR fragment detection in a patient with follicular lymphoma and development of a new diagnostic PCR method. <i>Diagnostic Molecular Pathology</i> , 2001 , 10, 89-94		2
17	Expression of the stress-induced p8 mRNA is transiently activated after culture medium change. <i>European Journal of Cell Biology</i> , 2001 , 80, 720-5	6.1	41
16	Rituximab (anti-CD20 monoclonal antibody) as single first-line therapy for patients with follicular lymphoma with a low tumor burden: clinical and molecular evaluation. <i>Blood</i> , 2001 , 97, 101-6	2.2	457
15	Semen analysis and cryoconservation before treatment in Hodgkin's disease. <i>Annals of Oncology</i> , 2000 , 11, 679-84	10.3	35
14	Follicular lymphomas--a review of treatment modalities. <i>Critical Reviews in Oncology/Hematology</i> , 2000 , 35, 13-32	7	6
13	Current treatment of Hodgkin's disease. <i>Critical Reviews in Oncology/Hematology</i> , 2000 , 35, 49-73	7	6
12	Evolution of BCL-2/IgH hybrid gene RNA expression during treatment of T(14;18)-bearing follicular lymphomas. <i>British Journal of Cancer</i> , 1999 , 81, 860-9	8.7	8
11	Competitive polymerase chain reaction to quantify tumor cells in peripheral blood of patients with T(14;18)-bearing follicular non-Hodgkin's lymphoma: an exploratory study in 8 patients. <i>International Journal of Cancer</i> , 1999 , 84, 558-61	7.5	4
10	Place of low-dose total body irradiation in the treatment of localized follicular non-Hodgkin's lymphoma: results of a pilot study. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998 , 40, 387-90	4	51
9	Polymerase chain reaction diagnosis of t(14;18) from paraffin-embedded tissues fixed with Holland Bouin fluid. <i>Diagnostic Molecular Pathology</i> , 1998 , 7, 184-8		8
8	Granulocyte-macrophage colony-stimulating factor in patients with neutropenic fever is potent after low-risk but not after high-risk neutropenic chemotherapy regimens: results of a randomized phase III trial. <i>Journal of Clinical Oncology</i> , 1998 , 16, 2930-6	2.2	43
7	Method for the purification of tissue DNA suitable for PCR after fixation with Bouin's fluid. Uses and limitations in microsatellite typing. <i>Diagnostic Molecular Pathology</i> , 1997 , 6, 167-73		16

6	Is there any place for a wait-and-see policy in stage I0 follicular lymphoma? A study of 43 consecutive patients in a single center. <i>Annals of Oncology</i> , 1996 , 7, 713-8	10.3	41
5	Ethmoidal cancers: a retrospective study of 22 cases. <i>International Journal of Radiation Oncology Biology Physics</i> , 1993 , 25, 113-6	4	17
4	A survey in general practice about undergraduate cancer education: results from Gironde (France). <i>Journal of Cancer Education</i> , 1991 , 6, 153-7	1.8	9
3	Low-grade follicular lymphomas: analysis of prognosis in a series of 281 patients. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 1606-13		43
2	Adjuvant bacillus Calmette-Guérin therapy in non-Hodgkin's malignant lymphomas: long-term results of a randomized trial in a single institution. <i>Journal of Clinical Oncology</i> , 1990 , 8, 608-14	2.2	10
1	Localized follicular lymphomas: prognosis and survival of stages I and II in a retrospective series of 103 patients. <i>Radiotherapy and Oncology</i> , 1988 , 13, 91-8	5.3	26