Bernhard Kis

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8734130/publications.pdf

Version: 2024-02-01

| | | 236925 | 175258 |
|----------|----------------|--------------|----------------|
| 58 | 2,731 | 25 | 52 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| | | | |
| 64 | 64 | 64 | 3057 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Social cognition in attention-deficit hyperactivity disorder (ADHD). Neuroscience and Biobehavioral Reviews, 2010, 34, 734-743. | 6.1 | 312 |
| 2 | Positron emission tomographic analysis of the nigrostriatal dopaminergic system in familial Parkinsonism associated with mutations in the Parkin gene. Annals of Neurology, 2001, 49, 367-376. | 5.3 | 257 |
| 3 | Parkin deletions in a family with adult-onset, tremor-dominant parkinsonism: Expanding the phenotype. Annals of Neurology, 2000, 48, 65-71. | 5.3 | 247 |
| 4 | Endovascular treatment of intracranial arteriovenous malformations with onyx: technical aspects. American Journal of Neuroradiology, 2007, 28, 371-7. | 2.4 | 212 |
| 5 | Effects of Group Psychotherapy, Individual Counseling, Methylphenidate, and Placebo in the Treatment of Adult Attention-Deficit/Hyperactivity Disorder. JAMA Psychiatry, 2015, 72, 1199. | 11.0 | 154 |
| 6 | PREOPERATIVE EMBOLIZATION OF INTRACRANIAL ARTERIOVENOUS MALFORMATIONS WITH ONYX. Neurosurgery, 2007, 61, 244-254. | 1.1 | 152 |
| 7 | A new self-expanding nitinol stent (Enterprise) for the treatment of wide-necked intracranial aneurysms: initial clinical and angiographic results in 31 aneurysms. Neuroradiology, 2007, 49, 555-561. | 2.2 | 142 |
| 8 | Clinical characteristics of patients with late-onset multiple sclerosis. Journal of Neurology, 2008, 255, 697-702. | 3.6 | 99 |
| 9 | Elective Treatment of Saccular and Broad-necked Intracranial Aneurysms using a Closed-cell Nitinol Stent (Leo). Neurosurgery, 2006, 58, 443-450. | 1.1 | 86 |
| 10 | German validation of the Conners Adult ADHD Rating Scales (CAARS) II: Reliability, validity, diagnostic sensitivity and specificity. European Psychiatry, 2012, 27, 321-328. | 0.2 | 70 |
| 11 | Theory of mind and empathy in patients at an early stage of relapsing remitting multiple sclerosis. Clinical Neurology and Neurosurgery, 2013, 115, 1016-1022. | 1.4 | 63 |
| 12 | German Validation of the Conners Adult ADHD Rating Scales–self-report (CAARS-S) I: Factor Structure and Normative Data. European Psychiatry, 2011, 26, 100-107. | 0.2 | 62 |
| 13 | Methylphenidate-Induced Psychosis in Adult Attention-Deficit/Hyperactivity Disorder. Clinical Neuropharmacology, 2010, 33, 204-206. | 0.7 | 55 |
| 14 | Novel three-stage ascertainment method. Neurology, 2002, 58, 1820-1825. | 1.1 | 53 |
| 15 | Evaluation of the efficacy and effectiveness of a structured disorder tailored psychotherapy in ADHD in adults: study protocol of a randomized controlled multicentre trial. ADHD Attention Deficit and Hyperactivity Disorders, 2010, 2, 203-212. | 1.7 | 50 |
| 16 | Stent-angioplasty of intracranial vertebral and basilar artery stenoses in symptomatic patients. European Journal of Radiology, 2005, 55, 231-236. | 2.6 | 48 |
| 17 | Efficacy of stent angioplasty for symptomatic stenoses of the proximal vertebral artery. European Journal of Radiology, 2005, 56, 240-247. | 2.6 | 47 |
| 18 | Association studies of Parkinson's disease andparkin polymorphisms. Annals of Neurology, 2000, 48, 126-127. | 5.3 | 46 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | German Validation of the Conners Adult ADHD Rating Scale–Self-Report. Journal of Attention Disorders, 2013, 17, 690-698. | 2.6 | 46 |
| 20 | Long-term Effects of Multimodal Treatment on Adult Attention-Deficit/Hyperactivity Disorder Symptoms. JAMA Network Open, 2019, 2, e194980. | 5.9 | 36 |
| 21 | The impact of acute tryptophan depletion on attentional performance in adult patients with <scp>ADHD</scp> . Acta Psychiatrica Scandinavica, 2013, 128, 124-132. | 4.5 | 35 |
| 22 | The Effects of Acute Tryptophan Depletion on Reactive Aggression in Adults with Attention-Deficit/Hyperactivity Disorder (ADHD) and Healthy Controls. PLoS ONE, 2012, 7, e32023. | 2.5 | 32 |
| 23 | A randomized controlled multicenter trial on the multimodal treatment of adult attention-deficit hyperactivity disorder: enrollment and characteristics of the study sample. ADHD Attention Deficit and Hyperactivity Disorders, 2014, 6, 35-47. | 1.7 | 32 |
| 24 | Phenotypic variability in a large kindred (Family LA) with deletions in theparkin gene. Movement Disorders, 2002, 17, 424-426. | 3.9 | 27 |
| 25 | Association between Single Nucleotide Polymorphisms in the Lysyl Oxidase-Like 1 Gene and Spontaneous Cervical Artery Dissection. Cerebrovascular Diseases, 2007, 24, 343-348. | 1.7 | 27 |
| 26 | Selective Hyper-responsiveness of the Interferon System in Major Depressive Disorders and Depression Induced by Interferon Therapy. PLoS ONE, 2012, 7, e38668. | 2.5 | 23 |
| 27 | A pilot clinical trial of oxcarbazepine in adults with attention-deficit hyperactivity disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2006, 30, 1033-1038. | 4.8 | 22 |
| 28 | No clear effects of acute tryptophan depletion on processing affective prosody in male adults with <scp>ADHD</scp> . Acta Psychiatrica Scandinavica, 2013, 128, 142-148. | 4.5 | 22 |
| 29 | Impaired empathy but no theory of mind deficits in adult attention deficit hyperactivity disorder. Brain and Behavior, 2019, 9, e01401. | 2.2 | 21 |
| 30 | Chronic adrenomedullin treatment improves blood-brain barrier function but has no effects on expression of tight junction proteins. Acta Neurochirurgica Supplementum, 2003, 86, 565-568. | 1.0 | 21 |
| 31 | Perception of affective prosody in patients at an early stage of relapsing–remitting multiple sclerosis. Journal of Neuropsychology, 2013, 7, 91-106. | 1.4 | 20 |
| 32 | DSM-IV-TR Axes-I and II mental disorders in a representative and referred sample of unemployed youths $\hat{a} \in \mathbb{C}$ Results from a psychiatric liaison service in a job centre. European Psychiatry, 2014, 29, 239-245. | 0.2 | 18 |
| 33 | Safety Profile of Methylphenidate Under Long-Term Treatment in Adult ADHD Patients – Results of the COMPAS Study. Pharmacopsychiatry, 2020, 53, 263-271. | 3.3 | 16 |
| 34 | A Major Locus for Myoclonus-Dystonia Maps to Chromosome 7q in Eight Families*. American Journal of Human Genetics, 2000, 67, 1314-1319. | 6.2 | 15 |
| 35 | Brain potential signs of slowed stimulus processing following cholecystokinin in Parkinson's disease. Psychopharmacology, 2002, 161, 70-76. | 3.1 | 15 |
| 36 | Effectiveness of Psychotherapy in Adult ADHD: What Do Patients Think? Results of the COMPAS Study. Journal of Attention Disorders, 2019, 23, 1047-1058. | 2.6 | 15 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Perception of emotional prosody in adults with attention deficit hyperactivity disorder. Acta Psychiatrica Scandinavica, 2017, 135, 506-514. | 4.5 | 13 |
| 38 | Antibody pattern analysis in the Guillain–Barré syndrome and pathologic controls. Journal of Neuroimmunology, 2001, 119, 287-296. | 2.3 | 8 |
| 39 | Endovascular Treatment of a Dural Arteriovenous Fistula of the Transverse Sinus by Recanalisation, Angioplasty and Stent Deployment. Interventional Neuroradiology, 2003, 9, 65-69. | 1.1 | 8 |
| 40 | The collagen 1A2 polymorphism rs42524, which is associated with intracranial aneurysms, shows no association with spontaneous cervical artery dissection (sCAD). Journal of Neurology, Neurosurgery and Psychiatry, 2006, 77, 124-125. | 1.9 | 8 |
| 41 | Acute tryptophan depletion $\hat{a} \in \text{``converging evidence for decreasing central nervous serotonin synthesis in rodents and humans. Acta Psychiatrica Scandinavica, 2014, 129, 157-159.}$ | 4.5 | 8 |
| 42 | No Clear Association between Impaired Short-Term or Working Memory Storage and Time Reproduction Capacity in Adult ADHD Patients. PLoS ONE, 2015, 10, e0133714. | 2.5 | 8 |
| 43 | Oculogyric dystonic states in early-onset parkinsonism with basal ganglia calcifications. Neurology, 2005, 65, 761-761. | 1.1 | 7 |
| 44 | Psychosis Following Anti-Obesity Treatment with Rimonabant. Obesity Facts, 2008, 1, 103-105. | 3.4 | 6 |
| 45 | Parkin deletions in a family with adultâ€onset, tremorâ€dominant parkinsonism: Expanding the phenotype. Annals of Neurology, 2000, 48, 65-71. | 5.3 | 5 |
| 46 | Transvenous Treatment of a Dural Arteriovenous Fistula of the Transverse Sinus by Embolization with Platinum Coils and Onyx HD 500+. Interventional Neuroradiology, 2005, 11, 281-286. | 1.1 | 4 |
| 47 | Serum albumin correlates with affective prosody in adult males with attention-deficit hyperactivity disorder. Psychiatry Research, 2014, 217, 198-201. | 3.3 | 4 |
| 48 | Attenuated Readiness Potential in the Absence of Executive Dysfunction in Adults With ADHD. Journal of Attention Disorders, 2017, 21, 331-342. | 2.6 | 3 |
| 49 | Multimodal treatment efficacy differs in dependence of core symptom profiles in adult Attention-Deficit/Hyperactivity Disorder: An analysis of the randomized controlled COMPAS trial. Journal of Psychiatric Research, 2022, 151, 225-234. | 3.1 | 3 |
| 50 | Long-term improvement of quality of life in adult ADHD – results of the randomized multimodal COMPAS trial. International Journal of Mental Health, 2021, 50, 250-270. | 1.3 | 2 |
| 51 | Neuropsychological abnormalities in first degree relatives of patients with familial Parkinson's disease. Journal of Neurology, Neurosurgery and Psychiatry, 2000, 69, 838-838. | 1.9 | 2 |
| 52 | Prostanoid synthesis in the cerebral blood vessels of asphyxiated piglets. Acta Physiologica Hungarica, 2001, 88, 87-100. | 0.9 | 1 |
| 53 | Attachment in adult patients with attention-deficit hyperactivity disorder (ADHD). European Psychiatry, 2011, 26, 1310-1310. | 0.2 | 1 |
| 54 | A study on mental health in elder long term unemployed persons. European Psychiatry, 2011, 26, 557-557. | 0.2 | 1 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Effects of a diminished serotonin synthesis on memory and impulsive aggression in adult ADHD. European Psychiatry, 2011, 26, 1299-1299. | 0.2 | 0 |
| 56 | A diminished serotonin level influences the performance in a modified AX-continuous performance task in adult ADHD. European Psychiatry, 2011, 26, 430-430. | 0.2 | 0 |
| 57 | Utilisation of psychiatric examination and counseling in senior unemployed persons. European Psychiatry, 2011, 26, 583-583. | 0.2 | O |
| 58 | Intensity Dependence of Auditory Evoked Potentials (IDAP) in Adult Attention Deficit/Hyperactivity (ADHD) Disorder. Journal of Psychophysiology, 2014, 28, 63-72. | 0.7 | 0 |