Jelena Srebric

List of Publications by Citations

Source: https://exaly.com/author-pdf/873416/jelena-srebric-publications-by-citations.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,678 31 50 70 h-index g-index citations papers 6.8 3,305 5.52 74 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
70	A radiative cooling structural material. <i>Science</i> , 2019 , 364, 760-763	33.3	419
69	A critical review on the performance and design of combined cooled ceiling and displacement ventilation systems. <i>Energy and Buildings</i> , 2002 , 34, 497-509	7	136
68	Advanced computational modeling for in vitro nanomaterial dosimetry. <i>Particle and Fibre Toxicology</i> , 2015 , 12, 32	8.4	111
67	A heat transfer model for assessment of plant based roofing systems in summer conditions. <i>Building and Environment</i> , 2012 , 49, 310-323	6.5	89
66	The impact of exterior surface convective heat transfer coefficients on the building energy consumption in urban neighborhoods with different plan area densities. <i>Energy and Buildings</i> , 2015 , 86, 449-463	7	84
65	Natural ventilation design for houses in Thailand. <i>Energy and Buildings</i> , 2001 , 33, 815-824	7	80
64	Simplified Numerical Models for Complex Air Supply Diffusers. HVAC and R Research, 2002, 8, 277-294		67
63	Parameters optimization of a vertical ground heat exchanger based on response surface methodology. <i>Energy and Buildings</i> , 2011 , 43, 1288-1294	7	66
62	Numerical simulation of convective heat transfer coefficients at the external surfaces of building arrays immersed in a turbulent boundary layer. <i>International Journal of Heat and Mass Transfer</i> , 2013 , 61, 209-225	4.9	63
61	An advanced numerical model for the assessment of airborne transmission of influenza in bus microenvironments. <i>Building and Environment</i> , 2012 , 47, 67-75	6.5	63
60	Model predictive control for indoor thermal comfort and energy optimization using occupant feedback. <i>Energy and Buildings</i> , 2015 , 102, 357-369	7	60
59	Modeling Sustainability: Population, Inequality, Consumption, and Bidirectional Coupling of the Earth and Human Systems. <i>National Science Review</i> , 2016 , 3, 470-494	10.8	59
58	Building neighborhood emerging properties and their impacts on multi-scale modeling of building energy and airflows. <i>Building and Environment</i> , 2015 , 91, 246-262	6.5	58
57	Effect of urban neighborhoods on the performance of building cooling systems. <i>Building and Environment</i> , 2015 , 90, 15-29	6.5	56
56	Occupant feedback based model predictive control for thermal comfort and energy optimization: A chamber experimental evaluation. <i>Applied Energy</i> , 2016 , 164, 341-351	10.7	52
55	A Clear, Strong, and Thermally Insulated Transparent Wood for Energy Efficient Windows. <i>Advanced Functional Materials</i> , 2020 , 30, 1907511	15.6	50
54	Different modeling strategies of infiltration rates for an office building to improve accuracy of building energy simulations. <i>Energy and Buildings</i> , 2015 , 86, 288-295	7	48

(2015-2014)

Building and Environment, 2014 , 78, 199-211	6.5	47
Impact of occupancy rates on the building electricity consumption in commercial buildings. <i>Energy and Buildings</i> , 2017 , 138, 591-600	7	46
Experimental quantification of heat and mass transfer process through vegetated roof samples in a new laboratory setup. <i>International Journal of Heat and Mass Transfer</i> , 2011 , 54, 5149-5162	4.9	46
Development of new and validation of existing convection correlations for rooms with displacement ventilation systems. <i>Energy and Buildings</i> , 2006 , 38, 163-173	7	46
Building energy model calibration with schedules derived from electricity use data. <i>Applied Energy</i> , 2017 , 190, 997-1007	10.7	45
An investigation of sensible heat fluxes at a green roof in a laboratory setup. <i>Building and Environment</i> , 2011 , 46, 1851-1861	6.5	45
A CFD-Based Tool for Studying Temperature in Rack-Mounted Servers. <i>IEEE Transactions on Computers</i> , 2008 , 57, 1129-1142	2.5	44
Influence of plant coverage on the total green roof energy balance and building energy consumption. <i>Energy and Buildings</i> , 2015 , 103, 1-13	7	41
Validation of predictive heat and mass transfer green roof model with extensive green roof field data. <i>Ecological Engineering</i> , 2012 , 47, 165-173	3.9	41
Variability of optimal solutions for building components based on comprehensive life cycle cost analysis. <i>Energy and Buildings</i> , 2014 , 79, 223-231	7	40
Cluster analysis of simulated energy use for LEED certified U.S. office buildings. <i>Energy and Buildings</i> , 2014 , 85, 86-97	7	37
Predictions of electricity consumption in a campus building using occupant rates and weather elements with sensitivity analysis: Artificial neural network vs. linear regression. <i>Sustainable Cities and Society</i> , 2020 , 62, 102385	10.1	33
Numerical Modeling of Indoor Environment with a Ceiling Fan and an Upper-Room Ultraviolet Germicidal Irradiation System. <i>Building and Environment</i> , 2014 , 72, 116-124	6.5	33
Modeling and Managing Thermal Profiles of Rack-mounted Servers with ThermoStat 2007,		33
Ventilation and laboratory confirmed acute respiratory infection (ARI) rates in college residence halls in College Park, Maryland. <i>Environment International</i> , 2020 , 137, 105537	12.9	30
Demonstration of reduced-order urban scale building energy models. <i>Energy and Buildings</i> , 2017 , 156, 17-28	7	30
A Review of CFD Analysis Methods for Personalized Ventilation (PV) in Indoor Built Environments. <i>Sustainability</i> , 2019 , 11, 4166	3.6	28
A data-driven state-space model of indoor thermal sensation using occupant feedback for low-energy buildings. <i>Energy and Buildings</i> , 2015 , 91, 187-198	7	26
	Impact of occupancy rates on the building electricity consumption in commercial buildings. Energy and Buildings, 2017, 138, 591-600 Experimental quantification of heat and mass transfer process through vegetated roof samples in a new laboratory setup. International Journal of Heat and Mass Transfer, 2011, 54, 5149-5162 Development of new and validation of existing convection correlations for rooms with displacement ventilation systems. Energy and Buildings, 2006, 38, 163-173 Building energy model calibration with schedules derived from electricity use data. Applied Energy, 2017, 190, 997-1007 An investigation of sensible heat fluxes at a green roof in a laboratory setup. Building and Environment, 2011, 46, 1851-1861 A CFD-Based Tool for Studying Temperature in Rack-Mounted Servers. IEEE Transactions on Computers, 2008, 57, 1129-1142 Influence of plant coverage on the total green roof energy balance and building energy consumption. Energy and Buildings, 2015, 103, 1-13 Validation of predictive heat and mass transfer green roof model with extensive green roof field data. Ecological Engineering, 2012, 47, 165-173 Variability of optimal solutions for building components based on comprehensive life cycle cost analysis. Energy and Buildings, 2014, 79, 223-231 Cluster analysis of simulated energy use for LEED certified U.S. office buildings. Energy and Buildings, 2014, 79, 223-231 Cluster analysis of simulated energy use for LEED certified U.S. office buildings. Energy and Buildings, 2014, 85, 86-97 Predictions of electricity consumption in a campus building using occupant rates and weather elements with sensitivity analysis: Artificial neural network vs. linear regression. Sustainable Cities and Society, 2020, 62, 102385 Numerical Modeling of Indoor Environment with a Ceiling Fan and an Upper-Room Ultraviolet Germicidal Irradiation System. Building and Environment John Profession (ARI) rates in college residence halls in College Park, Maryland. Environment International, 2020, 137, 105537 Demonstration o	Impact of occupancy rates on the building electricity consumption in commercial buildings. Energy and Buildings, 2017, 138, 591-600 Experimental quantification of heat and mass transfer process through vegetated roof samples in a new laboratory setup. International Journal of Heat and Mass Transfer, 2011, 54, 5149-5162 Development of new and validation of existing convection correlations for rooms with displacement ventilation systems. Energy and Buildings, 2006, 38, 163-173 Building energy model calibration with schedules derived from electricity use data. Applied Energy, 2017, 190, 997-1007 An investigation of sensible heat fluxes at a green roof in a laboratory setup. Building and Environment, 2011, 46, 1851-1861 A CFD-Based Tool for Studying Temperature in Rack-Mounted Servers. IEEE Transactions on Computers, 2008, 57, 1129-1142 Influence of plant coverage on the total green roof energy balance and building energy consumption. Energy and Buildings, 2015, 103, 1-13 Validation of predictive heat and mass transfer green roof model with extensive green roof field data. Ecological Engineering, 2012, 47, 165-173 Variability of optimal solutions for building components based on comprehensive life cycle cost analysis. Energy and Buildings, 2014, 79, 223-231 Cluster analysis of simulated energy use for LEED certified U.S. office buildings. Energy and Buildings, 2014, 85, 86-97 Predictions of electricity consumption in a campus building using occupant rates and weather elements with sensitivity analysis: Artificial neural network vs. linear regression. Sustainable Cities and Society, 2020, 62, 102385 Numerical Modeling of Indoor Environment with a Ceiling Fan and an Upper-Room Ultraviolet Germicidal Irradiation System. Building and Environment, 2014, 72, 116-124 Modeling and Managing Thermal Profiles of Rack-mounted Servers with ThermoStat 2007, Ventilation and laboratory confirmed acute respiratory infection (ARI) rates in college residence halls in College Park, Maryland. Environment International, 202

35	Performance analysis of a ductless personalized ventilation combined with radiant floor cooling system and displacement ventilation. <i>Building Simulation</i> , 2019 , 12, 905-919	3.9	25
34	Influence of building surface solar irradiance on environmental temperatures in urban neighborhoods. <i>Sustainable Cities and Society</i> , 2016 , 26, 186-202	10.1	24
33	Quantifying the impact of urban wind sheltering on the building energy consumption. <i>Applied Thermal Engineering</i> , 2017 , 116, 850-865	5.8	23
32	Personalized cooling as an energy efficiency technology for city energy footprint reduction. <i>Journal of Cleaner Production</i> , 2018 , 171, 491-505	10.3	23
31	An extensive comparison of modified zero-equation, standard k-pand LES models in predicting urban airflow. <i>Sustainable Cities and Society</i> , 2018 , 40, 28-43	10.1	22
30	New Convection Correlations for Cooled Ceiling Panels in Room with Mixed and Stratified Airflow. <i>HVAC and R Research</i> , 2006 , 12, 279-294		22
29	Actual building energy use patterns and their implications for predictive modeling. <i>Energy Conversion and Management</i> , 2017 , 144, 164-180	10.6	21
28	Building energy retrofits under capital constraints and greenhouse gas pricing scenarios. <i>Energy and Buildings</i> , 2015 , 107, 407-416	7	21
27	Ventilation and indoor air quality in retail stores: A critical review (RP-1596). <i>HVAC and R Research</i> , 2014 , 20, 276-294		20
26	Accumulated snow layer influence on the heat transfer process through green roof assemblies. <i>Building and Environment</i> , 2015 , 87, 82-91	6.5	20
25	Cooling efficiency of a spot-type personalized air-conditioner. Building and Environment, 2017, 121, 35-	48 .5	18
24	A comparison of the thermal comfort performances of a radiation floor cooling system when combined with a range of ventilation systems. <i>Indoor and Built Environment</i> , 2020 , 29, 527-542	1.8	18
23	An indirect validation of convective heat transfer coefficients (CHTCs) for external building surfaces in an actual urban environment. <i>Building Simulation</i> , 2015 , 8, 337-352	3.9	17
22	Numerical investigation of upper-room UVGI disinfection efficacy in an environmental chamber with a ceiling fan. <i>Photochemistry and Photobiology</i> , 2013 , 89, 782-91	3.6	16
21	A validated numerical investigation of the ceiling fan's role in the upper-room UVGI efficacy. <i>Building and Environment</i> , 2015 , 86, 109-119	6.5	16
20	Impacts of building operational schedules and occupants on the lighting energy consumption patterns of an office space. <i>Building Simulation</i> , 2017 , 10, 447-458	3.9	15
19	Influence of reduced VAV flow settings on indoor thermal comfort in an office space. <i>Building Simulation</i> , 2016 , 9, 101-111	3.9	14
18	Numerical Evaluation of the Local Weather Data Impacts on Cooling Energy Use of Buildings in an Urban Area. <i>Procedia Engineering</i> , 2015 , 121, 381-388		14

LIST OF PUBLICATIONS

17	Comparison of survey and numerical sensitivity analysis results to assess the role of life cycle analyses from building designers pectives. <i>Energy and Buildings</i> , 2015 , 108, 463-469	7	11
16	Quantifying Impacts of Urban Microclimate on a Building Energy Consumption A Case Study. <i>Sustainability</i> , 2019 , 11, 4921	3.6	10
15	Impact of correlation of plug load data, occupancy rates and local weather conditions on electricity consumption in a building using four back-propagation neural network models. <i>Sustainable Cities and Society</i> , 2020 , 62, 102321	10.1	10
14	Occupant perceptions and a health outcome in retail stores. <i>Building and Environment</i> , 2015 , 93, 385-39	4 6.5	9
13	The Effect of Tree-Planting Patterns on the Microclimate within a Courtyard. <i>Sustainability</i> , 2019 , 11, 1665	3.6	7
12	Computational fluid dynamics modelling of UR-UVGI lamp effectiveness to promote disinfection of airborne microorganisms. <i>World Review of Science, Technology and Sustainable Development</i> , 2013 , 10, 78	1	6
11	Numerical analysis of cooling potential and indoor thermal comfort with a novel hybrid radiant cooling system in hot and humid climates. <i>Indoor and Built Environment</i> ,1420326X2110408	1.8	5
10	Traffic noise level predictions for buildings with windows opened for natural ventilation in urban environments. <i>Science and Technology for the Built Environment</i> , 2017 , 23, 726-735	1.8	4
9	A Characterization of time-dependent air infiltration rates in retail stores using calibrated multi-zone model. <i>Science and Technology for the Built Environment</i> , 2015 , 21, 420-428	1.8	4
8	A Two-Dimensional Numerical Analysis for Thermal Performance of an Intermittently Operated Radiant Floor Heating System in a Transient External Climatic Condition. <i>Heat Transfer Engineering</i> , 2020 , 41, 825-839	1.7	4
7	Measurements and Simulations of Aerosol Released while Singing and Playing Wind Instruments. <i>ACS Environmental Au</i> ,		4
6	Quantify Impacts of Local Urban Microclimate on Local Airflow Patterns. <i>Procedia Engineering</i> , 2017 , 205, 1983-1989		3
5	Desalination metamodels and a framework for cross-comparative performance simulations. <i>Desalination</i> , 2022 , 525, 115474	10.3	O
4	Energy savings and thermal comfort evaluation of a novel personal conditioning device. <i>Energy and Buildings</i> , 2021 , 241, 110917	7	O
3	Tradeoffs between ventilation, air mixing, and passenger density for the airborne transmission risk in airport transportation vehicles. <i>Building and Environment</i> , 2022 , 109186	6.5	O
2	Tradeoffs between energy use and ventilation rates in U.S. Retail stores. <i>Science and Technology for the Built Environment</i> , 2020 , 26, 713-725	1.8	

Creating Geometry with Basic Shape Templates in OpenStudio. *Procedia Engineering*, **2017**, 205, 1990-1995