
## Sarah Falk

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8734233/publications.pdf Version: 2024-02-01



SADAH FALK

#	Article	IF	CITATIONS
1	Divergent Roles of α5 and β4 Nicotinic Receptor Subunits in Food Reward and Nicotine-induced Weight Loss in Male Mice. Endocrinology, 2022, 163, .	1.4	3
2	Pharmacological but not physiological GDF15 suppresses feeding and the motivation to exercise. Nature Communications, 2021, 12, 1041.	5.8	69
3	Spinal astroglial cannabinoid receptors control pathological tremor. Nature Neuroscience, 2021, 24, 658-666.	7.1	18
4	CB1 and GLP-1 Receptors Cross Talk Provides New Therapies for Obesity. Diabetes, 2021, 70, 415-422.	0.3	19
5	Muscarinic receptors in energy homeostasis: Physiology and pharmacology. Basic and Clinical Pharmacology and Toxicology, 2020, 126, 66-76.	1.2	6
6	Chronic high dose P2X7 receptor inhibition exacerbates cancer-induced bone pain. European Journal of Pharmacology, 2019, 845, 48-55.	1.7	15
7	Carbenoxolone as a novel therapy for attenuation of cancer-induced bone pain. Pain, 2018, 159, 1127-1136.	2.0	12
8	Neuropeptide Y is Up-regulated and Induces Antinociception in Cancer-induced Bone Pain. Neuroscience, 2018, 384, 111-119.	1.1	15
9	The Src family kinase inhibitor dasatinib delays pain-related behaviour and conserves bone in a rat model of cancer-induced bone pain. Scientific Reports, 2017, 7, 4792.	1.6	32
10	Grid-climbing Behaviour as a Pain Measure for Cancer-induced Bone Pain and Neuropathic Pain. In Vivo, 2017, 31, 619-623.	0.6	7
11	R andall S elitto pressure algometry for assessment of boneâ€related pain in rats. European Journal of Pain, 2015, 19, 305-312.	1.4	15
12	Spinal neuronal correlates of tapentadol analgesia in cancer pain: A backâ€translational approach. European Journal of Pain, 2015, 19, 152-158.	1.4	16
13	P2X7 receptor-mediated analgesia in cancer-induced bone pain. Neuroscience, 2015, 291, 93-105.	1.1	36
14	Sex-difference affects disease progression in the MRMT-1 model of cancer-induced bone pain. F1000Research, 2015, 4, 445.	0.8	7
15	Effect of sex in the MRMT-1 model of cancer-induced bone pain. F1000Research, 2015, 4, 445.	0.8	9
16	Cancer pain physiology. British Journal of Pain, 2014, 8, 154-162.	0.7	36
17	Pain without Nociceptors? Nav1.7-Independent Pain Mechanisms. Cell Reports, 2014, 6, 301-312.	2.9	141
18	Pain and Nociception: Mechanisms of Cancer-Induced Bone Pain. Journal of Clinical Oncology, 2014, 32, 1647-1654.	0.8	249

Sarah Falk

#	Article	IF	CITATIONS
19	Influence of sex differences on the progression of cancer-induced bone pain. Anticancer Research, 2013, 33, 1963-9.	0.5	22
20	The Role of Purinergic Receptors in Cancer-Induced Bone Pain. Journal of Osteoporosis, 2012, 2012, 1-12.	0.1	22
21	Chronic administration of the selective P2X3, P2X2/3 receptor antagonist, A-317491, transiently attenuates cancer-induced bone pain in mice. European Journal of Pharmacology, 2012, 688, 27-34.	1.7	61
22	Neurons in the preBötzinger complex and VRG are located in proximity to arterioles in newborn mice. Neuroscience Letters, 2009, 450, 229-234.	1.0	9