List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8734446/publications.pdf Version: 2024-02-01



AMY K WACNER

#	Article	IF	CITATIONS
1	Early chronic systemic inflammation and associations with cognitive performance after moderate to severe TBI. Brain, Behavior, & Immunity - Health, 2021, 11, 100185.	2.5	10
2	Determinants of caregiver burden in male patients with epilepsy following penetrating traumatic brain injury. Epilepsy and Behavior, 2021, 116, 107768.	1.7	6
3	Serum Biomarkers of Regeneration and Plasticity are Associated with Functional Outcome in Pediatric Neurocritical Illness: An Exploratory Study. Neurocritical Care, 2021, 35, 457-467.	2.4	6
4	Effects of an acute care brain injury medicine continuity consultation service on health care utilization and rehabilitation outcomes. PM and R, 2021, 13, 1227-1236.	1.6	4
5	Effect of CHRFAM7A Δ2bp gene variant on secondary inflammation after spinal cord injury. PLoS ONE, 2021, 16, e0251110.	2.5	9
6	Plasma 1,3-β-d-glucan levels predict adverse clinical outcomes in critical illness. JCI Insight, 2021, 6, .	5.0	9
7	Treelet transform analysis to identify clusters of systemic inflammatory variance in a population with moderate-to-severe traumatic brain injury. Brain, Behavior, and Immunity, 2021, 95, 45-60.	4.1	10
8	Research Needs for Prognostic Modeling and Trajectory Analysis in Patients with Disorders of Consciousness. Neurocritical Care, 2021, 35, 55-67.	2.4	31
9	Relations Among Suicidal Ideation, Depressive Symptoms, and Functional Independence During the 10 Years After Traumatic Brain Injury: A Model Systems Study. Archives of Physical Medicine and Rehabilitation, 2021, , .	0.9	2
10	Neutrophil-to-Lymphocyte Ratios and Infections after Traumatic Brain Injury: Associations with Hospital Resource Utilization and Long-Term Outcome. Journal of Clinical Medicine, 2021, 10, 4365.	2.4	5
11	Evaluating the Cross-Sectional and Longitudinal Relationships Predicting Suicidal Ideation Following Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2021, 36, E18-E29.	1.7	8
12	Acute Cortisol Profile Associations With Cognitive Impairment After Severe Traumatic Brain Injury. Neurorehabilitation and Neural Repair, 2021, 35, 1088-1099.	2.9	9
13	Postoperative Treatment of Intracranial Hypotension Venous Congestion–Associated Brain Injury With Zolpidem. American Journal of Physical Medicine and Rehabilitation, 2021, 100, e89-e92.	1.4	0
14	ldentifying groupâ€based patterns of suicidal ideation over the first 10 years after moderateâ€toâ€severe TBI. Journal of Clinical Psychology, 2021, , .	1.9	3
15	Factor structure of the Behavioral Assessment Screening Tool (BAST) in traumatic brain injury. Disability and Rehabilitation, 2020, 42, 255-260.	1.8	13
16	Paths to Successful Translation of New Therapies for Severe Traumatic Brain Injury in the Golden Age of Traumatic Brain Injury Research: A Pittsburgh Vision. Journal of Neurotrauma, 2020, 37, 2353-2371.	3.4	31
17	Effects of hospital-acquired pneumonia on long-term recovery and hospital resource utilization following moderate to severe traumatic brain injury. Journal of Trauma and Acute Care Surgery, 2020, 88, 491-500.	2.1	21
18	Interrelationships Between Post-TBI Employment and Substance Abuse: A Cross-lagged Structural Equation Modeling Analysis. Archives of Physical Medicine and Rehabilitation, 2020, 101, 797-806.	0.9	9

AMY K WAGNER

#	Article	IF	CITATIONS
19	Temporal Acute Serum Estradiol and Tumor Necrosis Factor-α Associations and Risk of Death after Severe Traumatic Brain Injury. Journal of Neurotrauma, 2020, 37, 2198-2210.	3.4	10
20	Anti-Pituitary and Anti-Hypothalamus Autoantibody Associations with Inflammation and Persistent Hypogonadotropic Hypogonadism in Men with Traumatic Brain Injury. Journal of Neurotrauma, 2020, 37, 1609-1626.	3.4	11
21	Systemic Estrone Production and Injury-Induced Sex Hormone Steroidogenesis after Severe Traumatic Brain Injury: A Prognostic Indicator of Traumatic Brain Injury-Related Mortality. Journal of Neurotrauma, 2019, 36, 1156-1167.	3.4	12
22	Variability with Astroglial Clutamate Transport Genetics Is Associated with Increased Risk for Post-Traumatic Seizures. Journal of Neurotrauma, 2019, 36, 230-238.	3.4	21
23	Estradiol to Androstenedione Ratios Moderate the Relationship between Neurological Injury Severity and Mortality Risk after Severe Traumatic Brain Injury. Journal of Neurotrauma, 2019, 36, 538-547.	3.4	2
24	Extended (10-Day) Real-Time Monitoring by Dexamethasone-Enhanced Microdialysis in the Injured Rat Cortex. ACS Chemical Neuroscience, 2019, 10, 3521-3531.	3.5	11
25	Altered White Matter Integrity after Mild to Moderate Traumatic Brain Injury. Journal of Clinical Medicine, 2019, 8, 1318.	2.4	12
26	A Repeated Measures Pilot Comparison of Trajectories of Fluctuating Endogenous Hormones in Young Women with Traumatic Brain Injury, Healthy Controls. Behavioural Neurology, 2019, 2019, 1-13.	2.1	2
27	Scoping review of clinical rehabilitation research pertaining to traumatic brain injury: 1990–2016. NeuroRehabilitation, 2019, 44, 207-215.	1.3	6
28	Variability in daily self-reported emotional symptoms and fatigue measured over eight weeks in community dwelling individuals with traumatic brain injury. Brain Injury, 2019, 33, 567-573.	1.2	14
29	Association of a Functional Polymorphism in the <i>CHRFAM7A</i> Gene with Inflammatory Response Mediators and Neuropathic Pain after Spinal Cord Injury. Journal of Neurotrauma, 2019, 36, 3026-3033.	3.4	18
30	Experimental traumatic brain injury results in estrous cycle disruption, neurobehavioral deficits, and impaired GSK3β/β-catenin signaling in female rats. Experimental Neurology, 2019, 315, 42-51.	4.1	27
31	Association of Very Early Serum Levels of S100B, Clial Fibrillary Acidic Protein, Ubiquitin C-Terminal Hydrolase-L1, and Spectrin Breakdown Product with Outcome in ProTECT III. Journal of Neurotrauma, 2019, 36, 2863-2871.	3.4	34
32	Comorbid Conditions Among Adults 50 Years and Older With Traumatic Brain Injury: Examining Associations With Demographics, Healthcare Utilization, Institutionalization, and 1-Year Outcomes. Journal of Head Trauma Rehabilitation, 2019, 34, 224-232.	1.7	20
33	Employment Stability in the First 5 Years After Moderate-to-Severe Traumatic Brain Injury. Archives of Physical Medicine and Rehabilitation, 2019, 100, 412-421.	0.9	35
34	Development and content validity of the behavioral assessment screening tool (BAST _β). Disability and Rehabilitation, 2019, 41, 1200-1206.	1.8	19
35	Probabilistic Matching of Deidentified Data From a Trauma Registry and a Traumatic Brain Injury Model System Center. American Journal of Physical Medicine and Rehabilitation, 2018, 97, 236-241.	1.4	6
36	Epidemiology of Comorbid Conditions Among Adults 50 Years and Older With Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2018, 33, 15-24.	1.7	59

AMY K WAGNER

#	Article	IF	CITATIONS
37	Scholarly Research Projects Benefit Medical Students' Research Productivity and Residency Choice: Outcomes From the University of Pittsburgh School of Medicine. Academic Medicine, 2018, 93, 1727-1731.	1.6	32
38	A mathematical model of neuroinflammation in severe clinical traumatic brain injury. Journal of Neuroinflammation, 2018, 15, 345.	7.2	14
39	Poster 62: Subacute Systemic Inflammation Associated with Depression at 12 Months Post-Traumatic Brain Injury. PM and R, 2018, 10, S7-S7.	1.6	1
40	Craniectomy and Craniotomy in Traumatic Brain Injury: A Propensity-Matched Analysis of Long-Term Functional and Quality of Life Outcomes. World Neurosurgery, 2018, 118, e974-e981.	1.3	10
41	Genetic Variation in the Vesicular Monoamine Transporter: Preliminary Associations With Cognitive Outcomes After Severe Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2017, 32, E24-E34.	1.7	15
42	Ventricular fibrillation cardiac arrest produces a chronic striatal hyperdopaminergic state that is worsened by methylphenidate treatment. Journal of Neurochemistry, 2017, 142, 305-322.	3.9	6
43	Cross-Lagged Panel Analysis of Depression and Behavioral Dysfunction in the First Year After Moderate-to-Severe Traumatic Brain Injury. Journal of Neuropsychiatry and Clinical Neurosciences, 2017, 29, 260-266.	1.8	15
44	Variability in Emotional Symptoms and Fatigue Measured via Mobile Ecological Momentary Assessment after TBI. Archives of Physical Medicine and Rehabilitation, 2017, 98, e130.	0.9	5
45	The pharmacogenomics of severe traumatic brain injury. Pharmacogenomics, 2017, 18, 1413-1425.	1.3	15
46	Modeling Fast-scan Cyclic Voltammetry Data from Electrically Stimulated Dopamine Neurotransmission Data Using QNsim1.0. Journal of Visualized Experiments, 2017, , .	0.3	2
47	TBI Rehabilomics Research: an Exemplar of a Biomarker-Based Approach to Precision Care for Populations with Disability. Current Neurology and Neuroscience Reports, 2017, 17, 84.	4.2	18
48	Autoimmunity and Traumatic Brain Injury. Current Physical Medicine and Rehabilitation Reports, 2017, 5, 22-29.	0.8	7
49	Post-traumatic epilepsy associations with mental health outcomes in the first two years after moderate to severe TBI: A TBI Model Systems analysis. Epilepsy and Behavior, 2017, 73, 240-246.	1.7	27
50	Conceptual model and cluster analysis of behavioral symptoms in two cohorts of adults with traumatic brain injuries. Journal of Clinical and Experimental Neuropsychology, 2017, 39, 513-524.	1.3	22
51	Cerebrospinal Fluid Cortisol Mediates Brain-Derived Neurotrophic Factor Relationships to Mortality after Severe TBI: A Prospective Cohort Study. Frontiers in Molecular Neuroscience, 2017, 10, 44.	2.9	29
52	A narrative literature review of depression following traumatic brain injury: prevalence, impact, and management challenges. Psychology Research and Behavior Management, 2017, Volume 10, 175-186.	2.8	58
53	Neuroproteomics and Systems Biology Approach to Identify Temporal Biomarker Changes Post Experimental Traumatic Brain Injury in Rats. Frontiers in Neurology, 2016, 7, 198.	2.4	26
54	A Dopamine Pathway Gene Risk Score for Cognitive Recovery Following Traumatic Brain Injury: Methodological Considerations, Preliminary Findings, and Interactions With Sex. Journal of Head Trauma Rehabilitation, 2016, 31, E15-E29.	1.7	30

#	Article	IF	CITATIONS
55	Effects of Depression and Antidepressant Use on Cognitive Deficits and Functional Cognition Following Severe Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2016, 31, E62-E73.	1.7	18
56	Fastâ€scan cyclic voltammetry demonstrates that Lâ€DOPA produces doseâ€dependent, regionally selective bimodal effects on striatal dopamine kinetics <i>inÂvivo</i> . Journal of Neurochemistry, 2016, 136, 1270-1283.	3.9	16
57	Prognostic models for predicting posttraumatic seizures during acute hospitalization, and at 1 and 2 years following traumatic brain injury. Epilepsia, 2016, 57, 1503-1514.	5.1	33
58	Incidence and risk factors of posttraumatic seizures following traumatic brain injury: A Traumatic Brain Injury Model Systems Study. Epilepsia, 2016, 57, 1968-1977.	5.1	96
59	Persistent Hypogonadotropic Hypogonadism in Men After Severe Traumatic Brain Injury: Temporal Hormone Profiles and Outcome Prediction. Journal of Head Trauma Rehabilitation, 2016, 31, 277-287.	1.7	29
60	COMT and ANKK1 Genetics Interact With Depression to Influence Behavior Following Severe TBI. Neurorehabilitation and Neural Repair, 2016, 30, 920-930.	2.9	32
61	Genetic variation in neuronal glutamate transport genes and associations with posttraumatic seizure. Epilepsia, 2016, 57, 984-993.	5.1	33
62	Acute Trauma Factor Associations With Suicidality Across the First 5 Years After Traumatic Brain Injury. Archives of Physical Medicine and Rehabilitation, 2016, 97, 1301-1308.	0.9	20
63	Principal components derived from CSF inflammatory profiles predict outcome in survivors after severe traumatic brain injury. Brain, Behavior, and Immunity, 2016, 53, 183-193.	4.1	45
64	Longitudinal sex and stress hormone profiles among reproductive age and post-menopausal women after severe TBI: A case series analysis. Brain Injury, 2016, 30, 452-461.	1.2	42
65	Brain-Derived Neurotrophic Factor (BDNF) in Traumatic Brain Injury–Related Mortality. Neurorehabilitation and Neural Repair, 2016, 30, 83-93.	2.9	89
66	Preliminary Associations Between Brain-Derived Neurotrophic Factor, Memory Impairment, Functional Cognition, and Depressive Symptoms Following Severe TBI. Neurorehabilitation and Neural Repair, 2016, 30, 419-430.	2.9	52
67	Biopsychosocial Outcomes in the First Year after Traumatic Brain Injury: Behavior, Depressive Symptoms, and Self-Perception. Archives of Physical Medicine and Rehabilitation, 2015, 96, e7-e8.	0.9	1
68	Trajectories of life satisfaction after traumatic brain injury: Influence of life roles, age, cognitive disability, and depressive symptoms Rehabilitation Psychology, 2015, 60, 353-364.	1.3	72
69	Hospital-acquired pneumonia is an independent predictor of poor global outcome in severe traumatic brain injury up to 5 years after discharge. Journal of Trauma and Acute Care Surgery, 2015, 78, 396-402.	2.1	73
70	Genetic variation in the adenosine regulatory cycle is associated with posttraumatic epilepsy development. Epilepsia, 2015, 56, 1198-1206.	5.1	49
71	<scp>IL</scp> â€lβ associations with posttraumatic epilepsy development: A genetics and biomarker cohort study. Epilepsia, 2015, 56, 991-1001.	5.1	50
72	Chronic Inflammation After Severe Traumatic Brain Injury. Journal of Head Trauma Rehabilitation, 2015, 30, 369-381.	1.7	139

#	Article	IF	CITATIONS
73	Posttraumatic Brain Injury Cognitive Performance Is Moderated by Variation Within ANKK1 and DRD2 Genes. Journal of Head Trauma Rehabilitation, 2015, 30, E54-E66.	1.7	43
74	Emerging Therapies in Traumatic Brain Injury. Seminars in Neurology, 2015, 35, 083-100.	1.4	100
75	Visual Priming Enhances the Effects of Nonspatial Cognitive Rehabilitation Training on Spatial Learning After Experimental Traumatic Brain Injury. Neurorehabilitation and Neural Repair, 2015, 29, 897-906.	2.9	5
76	Neurobiological model of stimulated dopamine neurotransmission to interpret fast-scan cyclic voltammetry data. Brain Research, 2015, 1599, 67-84.	2.2	8
77	Abbreviated levetiracetam treatment effects on behavioural and histological outcomes after experimental TBI. Brain Injury, 2015, 29, 78-85.	1.2	15
78	Pilot feasibility of an mHealth system for conducting ecological momentary assessment of mood-related symptoms following traumatic brain injury. Brain Injury, 2015, 29, 1351-1361.	1.2	70
79	Variation in the BDNF Gene Interacts With Age to Predict Mortality in a Prospective, Longitudinal Cohort with Severe TBI. Neurorehabilitation and Neural Repair, 2015, 29, 234-246.	2.9	73
80	Developing a Clinically Relevant Model of Cognitive Training After Experimental Traumatic Brain Injury. Neurorehabilitation and Neural Repair, 2015, 29, 483-495.	2.9	13
81	A Rehabilomics framework for personalized and translational rehabilitation research and care for individuals with disabilities: Perspectives and considerations for spinal cord injury. Journal of Spinal Cord Medicine, 2014, 37, 493-502.	1.4	15
82	In response to comments on IL-1β associations with posttraumatic epilepsy development: A genetics and biomarker cohort study. Epilepsia, 2014, 55, 1313-1314.	5.1	4
83	Rehabilomics Research. American Journal of Physical Medicine and Rehabilitation, 2014, 93, 913-916.	1.4	14
84	Cerebrospinal Fluid Cortisol and Progesterone Profiles and Outcomes Prognostication after Severe Traumatic Brain Injury. Journal of Neurotrauma, 2014, 31, 699-712.	3.4	50
85	<scp>IL</scp> â€1β associations with posttraumatic epilepsy development: A genetics and biomarker cohort study. Epilepsia, 2014, 55, 1109-1119.	5.1	125
86	The Influence of Genetic Variants on Striatal Dopamine Transporter and D2 Receptor Binding after TB. Journal of Cerebral Blood Flow and Metabolism, 2014, 34, 1328-1339.	4.3	54
87	A Rehabilomics focused perspective on molecular mechanisms underlying neurological injury, complications, and recovery after severe TBI. Pathophysiology, 2013, 20, 39-48.	2.2	46
88	The Effect of Environmental Enrichment on Substantia Nigra Gene Expression after Traumatic Brain Injury in Rats. Journal of Neurotrauma, 2013, 30, 259-270.	3.4	22
89	Variants of SLC6A4 in depression risk following severe TBI. Brain Injury, 2013, 27, 696-706.	1.2	34
90	Group-Based Trajectory Analysis Applications for Prognostic Biomarker Model Development in Severe TBI: A Practical Example. Journal of Neurotrauma, 2013, 30, 938-945.	3.4	91

#	Article	IF	CITATIONS
91	Non-spatial pre-training in the water maze as a clinically relevant model for evaluating learning and memory in experimental TBI. Neurobiology of Learning and Memory, 2013, 106, 71-86.	1.9	20
92	Genetic variability in glutamic acid decarboxylase genes: Associations with post-traumatic seizures after severe TBI. Epilepsy Research, 2013, 103, 180-194.	1.6	59
93	Mobile Phone Text Messaging to Assess Symptoms After Mild Traumatic Brain Injury and Provide Self-Care Support. Journal of Head Trauma Rehabilitation, 2013, 28, 302-312.	1.7	39
94	S100b as a Prognostic Biomarker in Outcome Prediction for Patients with Severe Traumatic Brain Injury. Journal of Neurotrauma, 2013, 30, 946-957.	3.4	137
95	Impact of Aromatase Genetic Variation on Hormone Levels and Global Outcome after Severe TBI. Journal of Neurotrauma, 2013, 30, 1415-1425.	3.4	38
96	Neuroprotective, Neuroplastic, and Neurobehavioral Effects of Daily Treatment With Levetiracetam in Experimental Traumatic Brain Injury. Neurorehabilitation and Neural Repair, 2013, 27, 878-888.	2.9	74
97	The Many Roles of Adenosine in Traumatic Brain Injury. , 2013, , 307-322.		4
98	Rehabilitation Considerations for Traumatic Brain Injury in the Geriatric Population: Epidemiology, Neurobiology, Prognosis, and Management. Current Translational Geriatrics and Experimental Gerontology Reports, 2012, 1, 149-158.	0.7	11
99	Association of KIBRA rs17070145 polymorphism and episodic memory in individuals with severe TBI. Brain Injury, 2012, 26, 1658-1669.	1.2	25
100	Persistent hypogonadism influences estradiol synthesis, cognition and outcome in males after severe TBI. Brain Injury, 2012, 26, 1226-1242.	1.2	39
101	Biologic and Plastic Effects of Experimental Traumatic Brain Injury Treatment Paradigms and Their Relevance to Clinical Rehabilitation. PM and R, 2011, 3, S18-27.	1.6	28
102	Conclusions on Biologics in Rehabilitation Research and Clinical Care. PM and R, 2011, 3, S158.	1.6	0
103	Rehabilomics: A Conceptual Framework to Drive Biologics Research. PM and R, 2011, 3, S28-30.	1.6	18
104	CSF Bcl-2 and cytochrome C temporal profiles in outcome prediction for adults with severe TBI. Journal of Cerebral Blood Flow and Metabolism, 2011, 31, 1886-1896.	4.3	43
105	Acute Serum Hormone Levels: Characterization and Prognosis after Severe Traumatic Brain Injury. Journal of Neurotrauma, 2011, 28, 871-888.	3.4	151
106	Dilantin Therapy in an Experimental Model of Traumatic Brain Injury: Effects of Limited versus Daily Treatment on Neurological and Behavioral Recovery. Journal of Neurotrauma, 2011, 28, 43-55.	3.4	21
107	Adenosine A1 receptor gene variants associated with post-traumatic seizures after severe TBI. Epilepsy Research, 2010, 90, 259-272.	1.6	82
108	Endothelin-1 Is Increased in Cerebrospinal Fluid and Associated with Unfavorable Outcomes in Children after Severe Traumatic Brain Injury. Journal of Neurotrauma, 2010, 27, 1819-1825.	3.4	61

AMY K WAGNER

#	Article	IF	CITATIONS
109	BCL2Genotypes: Functional and Neurobehavioral Outcomes after Severe Traumatic Brain Injury. Journal of Neurotrauma, 2010, 27, 1413-1427.	3.4	44
110	Trajectory Analysis of Serum Biomarker Concentrations Facilitates Outcome Prediction after Pediatric Traumatic and Hypoxemic Brain Injury. Developmental Neuroscience, 2010, 32, 396-405.	2.0	68
111	APOE genetic associations with seizure development after severe traumatic brain injury. Brain Injury, 2010, 24, 1468-1477.	1.2	26
112	Targeting Dopamine in Acute Traumatic Brain Injury. The Open Drug Discovery Journal, 2010, 2, 119-128.	0.7	30
113	YKLâ€40 glial expression may impact neuronal trophic support in neurodegeneration and neurological conditions. FASEB Journal, 2010, 24, 568.7.	0.5	Ο
114	Persistent cognitive dysfunction after traumatic brain injury: A dopamine hypothesis. Neuroscience and Biobehavioral Reviews, 2009, 33, 981-1003.	6.1	221
115	Chronic methylphenidate treatment enhances striatal dopamine neurotransmission after experimental traumatic brain injury. Journal of Neurochemistry, 2009, 108, 986-997.	3.9	79
116	Controlled cortical impact injury influences methylphenidateâ€induced changes in striatal dopamine neurotransmission. Journal of Neurochemistry, 2009, 110, 801-810.	3.9	29
117	Concussion in Sports: Postconcussive Activity Levels, Symptoms, and Neurocognitive Performance. Journal of Athletic Training, 2008, 43, 265-274.	1.8	358
118	Biomarkers of primary and evolving damage in traumatic and ischemic brain injury: diagnosis, prognosis, probing mechanisms, and therapeutic decision making. Current Opinion in Critical Care, 2008, 14, 135-141.	3.2	207
119	Sex and genetic associations with cerebrospinal fluid dopamine and metabolite production after severe traumatic brain injury. Journal of Neurosurgery, 2007, 106, 538-547.	1.6	39
120	How Gender Impacts Career Development and Leadership in Rehabilitation Medicine: A Report From the AAPM&R Research Committee. Archives of Physical Medicine and Rehabilitation, 2007, 88, 560-568.	0.9	20
121	Acute treatment with the 5-HT1A receptor agonist 8-OH-DPAT and chronic environmental enrichment confer neurobehavioral benefit after experimental brain trauma. Behavioural Brain Research, 2007, 177, 186-194.	2.2	99
122	Gender associations with chronic methylphenidate treatment and behavioral performance following experimental traumatic brain injury. Behavioural Brain Research, 2007, 181, 200-209.	2.2	84
123	Deficits in Novelty Exploration after Controlled Cortical Impact. Journal of Neurotrauma, 2007, 24, 1308-1320.	3.4	38
124	Gender associations with cerebrospinal fluid glutamate and lactate/pyruvate levels after severe traumatic brain injury. Critical Care Medicine, 2005, 33, 407-413.	0.9	70
125	Measuring Rehabilitation Research Capacity. American Journal of Physical Medicine and Rehabilitation, 2005, 84, 955-968.	1.4	7
126	Synaptosomal dopamine uptake in rat striatum following controlled cortical impact. Journal of Neuroscience Research, 2005, 80, 85-91.	2.9	18

#	Article	IF	CITATIONS
127	Gender and environmental enrichment impact dopamine transporter expression after experimental traumatic brain injury. Experimental Neurology, 2005, 195, 475-483.	4.1	73
128	Relationships between Cerebrospinal Fluid Markers of Excitotoxicity, Ischemia, and Oxidative Damage after Severe TBI: The Impact of Gender, Age, and Hypothermia. Journal of Neurotrauma, 2004, 21, 125-136.	3.4	162
129	Evaluation of estrous cycle stage and gender on behavioral outcome after experimental traumatic brain injury. Brain Research, 2004, 998, 113-121.	2.2	125
130	Physical Medicine and Rehabilitation Consultation. American Journal of Physical Medicine and Rehabilitation, 2003, 82, 526-536.	1.4	53
131	Return to productive activity after traumatic brain injury: Relationship with measures of disability, handicap, and community integration. Archives of Physical Medicine and Rehabilitation, 2002, 83, 107-114.	0.9	103
132	Intervention with environmental enrichment after experimental brain trauma enhances cognitive recovery in male but not female rats. Neuroscience Letters, 2002, 334, 165-168.	2.1	94