

Cristian Prez-Granados

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8735302/cristian-perez-granados-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

44
papers

314
citations

12
h-index

15
g-index

48
ext. papers

436
ext. citations

1.7
avg, IF

4.6
L-index

#	Paper	IF	Citations
44	Extensive sheep grazing is associated with trends in steppe birds in Spain: recommendations for the Common Agricultural Policy.. <i>PeerJ</i> , 2022 , 10, e12870	3.1	0
43	Leukocyte profile variation in Dupont's Lark (<i>Chersophilus duponti</i>) in Spain and Morocco. <i>Journal of Ornithology</i> , 2022 , 163, 539-551	1.5	0
42	Passive Acoustic Monitoring and Automatic Detection of Diel Patterns and Acoustic Structure of Howler Monkey Roars. <i>Diversity</i> , 2021 , 13, 566	2.5	0
41	Passive Acoustic Monitoring of Chaco Chachalaca (<i>Oreortyx canicollis</i>) Over a Year: Vocal Activity Pattern and Monitoring Recommendations. <i>Tropical Conservation Science</i> , 2021 , 14, 194008292110582	1.4	1
40	Vocal activity of the Ferruginous pygmy-owl (<i>Glaucidium brasilianum</i>) is strongly correlated with moon phase and nocturnal temperature. <i>Ethology Ecology and Evolution</i> , 2021 , 33, 62-72	0.7	5
39	Landscape features associated to wind farms increase mammalian predator abundance and ground-nest predation. <i>Biodiversity and Conservation</i> , 2021 , 30, 2581-2604	3.4	4
38	Time available for moulting shapes inter- and intra-specific variability in post-juvenile moult extent in wheatears (genus <i>Oenanthe</i>). <i>Journal of Ornithology</i> , 2021 , 162, 255-264	1.5	2
37	Passive acoustic monitoring of the diel and annual vocal behavior of the Black and Gold Howler Monkey. <i>American Journal of Primatology</i> , 2021 , 83, e23241	2.5	3
36	Estimating bird density using passive acoustic monitoring: a review of methods and suggestions for further research. <i>Ibis</i> , 2021 , 163, 765-783	1.9	15
35	Seasonal Climate Impacts on Vocal Activity in Two Neotropical Nonpasserines. <i>Diversity</i> , 2021 , 13, 319	2.5	1
34	Nocturnal vocal behaviour of the diurnal Undulated Tinamou (<i>Crypturellus undulatus</i>) is associated with temperature and moon phase. <i>Ibis</i> , 2021 , 163, 684-694	1.9	4
33	Diel and Seasonal Variations of Vocal Behavior of the Neotropical White-Tipped Dove (<i>Leptotila verreauxi</i>). <i>Diversity</i> , 2020 , 12, 402	2.5	6
32	Monitoring the annual vocal activity of two enigmatic nocturnal Neotropical birds: the Common Potoo (<i>Nyctibius griseus</i>) and the Great Potoo (<i>Nyctibius grandis</i>). <i>Journal of Ornithology</i> , 2020 , 161, 1129-1141	1.5	14
31	Illuminating the nightlife of two Neotropical nightjars: vocal behavior over a year and monitoring recommendations. <i>Ethology Ecology and Evolution</i> , 2020 , 32, 466-480	0.7	12
30	Advertisement call and diel pattern of <i>Pseudis platensis</i> (Anura, Hylidae, Pseudinae) in the Brazilian Pantanal and a bioacoustical comparison with <i>Pseudis paradoxa</i> . <i>Zootaxa</i> , 2020 , 4768, zootaxa.4768.2.5	0.5	0
29	Post-Juvenile and Post-Breeding Moulting of the Black Wheatear <i>Oenanthe leucura</i> in South-Eastern Spain: Slowed Down Due to Climatic Aridity?. <i>Ardea</i> , 2020 , 108, 21	0.9	2
28	Acoustic Monitoring of Diurnally Migrating European Bee-Eaters Agrees with Data Derived from Citizen Science. <i>Ardea</i> , 2020 , 108,	0.9	1

27	Dupont's Lark males start to sing earlier but reduce song rate on full moon dawns. <i>Journal of Ornithology</i> , 2020 , 161, 421-428	1.5	5
26	Vocal behavior of the Undulated Tinamou (<i>Crypturellus undulatus</i>) over an annual cycle in the Brazilian Pantanal: New ecological information. <i>Biotropica</i> , 2020 , 52, 165-171	2.3	11
25	Vocalisations of the Greater Rhea (<i>Rhea americana</i>): an allegedly silent ratite. <i>Bioacoustics</i> , 2020 , 1-11	1.6	2
24	Calling behaviour of <i>Elachistocleis matogrosso</i> (Anura, Microhylidae) is associated with habitat temperature and rainfall. <i>Bioacoustics</i> , 2020 , 29, 670-683	1.6	8
23	Testing the conspecific attraction hypothesis with Dupont's Larks, a resident species of songbird in central Spain. <i>Journal of Field Ornithology</i> , 2019 , 90, 277-285	0.9	3
22	Effort needed to accurately estimate Vocal Activity Rate index using acoustic monitoring: A case study with a dawn-time singing passerine. <i>Ecological Indicators</i> , 2019 , 107, 105608	5.8	10
21	Vocal activity rate index: a useful method to infer terrestrial bird abundance with acoustic monitoring. <i>Ibis</i> , 2019 , 161, 901-907	1.9	23
20	Cost-Effectiveness Assessment of Five Audio Recording Systems for Wildlife Monitoring: Differences between Recording Distances and Singing Direction. <i>Ardeola</i> , 2019 , 66, 311	1.1	18
19	Interactions in shrub-steppes: implications for the maintenance of a threatened bird. <i>Ecosistemas</i> , 2019 , 28, 69-77	1.7	3
18	Elucidating the diel and seasonal calling behaviour of <i>Elachistocleis matogrosso</i> (Anura: Microhylidae). <i>Journal of Natural History</i> , 2019 , 53, 2699-2710	0.5	3
17	Tail pattern variation in the Black Wheatear (<i>Oenanthe leucura</i>). <i>Journal of Ornithology</i> , 2018 , 159, 571-574	1.4	5
16	Returning home after fire: how fire may help us manage the persistence of scrub-steppe specialist bird populations. <i>Biodiversity and Conservation</i> , 2018 , 27, 3087-3102	3.4	5
15	European population trends and current conservation status of an endangered steppe-bird species: the Dupont's lark. <i>PeerJ</i> , 2018 , 6, e5627	3.1	19
14	Autonomous Recording Units as Effective Tool for Monitoring of the Rare and Patchily Distributed Dupont's Lark <i>Chersophilus duponti</i> . <i>Ardea</i> , 2018 , 106, 139	0.9	12
13	Dawn chorus interpretation differs when using songs or calls: the Dupont's Lark case. <i>PeerJ</i> , 2018 , 6, e5241	3.1	12
12	A cost-effective protocol for monitoring birds using autonomous recording units: a case study with a night-time singing passerine. <i>Bird Study</i> , 2018 , 65, 338-345	0.7	17
11	A multi-scale analysis of habitat selection in peripheral populations of the endangered Dupont's Lark <i>Chersophilus duponti</i> . <i>Bird Conservation International</i> , 2017 , 27, 398-413	1.7	15
10	Breeding biology of the endangered Dupont's Lark <i>Chersophilus duponti</i> in two separate Spanish shrub-steppes. <i>Bird Study</i> , 2017 , 64, 328-338	0.7	10

9	Assessment of Counting Methods Used for Estimating the Number of Territorial Males in the Endangered Dupont's Lark. <i>Ardeola</i> , 2017 , 64, 5-14	1.1	14
8	Habitat fragmentation effects and variations in repertoire size and degree of song sharing among close Dupont's Lark <i>Chersophilus duponti</i> populations. <i>Journal of Ornithology</i> , 2016 , 157, 471-482	1.5	15
7	Nest Failure Owing to Intraspecific Agonistic Behaviour in Dupont's Lark <i>Chersophilus duponti</i> . <i>Ornithological Science</i> , 2015 , 14, 117-121	0.7	4
6	Census of Breeding Birds and Population Trends of the Dupont's Lark <i>Chersophilus duponti</i> in Eastern Spain. <i>Ardeola</i> , 2013 , 60, 143-150	1.1	15
5	Short-Term Effects of a Wildfire on the Endangered Dupont's Lark <i>Chersophilus duponti</i> in an Arid Shrub-Steppe of Central Spain. <i>Acta Ornithologica</i> , 2013 , 48, 201-210	0.9	8
4	Addicted to the moon: vocal output and diel pattern of vocal activity in two Neotropical nightjars is related to moon phase. <i>Ethology Ecology and Evolution</i> , 1-16	0.7	2
3	Passive acoustic monitoring of the Ferruginous Pygmy-Owl (<i>Glaucidium brasilianum</i>) over a complete annual cycle: seasonality and monitoring recommendations. <i>Studies on Neotropical Fauna and Environment</i> , 1-8	0.6	
2	The conservation research-practice gap: a case study of a threatened bird. <i>Oryx</i> , 1-8	1.5	2
1	Breeding dispersal movements of Dupont's Lark <i>Chersophilus duponti</i> in fragmented landscape. <i>Bird Conservation International</i> , 1-11	1.7	2