

David Carl Tscharke

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/873612/david-carl-tscharke-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

106
papers

5,139
citations

37
h-index

70
g-index

113
ext. papers

6,011
ext. citations

8.1
avg, IF

5.35
L-index

#	Paper	IF	Citations
106	Spreading fun: Comic zombies, Joker viruses and COVID-19 jokes. <i>Journal of Science & Popular Culture</i> , 2021 , 4, 39-57	0.1	2
105	Selection of Vaccinia Virus Recombinants Using CRISPR/Cas9.. <i>Bio-protocol</i> , 2021 , 11, e4270	0.9	1
104	Varicella zoster virus impairs expression of the non-classical major histocompatibility complex class I-related gene protein (MR1). <i>Journal of Infectious Diseases</i> , 2021 ,	7	1
103	Ptpn2 and KLRG1 regulate the generation and function of tissue-resident memory CD8+ T cells in skin. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	2
102	Viperin binds STING and enhances the type-I interferon response following dsDNA detection. <i>Immunology and Cell Biology</i> , 2021 , 99, 373-391	5	7
101	Rapid poxvirus engineering using CRISPR/Cas9 as a selection tool. <i>Communications Biology</i> , 2020 , 3, 643	6.7	7
100	Benchmarking predictions of MHC class I restricted T cell epitopes in a comprehensively studied model system. <i>PLoS Computational Biology</i> , 2020 , 16, e1007757	5	29
99	Bacillus cereus non-haemolytic enterotoxin activates the NLRP3 inflammasome. <i>Nature Communications</i> , 2020 , 11, 760	17.4	26
98	Herpes Simplex Virus Latency Is Noisier the Closer We Look. <i>Journal of Virology</i> , 2020 , 94,	6.6	22
97	CRISPR/Cas9-Based Genome Editing of HSV. <i>Methods in Molecular Biology</i> , 2020 , 2060, 169-183	1.4	4
96	Overlapping Peptides Elicit Distinct CD8 T Cell Responses following Influenza A Virus Infection. <i>Journal of Immunology</i> , 2020 , 205, 1731-1742	5.3	4
95	Surprisingly Effective Priming of CD8 T Cells by Heat-Inactivated Vaccinia Virus Virions. <i>Journal of Virology</i> , 2020 , 94,	6.6	2
94	Functional paralysis of human natural killer cells by alphaherpesviruses. <i>PLoS Pathogens</i> , 2019 , 15, e1007784	7.84	9
93	Influenza A Virus Infection Induces Viral and Cellular Defective Ribosomal Products Encoded by Alternative Reading Frames. <i>Journal of Immunology</i> , 2019 , 202, 3370-3380	5.3	14
92	Most viral peptides displayed by class I MHC on infected cells are immunogenic. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 3112-3117	11.5	64
91	Modified Vaccinia Virus Ankara Can Induce Optimal CD8 T Cell Responses to Directly Primed Antigens Depending on Vaccine Design. <i>Journal of Virology</i> , 2019 , 93,	6.6	6
90	Quantification of epitope abundance reveals the effect of direct and cross-presentation on influenza CTL responses. <i>Nature Communications</i> , 2019 , 10, 2846	17.4	34

89	Tissue-resident memory T cells in tissue homeostasis, persistent infection, and cancer surveillance. <i>Immunological Reviews</i> , 2018 , 283, 54-76	11.3	96
88	Local proliferation maintains a stable pool of tissue-resident memory T cells after antiviral recall responses. <i>Nature Immunology</i> , 2018 , 19, 183-191	19.1	187
87	Increasing antigen presentation on HSV-1-infected cells increases lesion size but does not alter neural infection or latency. <i>Journal of General Virology</i> , 2018 , 99, 682-692	4.9	0
86	Effective Priming of Herpes Simplex Virus-Specific CD8 T Cells Does Not Require Infected Dendritic Cells. <i>Journal of Virology</i> , 2018 , 92,	6.6	7
85	Ectromelia virus N1L is essential for virulence but not dissemination in a classical model of mousepox. <i>Virus Research</i> , 2017 , 228, 61-65	6.4	1
84	Systems-guided forward genetic screen reveals a critical role of the replication stress response protein ETAA1 in T cell clonal expansion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E5216-E5225	11.5	13
83	Dual-specific Chimeric Antigen Receptor T Cells and an Indirect Vaccine Eradicate a Variety of Large Solid Tumors in an Immunocompetent, Self-antigen Setting. <i>Clinical Cancer Research</i> , 2017 , 23, 2478-2490	12.9	71
82	An ultrastructural investigation of tumors undergoing regression mediated by immunotherapy. <i>Oncotarget</i> , 2017 , 8, 115215-115229	3.3	5
81	The primary immune response to Vaccinia virus vaccination includes cells with a distinct cytotoxic effector CD4 T-cell phenotype. <i>Vaccine</i> , 2016 , 34, 5251-5261	4.1	14
80	The Epstein-Barr Virus Glycoprotein gp150 Forms an Immune-Evasive Glycan Shield at the Surface of Infected Cells. <i>PLoS Pathogens</i> , 2016 , 12, e1005550	7.6	15
79	Lytic Promoters Express Protein during Herpes Simplex Virus Latency. <i>PLoS Pathogens</i> , 2016 , 12, e1005728	7.8	19
78	Immunology by numbers: quantitation of antigen presentation completes the quantitative milieu of systems immunology!. <i>Current Opinion in Immunology</i> , 2016 , 40, 88-95	7.8	18
77	Functional analysis of the short isoform of orf virus protein OV20.0. <i>Journal of Virology</i> , 2015 , 89, 4966-706	7.6	9
76	Extent of Systemic Spread Determines CD8+ T Cell Immunodominance for Laboratory Strains, Smallpox Vaccines, and Zoonotic Isolates of Vaccinia Virus. <i>Journal of Immunology</i> , 2015 , 195, 2263-72	5.3	9
75	Quantifying epitope presentation using mass spectrometry. <i>Molecular Immunology</i> , 2015 , 68, 77-80	4.3	24
74	Delayed control of herpes simplex virus infection and impaired CD4(+) T-cell migration to the skin in mouse models of DOCK8 deficiency. <i>Immunology and Cell Biology</i> , 2015 , 93, 517-21	5	13
73	Simultaneous Quantification of Viral Antigen Expression Kinetics Using Data-Independent (DIA) Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2015 , 14, 1361-72	7.6	18
72	Sizing up the key determinants of the CD8(+) T cell response. <i>Nature Reviews Immunology</i> , 2015 , 15, 705-165	16.5	88

71	Engineering herpes simplex viruses by infection-transfection methods including recombination site targeting by CRISPR/Cas9 nucleases. <i>Journal of Virological Methods</i> , 2015 , 213, 18-25	2.6	49
70	Redundancy complicates the definition of essential genes for vaccinia virus. <i>Journal of General Virology</i> , 2015 , 96, 3326-3337	4.9	10
69	Truncation of gene F5L partially masks rescue of vaccinia virus strain MVA growth on mammalian cells by restricting plaque size. <i>Journal of General Virology</i> , 2014 , 95, 466-471	4.9	5
68	The cellular redox environment alters antigen presentation. <i>Journal of Biological Chemistry</i> , 2014 , 289, 27979-91	5.4	33
67	Vaccinia virus F5 is required for normal plaque morphology in multiple cell lines but not replication in culture or virulence in mice. <i>Virology</i> , 2014 , 456-457, 145-56	3.6	4
66	An intact signal peptide on dengue virus E protein enhances immunogenicity for CD8(+) T cells and antibody when expressed from modified vaccinia Ankara. <i>Vaccine</i> , 2014 , 32, 2972-9	4.1	12
65	Strikingly poor CD8+ T-cell immunogenicity of vaccinia virus strain MVA in BALB/c mice. <i>Immunology and Cell Biology</i> , 2014 , 92, 466-9	5	9
64	Lytic gene expression is frequent in HSV-1 latent infection and correlates with the engagement of a cell-intrinsic transcriptional response. <i>PLoS Pathogens</i> , 2014 , 10, e1004237	7.6	53
63	Distinct APC subtypes drive spatially segregated CD4+ and CD8+ T-cell effector activity during skin infection with HSV-1. <i>PLoS Pathogens</i> , 2014 , 10, e1004303	7.6	45
62	The developmental pathway for CD103(+)CD8+ tissue-resident memory T cells of skin. <i>Nature Immunology</i> , 2013 , 14, 1294-301	19.1	736
61	Genome scale evolution of myxoma virus reveals host-pathogen adaptation and rapid geographic spread. <i>Journal of Virology</i> , 2013 , 87, 12900-15	6.6	23
60	IL-4 and IL-13 mediated down-regulation of CD8 expression levels can dampen anti-viral CD8+ T cell avidity following HIV-1 recombinant pox viral vaccination. <i>Vaccine</i> , 2013 , 31, 4548-55	4.1	11
59	Immunodomination during peripheral vaccinia virus infection. <i>PLoS Pathogens</i> , 2013 , 9, e1003329	7.6	28
58	Kinetics of antigen expression and epitope presentation during virus infection. <i>PLoS Pathogens</i> , 2013 , 9, e1003129	7.6	108
57	Systemic toll-like receptor ligation and selective killing of dendritic cell subsets fail to dissect priming pathways for anti-vaccinia virus CD8+ T cells. <i>Journal of Virology</i> , 2013 , 87, 11978-86	6.6	8
56	Comparative analysis of the complete genome sequence of the California MSW strain of myxoma virus reveals potential host adaptations. <i>Journal of Virology</i> , 2013 , 87, 12080-9	6.6	18
55	Reduced interleukin-4 receptor expression on CD8+ T cells correlates with higher quality anti-viral immunity. <i>PLoS ONE</i> , 2013 , 8, e55788	3.7	22
54	Analyzing CD8 T cells in mouse models of poxvirus infection. <i>Methods in Molecular Biology</i> , 2012 , 890, 199-218	1.4	4

53	An intradermal model for vaccinia virus pathogenesis in mice. <i>Methods in Molecular Biology</i> , 2012 , 890, 147-59	1.4	7
52	Linear fidelity in quantification of anti-viral CD8+ T cells. <i>PLoS ONE</i> , 2012 , 7, e39533	3.7	15
51	Evolutionary history and attenuation of myxoma virus on two continents. <i>PLoS Pathogens</i> , 2012 , 8, e1002950	7.50	71
50	Engineering recombinant poxviruses using a compact GFP-blasticidin resistance fusion gene for selection. <i>Journal of Virological Methods</i> , 2011 , 171, 295-8	2.6	28
49	The ectromelia virus SPI-2 protein causes lethal mousepox by preventing NK cell responses. <i>Journal of Virology</i> , 2011 , 85, 11170-82	6.6	15
48	Mouse strains with point mutations in TAP1 and TAP2. <i>Immunology and Cell Biology</i> , 2010 , 88, 72-8	5	8
47	Altered CD8(+) T cell immunodominance after vaccinia virus infection and the naive repertoire in inbred and F(1) mice. <i>Journal of Immunology</i> , 2010 , 184, 45-55	5.3	31
46	Analysis of A47, an immunoprevalent protein of vaccinia virus, leads to a reevaluation of the total antiviral CD8+ T cell response. <i>Journal of Virology</i> , 2010 , 84, 10220-9	6.6	25
45	Uncovering the interplay between CD8, CD4 and antibody responses to complex pathogens. <i>Future Microbiology</i> , 2010 , 5, 221-39	2.9	55
44	Vaccinia virus CD8+ T-cell dominance hierarchies cannot be altered by prior immunization with individual peptides. <i>Journal of Virology</i> , 2009 , 83, 9008-12	6.6	10
43	Optimization of LMP-specific CTL expansion for potential adoptive immunotherapy in NPC patients. <i>Immunology and Cell Biology</i> , 2009 , 87, 481-8	5	10
42	Definition of epitopes and antigens recognized by vaccinia specific immune responses: their conservation in variola virus sequences, and use as a model system to study complex pathogens. <i>Vaccine</i> , 2009 , 27 Suppl 6, G21-6	4.1	37
41	Kinetic analysis of a complete poxvirus transcriptome reveals an immediate-early class of genes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 2140-5	11.5	135
40	Terminal deoxynucleotidyl transferase establishes and broadens antiviral CD8+ T cell immunodominance hierarchies. <i>Journal of Immunology</i> , 2008 , 181, 649-59	5.3	25
39	Dissociation between epitope hierarchy and immunoprevalence in CD8 responses to vaccinia virus western reserve. <i>Journal of Immunology</i> , 2008 , 180, 7193-202	5.3	60
38	Reply to Satheshkumar and Moss: Poxvirus transcriptome analysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, E63-E64	11.5	3
37	Regulation of protein translation through mRNA structure influences MHC class I loading and T cell recognition. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 9319-24	11.5	58
36	Use of CD107-based cell sorting ex vivo to enrich subdominant CD8+ T cells in culture. <i>Immunology and Cell Biology</i> , 2007 , 85, 546-50	5	3

35	Influence of translation efficiency of homologous viral proteins on the endogenous presentation of CD8+ T cell epitopes. <i>Journal of Experimental Medicine</i> , 2007 , 204, 525-32	16.6	40
34	Reduction of vector gene expression increases foreign antigen-specific CD8+ T-cell priming. <i>Journal of General Virology</i> , 2007 , 88, 2378-2386	4.9	17
33	Adaptive immunity to vaccinia virus: revisiting an old friend. <i>Future Virology</i> , 2007 , 2, 163-172	2.4	1
32	Influence of translation efficiency of homologous viral proteins on the endogenous presentation of CD8+T cell epitopes. <i>Journal of Cell Biology</i> , 2007 , 176, i11-i11	7.3	1
31	Deletion of gene A41L enhances vaccinia virus immunogenicity and vaccine efficacy. <i>Journal of General Virology</i> , 2006 , 87, 29-38	4.9	73
30	Poxvirus CD8+ T-cell determinants and cross-reactivity in BALB/c mice. <i>Journal of Virology</i> , 2006 , 80, 6318-23	6.6	102
29	A consensus epitope prediction approach identifies the breadth of murine T(CD8+)-cell responses to vaccinia virus. <i>Nature Biotechnology</i> , 2006 , 24, 817-9	44.5	403
28	Identification of poxvirus CD8+ T cell determinants to enable rational design and characterization of smallpox vaccines. <i>Journal of Experimental Medicine</i> , 2005 , 201, 95-104	16.6	265
27	HLA-A*0201, HLA-A*1101, and HLA-B*0702 transgenic mice recognize numerous poxvirus determinants from a wide variety of viral gene products. <i>Journal of Immunology</i> , 2005 , 175, 5504-15	5.3	89
26	From mice to humans - murine intelligence for human CD8+ T cell vaccine design. <i>Expert Opinion on Biological Therapy</i> , 2005 , 5, 263-71	5.4	9
25	Regulatory T cells suppress CD8+ T cell responses induced by direct priming and cross-priming and moderate immunodominance disparities. <i>Journal of Immunology</i> , 2005 , 174, 3344-51	5.3	107
24	HLA class I-restricted responses to vaccinia recognize a broad array of proteins mainly involved in virulence and viral gene regulation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 13980-5	11.5	127
23	Immunodominance of poxviral-specific CTL in a human trial of recombinant-modified vaccinia Ankara. <i>Journal of Immunology</i> , 2005 , 175, 8431-7	5.3	86
22	CD8+ T cell cross-priming via transfer of proteasome substrates. <i>Science</i> , 2004 , 304, 1318-21	33.3	245
21	The vaccinia virus kelch-like protein C2L affects calcium-independent adhesion to the extracellular matrix and inflammation in a murine intradermal model. <i>Journal of General Virology</i> , 2003 , 84, 2459-2474	4.9	42
20	Notes on transient host range selection for engineering vaccinia virus strain MVA. <i>BioTechniques</i> , 2002 , 33, 186-8	2.5	4
19	The vaccinia virus N1L protein is an intracellular homodimer that promotes virulence. <i>Journal of General Virology</i> , 2002 , 83, 1965-1976	4.9	101
18	The vaccinia virus C12L protein inhibits mouse IL-18 and promotes virus virulence in the murine intranasal model. <i>Journal of General Virology</i> , 2002 , 83, 2833-2844	4.9	56

17	The vaccinia virus B9R protein is a 6 kDa intracellular protein that is non-essential for virus replication and virulence. <i>Journal of General Virology</i> , 2002 , 83, 873-878	4.9	10
16	A study of the vaccinia virus interferon-gamma receptor and its contribution to virus virulence. <i>Journal of General Virology</i> , 2002 , 83, 1953-1964	4.9	74
15	Dermal infection with vaccinia virus reveals roles for virus proteins not seen using other inoculation routes. <i>Journal of General Virology</i> , 2002 , 83, 1977-1986	4.9	107
14	The vaccinia virus superoxide dismutase-like protein (A45R) is a virion component that is nonessential for virus replication. <i>Journal of Virology</i> , 2001 , 75, 7018-29	6.6	43
13	Vaccinia virus semaphorin A39R is a 50-55 kDa secreted glycoprotein that affects the outcome of infection in a murine intradermal model. <i>Journal of General Virology</i> , 2001 , 82, 2083-2093	4.9	39
12	The vaccinia virus A41L protein is a soluble 30 kDa glycoprotein that affects virus virulence. <i>Journal of General Virology</i> , 2001 , 82, 2095-2105	4.9	59
11	Use of mRNA differential display to study the action of lymphocyte subsets in vivo and application to a murine model of herpes simplex virus infection. <i>Immunology Letters</i> , 2000 , 74, 127-32	4.1	4
10	Vaccinia virus gene B7R encodes an 18-kDa protein that is resident in the endoplasmic reticulum and affects virus virulence. <i>Virology</i> , 2000 , 267, 65-79	3.6	26
9	Molecular localisation of a G-protein mRNA using differential display and in situ hybridization. <i>Brain Research Protocols</i> , 2000 , 5, 290-7		1
8	Anti-CD8 treatment alters interleukin-4 but not interferon-gamma mRNA levels in murine sensory ganglia during herpes simplex virus infection. Brief report. <i>Archives of Virology</i> , 1999 , 144, 2229-38	2.6	7
7	Golfalpha is expressed in primary sensory neurons outside of the olfactory neuroepithelium. <i>Brain Research</i> , 1999 , 831, 311-4	3.7	2
6	A model for vaccinia virus pathogenesis and immunity based on intradermal injection of mouse ear pinnae. <i>Journal of General Virology</i> , 1999 , 80 (Pt 10), 2751-2755	4.9	84
5	Upregulation of class I major histocompatibility complex gene expression in primary sensory neurons, satellite cells, and Schwann cells of mice in response to acute but not latent herpes simplex virus infection in vivo. <i>Journal of Experimental Medicine</i> , 1994 , 180, 841-50	16.6	70
4	Anti-CD8 impairs clearance of herpes simplex virus from the nervous system: implications for the fate of virally infected neurons. <i>Journal of Experimental Medicine</i> , 1992 , 175, 1337-44	16.6	213
3	FROM CALIGARI TO JOKER: the clown prince of crime – psychopathic science. <i>Journal of Graphic Novels and Comics</i> , 1-15	0.1	0
2	Benchmarking predictions of MHC class I restricted T cell epitopes		5
1	Shielding Surfaces from Viruses and Bacteria with a Multiscale Coating. <i>Advanced Science</i> , 2201415	13.6	1