

Guillaume Fond

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8736167/guillaume-fond-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

198
papers

3,490
citations

29
h-index

51
g-index

253
ext. papers

4,700
ext. citations

4.3
avg, IF

5.33
L-index

#	Paper	IF	Citations
198	Anxiety and depression comorbidities in irritable bowel syndrome (IBS): a systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 651-60	5.1	283
197	Beyond the association. Toxoplasma gondii in schizophrenia, bipolar disorder, and addiction: systematic review and meta-analysis. <i>Acta Psychiatrica Scandinavica</i> , 2015 , 132, 161-79	6.5	253
196	Ketamine administration in depressive disorders: a systematic review and meta-analysis. <i>Psychopharmacology</i> , 2014 , 231, 3663-76	4.7	216
195	Effectiveness and tolerance of anti-inflammatory drugs' add-on therapy in major mental disorders: a systematic qualitative review. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 129, 163-79	6.5	127
194	The "psychomicrobiotic": Targeting microbiota in major psychiatric disorders: A systematic review. <i>Pathologie Et Biologie</i> , 2015 , 63, 35-42		119
193	The Prevalence of Mental Disorders Among Children and Adolescents in the Child Welfare System: A Systematic Review and Meta-Analysis. <i>Medicine (United States)</i> , 2016 , 95, e2622	1.8	107
192	EEG neurofeedback treatments in children with ADHD: an updated meta-analysis of randomized controlled trials. <i>Frontiers in Human Neuroscience</i> , 2014 , 8, 906	3.3	86
191	Fasting in mood disorders: neurobiology and effectiveness. A review of the literature. <i>Psychiatry Research</i> , 2013 , 209, 253-8	9.9	75
190	The promise of biological markers for treatment response in first-episode psychosis: a systematic review. <i>Schizophrenia Bulletin</i> , 2015 , 41, 559-73	1.3	65
189	Chronic Peripheral Inflammation is Associated With Cognitive Impairment in Schizophrenia: Results From the Multicentric FACE-SZ Dataset. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1290-302	1.3	64
188	A National network of schizophrenia expert centres: An innovative tool to bridge the research-practice gap. <i>European Psychiatry</i> , 2015 , 30, 728-35	6	61
187	Antipsychotic drugs: pro-cancer or anti-cancer? A systematic review. <i>Medical Hypotheses</i> , 2012 , 79, 38-42	3.8	55
186	A structural equation modelling approach to explore the determinants of quality of life in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 171, 27-34	3.6	52
185	Burnout in French physicians: A systematic review and meta-analysis. <i>Journal of Affective Disorders</i> , 2019 , 246, 132-147	6.6	48
184	A further evaluation of decision-making under risk and under ambiguity in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2013 , 263, 249-57	5.1	46
183	Metabolic syndrome, abdominal obesity and hyperuricemia in schizophrenia: Results from the FACE-SZ cohort. <i>Schizophrenia Research</i> , 2015 , 168, 388-94	3.6	42
182	Association Between Mental Health Disorders and Mortality Among Patients With COVID-19 in 7 Countries: A Systematic Review and Meta-analysis. <i>JAMA Psychiatry</i> , 2021 , 78, 1208-1217	14.5	42

181	Childhood trauma, depression and negative symptoms are independently associated with impaired quality of life in schizophrenia. Results from the national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2017 , 185, 173-181	3.6	35
180	(Mis)use of Prescribed Stimulants in the Medical Student Community: Motives and Behaviors: A Population-Based Cross-Sectional Study. <i>Medicine (United States)</i> , 2016 , 95, e3366	1.8	35
179	The Role of Inflammation in the Treatment of Schizophrenia. <i>Frontiers in Psychiatry</i> , 2020 , 11, 160	5	35
178	C-Reactive Protein as a Peripheral Biomarker in Schizophrenia. An Updated Systematic Review. <i>Frontiers in Psychiatry</i> , 2018 , 9, 392	5	34
177	A preliminary study on cognitive enhancer consumption behaviors and motives of French Medicine and Pharmacology students. <i>European Review for Medical and Pharmacological Sciences</i> , 2014 , 18, 1875-8 ^{2.9}	2.9	32
176	Comparative analysis of anti-toxoplasmic activity of antipsychotic drugs and valproate. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 179-83	5.1	31
175	Stratification and prediction of remission in first-episode psychosis patients: the OPTiMiSE cohort study. <i>Translational Psychiatry</i> , 2019 , 9, 20	8.6	30
174	Driving us mad: the association of <i>Toxoplasma gondii</i> with suicide attempts and traffic accidents - a systematic review and meta-analysis. <i>Psychological Medicine</i> , 2019 , 49, 1608-1623	6.9	30
173	Treatment with anti-toxoplasmic activity (TATA) for toxoplasma positive patients with bipolar disorders or schizophrenia: a cross-sectional study. <i>Journal of Psychiatric Research</i> , 2015 , 63, 58-64	5.2	30
172	Innovative mechanisms of action for pharmaceutical cognitive enhancement: A systematic review. <i>Psychiatry Research</i> , 2015 , 229, 12-20	9.9	30
171	End-of-life care among patients with schizophrenia and cancer: a population-based cohort study from the French national hospital database. <i>Lancet Public Health, The</i> , 2019 , 4, e583-e591	22.4	30
170	D2 and D3 dopamine receptor affinity predicts effectiveness of antipsychotic drugs in obsessive-compulsive disorders: a metaregression analysis. <i>Psychopharmacology</i> , 2014 , 231, 3765-70	4.7	30
169	Google Trends: Ready for real-time suicide prevention or just a Zeta-Jones effect? An exploratory study. <i>Psychiatry Research</i> , 2015 , 228, 913-7	9.9	27
168	Interleukin-1 Targeted treatment strategies in inflammatory depression: toward personalized care. <i>Acta Psychiatrica Scandinavica</i> , 2016 , 134, 469-484	6.5	27
167	Akathisia: prevalence and risk factors in a community-dwelling sample of patients with schizophrenia. Results from the FACE-SZ dataset. <i>Schizophrenia Research</i> , 2015 , 169, 255-261	3.6	27
166	Disparities in Intensive Care Unit Admission and Mortality Among Patients With Schizophrenia and COVID-19: A National Cohort Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 624-634	1.3	27
165	Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ data set. <i>Journal of Affective Disorders</i> , 2016 , 191, 209-15	6.6	26
164	Cigarette smoking and schizophrenia: a specific clinical and therapeutic profile? Results from the FACE-Schizophrenia cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 79, 332-339	5.5	26

163	Remission of depression in patients with schizophrenia and comorbid major depressive disorder: results from the FACE-SZ cohort. <i>British Journal of Psychiatry</i> , 2018 , 213, 464-470	5.4	25
162	Relationships between low-grade peripheral inflammation and psychotropic drugs in schizophrenia: results from the national FACE-SZ cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 541-553	5.1	25
161	Cognitive insight as an indicator of competence to consent to treatment in schizophrenia. <i>Schizophrenia Research</i> , 2013 , 144, 118-21	3.6	24
160	Validation study of the Medication Adherence Rating Scale. Results from the FACE-SZ national dataset. <i>Schizophrenia Research</i> , 2017 , 182, 84-89	3.6	24
159	Mood disorders are associated with a more severe hypovitaminosis D than schizophrenia. <i>Psychiatry Research</i> , 2015 , 229, 613-6	9.9	23
158	Elevated C-reactive protein is associated with sensory gating deficit in schizophrenia. <i>Schizophrenia Research</i> , 2015 , 165, 94-6	3.6	22
157	Chronic low-grade peripheral inflammation is associated with ultra resistant schizophrenia. Results from the FACE-SZ cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 985-992	5.1	22
156	Psychometric properties of the Ruminative Response Scale-short form in a clinical sample of patients with major depressive disorder. <i>Patient Preference and Adherence</i> , 2017 , 11, 929-937	2.4	22
155	Determination of Adherence Profiles in Schizophrenia Using Self-Reported Adherence: Results From the FACE-SZ Dataset. <i>Journal of Clinical Psychiatry</i> , 2016 , 77, e1130-e1136	4.6	22
154	A Bayesian framework systematic review and meta-analysis of anesthetic agents effectiveness/tolerability profile in electroconvulsive therapy for major depression. <i>Scientific Reports</i> , 2016 , 6, 19847	4.9	21
153	Victimization and posttraumatic stress disorder in homeless women with mental illness are associated with depression, suicide, and quality of life. <i>Neuropsychiatric Disease and Treatment</i> , 2018 , 14, 2269-2279	3.1	21
152	Self-reported major depressive symptoms at baseline impact abstinence prognosis in smoking cessation program. A one-year prospective study. <i>Journal of Affective Disorders</i> , 2013 , 149, 418-21	6.6	20
151	Violent behavior and aggression in schizophrenia: Prevalence and risk factors. A multicentric study from three Latin-America countries. <i>Schizophrenia Research</i> , 2016 , 178, 23-28	3.6	19
150	Machine learning for predicting psychotic relapse at 2 years in schizophrenia in the national FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 92, 8-18	5.5	19
149	A double amino-acid change in the HLA-A peptide-binding groove is associated with response to psychotropic treatment in patients with schizophrenia. <i>Translational Psychiatry</i> , 2015 , 5, e608	8.6	18
148	Metabolic Syndrome and Illness Severity Predict Relapse at 1-Year Follow-Up in Schizophrenia: The FACE-SZ Cohort. <i>Journal of Clinical Psychiatry</i> , 2018 , 79,	4.6	17
147	Disparities in suicide mortality trends between United States of America and 25 European countries: retrospective analysis of WHO mortality database. <i>Scientific Reports</i> , 2016 , 6, 20256	4.9	17
146	Latent toxoplasma infection in real-world schizophrenia: Results from the national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2018 , 201, 373-380	3.6	17

145	Chronic low-grade peripheral inflammation is associated with severe nicotine dependence in schizophrenia: results from the national multicentric FACE-SZ cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 465-472	5.1	16
144	Nicotine dependence is associated with depression and childhood trauma in smokers with schizophrenia: results from the FACE-SZ dataset. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 567-577	5.1	16
143	Effectiveness of a housing support team intervention with a recovery-oriented approach on hospital and emergency department use by homeless people with severe mental illness: a randomised controlled trial. <i>Epidemiology and Psychiatric Sciences</i> , 2020 , 29, e169	5.1	16
142	Validation of the Medication Adherence Rating Scale in homeless patients with schizophrenia: Results from the French Housing First experience. <i>Scientific Reports</i> , 2016 , 6, 31598	4.9	16
141	Nanopsychiatry--the potential role of nanotechnologies in the future of psychiatry: a systematic review. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1067-71	1.2	16
140	Prevalence and smoking behavior characteristics of nonselected smokers with childhood and/or adult self-reported ADHD symptoms in a smoking-cessation program: a cross-sectional study. <i>Journal of Attention Disorders</i> , 2015 , 19, 293-300	3.7	16
139	Increased in-hospital mortality from COVID-19 in patients with schizophrenia. <i>L'Encephale</i> , 2021 , 47, 89-95	2.9	16
138	Differential effects of childhood trauma and cannabis use disorders in patients suffering from schizophrenia. <i>Schizophrenia Research</i> , 2016 , 175, 161-167	3.6	16
137	High-intensity end-of-life care among children, adolescents, and young adults with cancer who die in the hospital: A population-based study from the French national hospital database. <i>Cancer</i> , 2019 , 125, 2300-2308	6.4	15
136	Medication and aggressiveness in real-world schizophrenia. Results from the FACE-SZ dataset. <i>Psychopharmacology</i> , 2016 , 233, 571-8	4.7	15
135	Birth by cesarean section and schizophrenia: results from the multicenter FACE-SZ data-set. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017 , 267, 587-594	5.1	15
134	Sexual dysfunctions in schizophrenia: Beyond antipsychotics. A systematic review. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 98, 109804	5.5	15
133	Psychiatry: A discipline at specific risk of mental health issues and addictive behavior? Results from the national BOURBON study. <i>Journal of Affective Disorders</i> , 2018 , 238, 534-538	6.6	14
132	Prevalence of and Risk Factors for Extrapyramidal Side Effects of Antipsychotics: Results From the National FACE-SZ Cohort. <i>Journal of Clinical Psychiatry</i> , 2019 , 80,	4.6	14
131	Psychiatric and psychological follow-up of undergraduate and postgraduate medical students: Prevalence and associated factors. Results from the national BOURBON study. <i>Psychiatry Research</i> , 2019 , 272, 425-430	9.9	14
130	Benzodiazepine long-term administration is associated with impaired attention/working memory in schizophrenia: results from the national multicentre FACE-SZ data set. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 17-26	5.1	13
129	Venus and Mars on the benches of the faculty: Influence of gender on mental health and behavior of medical students. Results from the BOURBON national study. <i>Journal of Affective Disorders</i> , 2018 , 239, 146-151	6.6	13
128	Treating patients with schizophrenia deficit with erythropoietin?. <i>Psychiatry and Clinical Neurosciences</i> , 2012 , 66, 375-82	6.2	13

127	Tobacco smoking is associated with antipsychotic medication, physical aggressiveness, and alcohol use disorder in schizophrenia: results from the FACE-SZ national cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 449-457	5.1	13
126	Early and very early-onset schizophrenia compared with adult-onset schizophrenia: French FACE-SZ database. <i>Brain and Behavior</i> , 2020 , 10, e01495	3.4	12
125	Factors associated with direct health care costs in schizophrenia: Results from the FACE-SZ French dataset. <i>European Neuropsychopharmacology</i> , 2018 , 28, 24-36	1.2	12
124	Risk factors for increased duration of untreated psychosis. Results from the FACE-SZ dataset. <i>Schizophrenia Research</i> , 2018 , 195, 529-533	3.6	12
123	WAIS-IV Seven-Subtest Short Form: Validity and Clinical Use in Schizophrenia. <i>Archives of Clinical Neuropsychology</i> , 2016 , 31, 915-925	2.7	12
122	Comorbid Major Depressive Disorder in Schizophrenia: A Systematic Review and Meta-Analysis. <i>Schizophrenia Bulletin</i> , 2021 , 47, 298-308	1.3	11
121	Hypovitaminosis D is associated with depression and anxiety in schizophrenia: Results from the national FACE-SZ cohort. <i>Psychiatry Research</i> , 2018 , 270, 104-110	9.9	11
120	Anxiolytic consumption is associated with tobacco smoking and severe nicotine dependence. Results from the national French medical students (BOURBON) study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 94, 109645	5.5	10
119	The Patient-Reported Experience Measure for Improving qQuality of care in Mental health (PREMIUM) project in France: study protocol for the development and implementation strategy. <i>Patient Preference and Adherence</i> , 2019 , 13, 165-177	2.4	10
118	Metabolic and psychiatric effects of acyl coenzyme A binding protein (ACBP)/diazepam binding inhibitor (DBI). <i>Cell Death and Disease</i> , 2020 , 11, 502	9.8	10
117	Predictors of rapid high weight gain in schizophrenia: Longitudinal analysis of the French FACE-SZ cohort. <i>Journal of Psychiatric Research</i> , 2017 , 94, 62-69	5.2	10
116	The need to consider mood disorders, and especially chronic mania, in cases of Diogenes syndrome (squalor syndrome). <i>International Psychogeriatrics</i> , 2011 , 23, 505-7	3.4	10
115	Towards an improved access to psychiatric rehabilitation: availability and effectiveness at 1-year follow-up of psychoeducation, cognitive remediation therapy, cognitive behaviour therapy and social skills training in the FondaMental Advanced Centers of Expertise-Schizophrenia (FACE-SZ) national cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 599-610	5.1	9
114	Self-reported pain in patients with schizophrenia. Results from the national first-step FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018 , 85, 62-68	5.5	9
113	Physical activity as a protective factor in relapse following smoking cessation in participants with a depressive disorder. <i>American Journal on Addictions</i> , 2012 , 21, 348-55	3.7	9
112	Illness and drug modifiable factors associated with violent behavior in homeless people with severe mental illness: results from the French Housing First (FHF) program. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 90, 92-96	5.5	9
111	Medication nonadherence among South American patients with schizophrenia. <i>Patient Preference and Adherence</i> , 2017 , 11, 1737-1744	2.4	8
110	Attitudes toward antipsychotic medications as a useful feature in exploring medication non-adherence in schizophrenia. <i>Schizophrenia Research</i> , 2016 , 178, 1-5	3.6	8

109	Hypovitaminosis D is associated with negative symptoms, suicide risk, agoraphobia, impaired functional remission, and antidepressant consumption in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 879-886	5.1	8
108	Use of artificial nutrition near the end of life: Results from a French national population-based study of hospitalized cancer patients. <i>Cancer Medicine</i> , 2020 , 9, 530-540	4.8	8
107	Potentially inappropriate psychotropic prescription at discharge is associated with lower functioning in the elderly psychiatric inpatients. A cross-sectional study. <i>Psychopharmacology</i> , 2016 , 233, 2549-58	4.7	8
106	Prescription of potentially inappropriate psychotropic drugs in homeless people with schizophrenia and bipolar disorders. Results from the French Housing First (FHF) program. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 89, 84-89	5.5	8
105	Validation and refinement of the clinical staging model in a French cohort of outpatient with schizophrenia (FACE-SZ). <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 92, 226-234	5.5	8
104	Gender differences in schizophrenia: A multicentric study from three Latin-America countries. <i>Psychiatry Research</i> , 2018 , 266, 65-71	9.9	8
103	Would I take antipsychotics, if I had psychotic symptoms? Examining determinants of the decision to take antipsychotics. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2017 , 77, 155-163	5.5	7
102	The covariation of independent and dependant variables in neurofeedback: a proposal framework to identify cognitive processes and brain activity variables. <i>Consciousness and Cognition</i> , 2014 , 26, 162-8	2.6	7
101	Cyborg psychiatry to ensure agency and autonomy in mental disorders. A proposal for neuromodulation therapeutics. <i>Frontiers in Human Neuroscience</i> , 2013 , 7, 463	3.3	7
100	Influence of Venus and Mars in the cognitive sky of schizophrenia. Results from the first-step national FACE-SZ cohort. <i>Schizophrenia Research</i> , 2018 , 195, 357-365	3.6	6
99	Do the treasures of 'big data' combined with behavioural intervention therapies contain the key to the mystery of large psychiatric issues?. <i>Acta Psychiatrica Scandinavica</i> , 2014 , 130, 406-7	6.5	6
98	Improving diet for psychiatric patients': High potential benefits and evidence for safety. <i>Journal of Affective Disorders</i> , 2020 , 265, 567-569	6.6	6
97	Measuring the Patient Experience of Mental Health Care: A Systematic and Critical Review of Patient-Reported Experience Measures. <i>Patient Preference and Adherence</i> , 2020 , 14, 2147-2161	2.4	6
96	Inflammatory DEpression Advances in Schizophrenia (IDEAS): A precision medicine approach of the national FACE-SZ cohort. <i>Journal of Affective Disorders</i> , 2019 , 245, 468-474	6.6	6
95	Relationships between social stigma, stigma experience and self-stigma and impaired quality of life in schizophrenia across three Latin-American countries. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020 , 270, 513-520	5.1	6
94	Advanced paternal age is associated with earlier schizophrenia onset in offspring. Results from the national multicentric FACE-SZ cohort. <i>Psychiatry Research</i> , 2017 , 254, 218-223	9.9	5
93	Sexual dysfunctions are associated with major depression, chronic inflammation and anticholinergic consumption in the real-world schizophrenia FACE-SZ national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 94, 109654	5.5	5
92	Modeling the Longitudinal Effects of Insight on Depression, Quality of Life and Suicidality in Schizophrenia Spectrum Disorders: Results from the FACE-SZ Cohort. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5

91	Relationship between childhood trauma and level of insight in schizophrenia: A path-analysis in the national FACE-SZ dataset. <i>Schizophrenia Research</i> , 2019 , 208, 90-96	3.6	4
90	Machine-learning prediction of unplanned 30-day rehospitalization using the French hospital medico-administrative database. <i>Medicine (United States)</i> , 2020 , 99, e22361	1.8	4
89	Confirmations, advances and recommendations for the daily care of schizophrenia based on the French national FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 101, 109927	5.5	4
88	Confirmation of a Two-Factor Solution to the Questionnaire of Cognitive and Affective Empathy in a French Population of Patients With Schizophrenia Spectrum Disorders. <i>Frontiers in Psychiatry</i> , 2019 , 10, 751	5	4
87	Smoking behavior characteristics of non-selected smokers with childhood attention-deficit/hyperactivity disorder (AD/HD) history: a systematic review and meta-analysis. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2014 , 264, 379-89	5.1	4
86	Abnormal C-reactive protein (CRP) levels in schizophrenia and schizoaffective disorders. Results from the FACE-SZ dataset. <i>European Psychiatry</i> , 2015 , 30, S112-S112	6	4
85	C-reactive protein as a differential biomarker of bipolar II depression versus major depressive disorder. <i>World Journal of Biological Psychiatry</i> , 2017 , 18, 71-72	3.8	4
84	Ketamine's effectiveness in unipolar versus bipolar depression. <i>Psychopharmacology</i> , 2014 , 231, 4417-8	4.7	4
83	Brain SPECT perfusion and PET metabolism as discordant biomarkers in major depressive disorder. <i>EJNMMI Research</i> , 2020 , 10, 121	3.6	4
82	Recurrent major depressive disorder's impact on end-of-life care of cancer: A nationwide study. <i>Journal of Affective Disorders</i> , 2020 , 263, 326-335	6.6	4
81	Depressive symptoms and chronic peripheral inflammation are associated with impaired functional remission in schizophrenia independently of psychotic remission. <i>Journal of Affective Disorders</i> , 2021 , 280, 267-271	6.6	4
80	Pregnancy, delivery and neonatal complications in women with schizophrenia: a national population-based cohort study. <i>Lancet Regional Health - Europe, The</i> , 2021 , 10, 100209		4
79	The World Health Organization (WHO) dataset for guiding suicide prevention policies: A 3-decade French national survey. <i>Journal of Affective Disorders</i> , 2015 , 188, 232-8	6.6	3
78	Sexual-orientation based discrimination is associated with anxiety and depression in young physicians. A national study. <i>Journal of Affective Disorders</i> , 2020 , 274, 964-968	6.6	3
77	The role of neighbourhood socioeconomic status in large for gestational age. <i>PLoS ONE</i> , 2020 , 15, e0233416	3.7	3
76	The need to improve detection and treatment of physical pain of homeless people with schizophrenia and bipolar disorders. Results from the French Housing First Study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 88, 175-180	5.5	3
75	A multi-dimensional approach to the relationship between insight and aggressiveness in schizophrenia: Findings from the FACE-SZ cohort. <i>Schizophrenia Research</i> , 2019 , 204, 38-45	3.6	3
74	Recently discovered properties of aspirin may be doubly helpful in bipolar disorders. <i>Medical Hypotheses</i> , 2014 , 82, 640-1	3.8	3

73	Inflammation in psychiatric disorders. <i>European Psychiatry</i> , 2014 , 29, 551-552	6	3
72	Paradoxical severe agitation induced by add-on high-doses quetiapine in schizo-affective disorder. <i>Psychiatry Research</i> , 2014 , 216, 286-7	9.9	3
71	Major depression, sleep, hostility and body mass index are associated with impaired quality of life in schizophrenia. Results from the FACE-SZ cohort. <i>Journal of Affective Disorders</i> , 2020 , 274, 617-623	6.6	3
70	Improving the treatment and remission of major depression in homeless people with severe mental illness: The multicentric French Housing First (FHF) program. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 99, 109877	5.5	3
69	Adherence to Antipsychotic Medication and Quality of Life in Latin-American Patients Diagnosed with Schizophrenia. <i>Patient Preference and Adherence</i> , 2020 , 14, 1595-1604	2.4	3
68	The Covid-19 infection: An opportunity to develop systematic vitamin D supplementation in psychiatry. <i>L'Encephale</i> , 2021 , 48, 102-102	2.9	3
67	The Latin American version of the internalized stigma of mental illness scale (LA-ISMI): a multicentric validation study from three Latin American countries. <i>Health and Quality of Life Outcomes</i> , 2019 , 17, 175	3	3
66	Trauma-related mortality of patients with severe psychiatric disorders: population-based study from the French national hospital database. <i>British Journal of Psychiatry</i> , 2020 , 217, 568-574	5.4	3
65	Psychiatric disability as mediator of the neurocognition-functioning link in schizophrenia spectrum disorders: SEM analysis using the Evaluation of Cognitive Processes involved in Disability in Schizophrenia (ECPDS) scale. <i>Schizophrenia Research</i> , 2018 , 201, 196-203	3.6	3
64	Immune Signatures of Treatment-Resistant Schizophrenia: A FondaMental Academic Centers of Expertise for Schizophrenia (FACE-SZ) Study.. <i>Schizophrenia Bulletin Open</i> , 2021 , 2, sgab012	2.2	3
63	Sexual harassment exposure and impaired mental health in medical students. The MESSIAEN national study. <i>Journal of Affective Disorders</i> , 2020 , 274, 276-281	6.6	2
62	Brain PET metabolic substrate of TMS response in pharmaco-resistant depression. <i>Brain Stimulation</i> , 2020 , 13, 683-685	5.1	2
61	Screening for cognitive deficits with the Evaluation of Cognitive Processes involved in Disability in Schizophrenia scale. <i>Clinical Rehabilitation</i> , 2019 , 33, 113-119	3.3	2
60	Homeless women with schizophrenia reported lower adherence to their medication than men: results from the French Housing First experience. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 1113-1122	4.5	2
59	Fasting Interventions for Stress, Anxiety and Depressive Symptoms: A Systematic Review and Meta-Analysis. <i>Nutrients</i> , 2021 , 13,	6.7	2
58	Abnormal C-reactive protein blood levels as a specific biomarker of major depression and non-remission under antidepressants in schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 97, 109800	5.5	2
57	Palliative and high-intensity end-of-life care in schizophrenia patients with lung cancer: results from a French national population-based study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1571-1578	5.1	2
56	End of life breast cancer care in women with severe mental illnesses. <i>Scientific Reports</i> , 2021 , 11, 10167	4.9	2

55	Medication and aggressiveness in "real world" schizophrenia: current issues and perspectives. <i>Psychopharmacology</i> , 2016 , 233, 2421-3	4.7	2
54	Peripheral inflammation is associated with brain SPECT perfusion changes in schizophrenia. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 1	8.8	2
53	Redefining peripheral inflammation signature in schizophrenia based on the real-world FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 111, 110335	5.5	2
52	Metabolic syndrome, abdominal obesity and hyperuricemia in schizophrenia: Results from the FACE-SZ dataset. <i>European Psychiatry</i> , 2015 , 30, S130-S130	6	1
51	Prevalence and associated factors of cannabis consumption in medical students: the BOURBON nationwide study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 857-864	5.1	1
50	Repeated bullying at the workplace in medical students and young doctors: the MESSIAEN national study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1123-1131	5.1	1
49	First-year French medical students consume antidepressants and anxiolytics while second-years consume non-medical drugs. <i>Journal of Affective Disorders</i> , 2020 , 265, 71-76	6.6	1
48	Akathisia: Prevalence and risk factors in a community-dwelling sample of patients with schizophrenia. Results from the multi-center FACE-SZ Dataset. <i>European Psychiatry</i> , 2016 , 33, S96-S97	6	1
47	Le psychiatre doit-il être un sur-spécialiste ?. <i>Annales Medico-Psychologiques</i> , 2014 , 172, 761-765	0.2	1
46	Aspirin for prevention of cardiovascular events in bipolar disorders. <i>Psychiatry Research</i> , 2014 , 219, 238-9.9	9.9	1
45	La fibromyalgie est-elle une maladie psychiatrique ?. <i>Psn</i> , 2011 , 9, 190-197		1
44	Assessing metacognitive and help-seeking strategies in schizophrenia: design and psychometric validation of the Versailles Metacognitive Strategies Evaluation Questionnaire. <i>Clinical Rehabilitation</i> , 2020 , 34, 263-275	3.3	1
43	The puzzle of quality of life in schizophrenia: putting the pieces together with the FACE-SZ cohort. <i>Psychological Medicine</i> , 2020 , 1-8	6.9	1
42	End-of-Life Care Among Patients With Bipolar Disorder and Cancer: A Nationwide Cohort Study. <i>Psychosomatic Medicine</i> , 2020 , 82, 722-732	3.7	1
41	Anxiety and depression in young physicians: Prevalence and associated factors. The MESSIAEN national study. <i>L'Encephale</i> , 2021 , 48, 26-26	2.9	1
40	Unplanned readmission and survival after video-assisted thoracic surgery and open thoracotomy in patients with non-small-cell lung cancer: a 12-month nationwide cohort study. <i>European Journal of Cardio-thoracic Surgery</i> , 2021 , 59, 987-995	3	1
39	A conceptual framework to develop a patient-reported experience measure of the quality of mental health care: a qualitative study of the PREMIUM project in France. <i>Journal of Market Access & Health Policy</i> , 2021 , 9, 1885789	3.7	1
38	Mortality among inpatients with bipolar disorders and COVID-19: a propensity score matching analysis in a national French cohort study. <i>Psychological Medicine</i> , 2021 , 1-10	6.9	1

37	Recommendations of the schizophrenia expert center network for the screening prevention and treatment of sleep disorders based on the results from the real-world schizophrenia FACE-SZ national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 110, 110275	5.5	1
36	Relationship between neurocognition and theory of mind as a function of symptomatic profile in schizophrenia: results from the national FACE-SZ cohort. <i>Cognitive Neuropsychiatry</i> , 2021 , 1-19	2	1
35	Septic shock: incidence, mortality and hospital readmission rates in French intensive care units from 2014 to 2018.. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2022 , 101082	3	1
34	Precision-medicine findings from the FACE-SZ cohort to develop motivation-enhancing programs in real-world schizophrenia.. <i>World Journal of Biological Psychiatry</i> , 2022 , 1-28	3.8	0
33	Recommendations of the treatment-resistant depression expert center network for promoting tobacco smoking cessation based on the results from the real-world FACE-TRD national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 114, 110479	5.5	0
32	Antipsychotics during pregnancy and increased risk of congenital malformation in offspring: toward a systematic use of real-world data. <i>Lancet Regional Health - Europe, The</i> , 2021 , 11, 100257		0
31	Mise en place et valuation de sances d'ethique appliquee dans un service de psychiatrie g'nerale en France. <i>Annales Medico-Psychologiques</i> , 2020 , 178, 884-890	0.2	0
30	Hazardous drinking is associated with hypnotic consumption in medical students in the BOURBON nationwide study: psychological factors explored. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 883-889	5.1	0
29	Which antipsychotics should be chosen for the treatment of schizo-obsessive disorder?. <i>L'Encephale</i> , 2021 ,	2.9	0
28	Outcome prediction with a social cognitive battery: a multicenter longitudinal study. <i>NPJ Schizophrenia</i> , 2021 , 7, 30	5.5	0
27	Comparison of three scales (BIS, SUMD and BCIS) for measuring insight dimensions and their evolution after one-year of follow-up: Findings from the FACE-SZ Cohort. <i>Psychiatry Research</i> , 2021 , 303, 114044	9.9	0
26	Early-life factors associated with increased risk of disability pension in the national real-world schizophrenia FACE-SZ cohort study.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	0
25	Immuno-metabolic profile of patients with psychotic disorders and metabolic syndrome. Results from the FACE-SZ cohort.. <i>Brain, Behavior, & Immunity - Health</i> , 2022 , 22, 100436	5.1	0
24	Handedness as a neurodevelopmental marker in schizophrenia: Results from the FACE-SZ cohort.. <i>World Journal of Biological Psychiatry</i> , 2021 , 1-12	3.8	0
23	Recommendations of the Schizophrenia Expert Center network for adequate physical activity in real-world schizophrenia (FACE-SZ).. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	0
22	Ketamine vs other anesthetic agents for electroconvulsive therapy (ECT) in major depression. <i>Journal of Psychiatric Research</i> , 2015 , 68, 226-7	5.2	
21	Birth by cesarean section and schizophrenia. Results from the multi-center FACE-SZ dataset. <i>European Psychiatry</i> , 2016 , 33, S98-S98	6	
20	Microbiote et d'pression : une piste th'rapeutique prometteuse. <i>Annales Medico-Psychologiques</i> , 2019 , 177, 695-697	0.2	

19	Anti-inflammatory drugs add-on therapy in major psychiatric disorders. <i>European Psychiatry</i> , 2015 , 30, S24-S25	6
18	P.1.f.001 Drug repositioning of anti-inflammatory drugs in major psychiatric disorders. <i>European Neuropsychopharmacology</i> , 2013 , 23, S185	1.2
17	Troubles obsessionnels compulsifs résistants et antipsychotiques : données neurobiologiques et thérapeutiques actuelles. <i>Annales Medico-Psychologiques</i> , 2013 , 171, 725-732	0.2
16	L'âge de la fuite : hommage à Henri Laborit (1914-1995). <i>Annales Medico-Psychologiques</i> , 2013 , 171, 587-588	0.2
15	Nicotine dependence is associated with depression and childhood trauma in smokers with schizophrenia. Results from the Face-SZ dataset. <i>European Psychiatry</i> , 2017 , 41, s831-s831	6
14	Current Smoking in Real World Schizophrenia: Relationship to Psychopathology and Clinical Characteristics. Results from the FACE Dataset. <i>European Psychiatry</i> , 2017 , 41, S98-S98	6
13	Medication and aggressiveness in real-world schizophrenia. Results from the FACE-SZ dataset. <i>European Psychiatry</i> , 2015 , 30, S153-S154	6
12	Utilisation des antidépresseurs de seconde génération (SGA) dans la pratique quotidienne du médecin : une synthèse à l'usage du clinicien. <i>Annales Medico-Psychologiques</i> , 2013 , 171, 198-203	0.2
11	Psychotic symptomatology and medication adherence in patients with schizophrenia: The mediating effect of awareness of mental disorder.. <i>Schizophrenia Research</i> , 2022 , 241, 110-112	3.6
10	L'immunopsychiatrie existe-t-elle ?. <i>Phytotherapie</i> , 2018 , 16, 347-352	0.4
9	La programmation neurolinguistique dans l'entretien psychiatrique. <i>Soins Psychiatrie</i> , 2014 , 35, 36-39	0.1
8	Cognitive impairment associated with benzodiazepine long-term administration in schizophrenia, results from the multicentre FACE-SZ dataset. <i>European Neuropsychopharmacology</i> , 2016 , 26, S326	1.2
7	Peripheral sub-inflammation is associated with antidepressant consumption in schizophrenia. Results from the multi-center FACE-SZ dataset. <i>European Psychiatry</i> , 2016 , 33, S98-S98	6
6	Motives And Behaviors of Medical Students (mis)using Prescription Stimulants. <i>European Psychiatry</i> , 2016 , 33, S448-S448	6
5	Medication and aggressiveness in real-world schizophrenia. Results from the FACE-SZ dataset. <i>European Psychiatry</i> , 2016 , 33, s242-s243	6
4	Le microbiote intestinal gouverne-t-il notre cerveau ?. <i>Annales Medico-Psychologiques</i> , 2018 , 176, 824-830.	2
3	Cross-Cultural Adaptation and Validation of the Quality of Life Questionnaire for Caregivers of Patients with Schizophrenia (S-CGQoL) in Latin America. <i>L'Encephale</i> , 2021 , 47, 291-298	2.9
2	Handedness in bipolar disorders is associated with specific neurodevelopmental features: results of the BD-FACE cohort. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1

- 1 Intensive end-of-life care in acute leukemia from a French national hospital database study (2017-2018).. *BMC Palliative Care*, **2022**, 21, 45 3