

Huihua Huang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8736535/huihua-huang-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

49
papers

1,644
citations

25
h-index

40
g-index

51
ext. papers

2,133
ext. citations

6.5
avg, IF

5.88
L-index

#	Paper	IF	Citations
49	Construction of hydrogels based on the chitin from <i>Herichium erinaceus</i> residue: role of molecular weight. <i>Cellulose</i> , 2022 , 29, 2211	5.5	0
48	Preparation, Characterization and Gelation of a Fungal Nano Chitin Derived from Residue.. <i>Polymers</i> , 2022 , 14,	4.5	1
47	Preparation, properties and drug controlled release of chitin-based hydrogels: An updated review.. <i>Carbohydrate Polymers</i> , 2022 , 283, 119177	10.3	7
46	Construction of hydrogels based on the homogeneous carboxymethylated chitin from <i>Herichium erinaceus</i> residue: Role of carboxymethylation degree. <i>Carbohydrate Polymers</i> , 2021 , 262, 117953	10.3	5
45	Surface morphology and protective effect of <i>Herichium erinaceus</i> polysaccharide on cyclophosphamide-induced immunosuppression in mice. <i>Carbohydrate Polymers</i> , 2021 , 251, 116930	10.3	14
44	Review on Magnetic Natural Polymer Constructed Hydrogels as Vehicles for Drug Delivery. <i>Biomacromolecules</i> , 2020 , 21, 2574-2594	6.9	46
43	Smart pH/magnetic sensitive <i>Herichium erinaceus</i> residue carboxymethyl chitin/FeO nanocomposite hydrogels with adjustable characteristics. <i>Carbohydrate Polymers</i> , 2020 , 246, 116644	10.3	12
42	A fungal chitin derived from <i>Herichium erinaceus</i> residue: Dissolution, gelation and characterization. <i>International Journal of Biological Macromolecules</i> , 2020 , 152, 456-464	7.9	12
41	Temperature/pH dual sensitive <i>Herichium erinaceus</i> residue carboxymethyl chitin/poly (N-isopropyl acrylamide) sequential IPN hydrogels. <i>Cellulose</i> , 2020 , 27, 825-838	5.5	19
40	Direct fabrication of hierarchically processed pineapple peel hydrogels for efficient Congo red adsorption. <i>Carbohydrate Polymers</i> , 2020 , 230, 115599	10.3	37
39	Extraction of a novel fungal chitin from <i>Herichium erinaceus</i> residue using multistep mild procedures. <i>International Journal of Biological Macromolecules</i> , 2020 , 156, 1279-1286	7.9	15
38	A novel <i>Herichium erinaceus</i> polysaccharide: Structural characterization and prevention of HO-induced oxidative damage in GES-1 cells. <i>International Journal of Biological Macromolecules</i> , 2020 , 154, 1460-1470	7.9	6
37	Magnetic sensitive <i>Herichium erinaceus</i> residue chitin/Cu hydrogel nanocomposites for H generation by catalyzing NaBH hydrolysis. <i>Carbohydrate Polymers</i> , 2020 , 229, 115426	10.3	18
36	Green and facile fabrication of pineapple peel cellulose/magnetic diatomite hydrogels in ionic liquid for methylene blue adsorption. <i>Cellulose</i> , 2019 , 26, 3825-3844	5.5	37
35	Magnetic chitin hydrogels prepared from <i>Herichium erinaceus</i> residues with tunable characteristics: A novel biosorbent for Cu removal. <i>Carbohydrate Polymers</i> , 2019 , 220, 191-201	10.3	37
34	Synthesis and response of pineapple peel carboxymethyl cellulose-g-poly (acrylic acid-co-acrylamide)/graphene oxide hydrogels. <i>Carbohydrate Polymers</i> , 2019 , 215, 366-376	10.3	52
33	Interesterification of rice bran wax and palm olein catalyzed by lipase: Crystallization behaviours and characterization. <i>Food Chemistry</i> , 2019 , 286, 29-37	8.5	6

32	Green magnetic hydrogels synthesis, characterization and flavourzyme immobilization based on chitin from <i>Hericium erinaceus</i> residue and polyvinyl alcohol. <i>International Journal of Biological Macromolecules</i> , 2019 , 138, 462-472	7.9	17
31	Green pH/magnetic sensitive hydrogels based on pineapple peel cellulose and polyvinyl alcohol: synthesis, characterization and naringin prolonged release. <i>Carbohydrate Polymers</i> , 2019 , 209, 51-61	10.3	53
30	Utilization of pineapple peel for production of nanocellulose and film application. <i>Cellulose</i> , 2018 , 25, 1743-1756	5.5	77
29	Eco-friendly polyvinyl alcohol/carboxymethyl cellulose hydrogels reinforced with graphene oxide and bentonite for enhanced adsorption of methylene blue. <i>Carbohydrate Polymers</i> , 2018 , 185, 1-11	10.3	263
28	Two-Stage Enzymatic Preparation of Eicosapentaenoic Acid (EPA) And Docosahexaenoic Acid (DHA) Enriched Fish Oil Triacylglycerols. <i>Journal of Agricultural and Food Chemistry</i> , 2018 , 66, 218-227	5.7	10
27	Enhanced performances of polyvinyl alcohol films by introducing tannic acid and pineapple peel-derived cellulose nanocrystals. <i>Cellulose</i> , 2018 , 25, 4623-4637	5.5	25
26	Structure characterization of a novel polysaccharide from <i>Hericium erinaceus</i> fruiting bodies and its immunomodulatory activities. <i>Food and Function</i> , 2018 , 9, 294-306	6.1	57
25	Enhanced swelling and multiple-responsive properties of gelatin/sodium alginate hydrogels by the addition of carboxymethyl cellulose isolated from pineapple peel. <i>Cellulose</i> , 2018 , 25, 593-606	5.5	39
24	Immune-enhancing activities of chondroitin sulfate in murine macrophage RAW 264.7 cells. <i>Carbohydrate Polymers</i> , 2018 , 198, 611-619	10.3	43
23	Enhanced Swelling and Responsive Properties of Pineapple Peel Carboxymethyl Cellulose-g-poly(acrylic acid-co-acrylamide) Superabsorbent Hydrogel by the Introduction of Carclazyte. <i>Journal of Agricultural and Food Chemistry</i> , 2017 , 65, 565-574	5.7	98
22	Preparation and characterization of papain embedded in magnetic cellulose hydrogels prepared from tea residue. <i>Journal of Molecular Liquids</i> , 2017 , 232, 449-456	6	22
21	Pineapple peel carboxymethyl cellulose/polyvinyl alcohol/mesoporous silica SBA-15 hydrogel composites for papain immobilization. <i>Carbohydrate Polymers</i> , 2017 , 169, 504-514	10.3	63
20	Synthesis of self-healing waterborne polyurethanes containing sulphonate groups. <i>RSC Advances</i> , 2017 , 7, 20093-20100	3.7	31
19	Structural characterization of a novel polysaccharide fraction from <i>Hericium erinaceus</i> and its signaling pathways involved in macrophage immunomodulatory activity. <i>Journal of Functional Foods</i> , 2017 , 37, 574-585	5.1	47
18	Enzymatic Production of Highly Unsaturated Monoacylglycerols and Diacylglycerols and Their Emulsifying Effects on the Storage Stability of a Palm Oil Based Shortening System. <i>JAOCS, Journal of the American Oil ChemistssSociety</i> , 2017 , 94, 1175-1188	1.8	13
17	Synthesis, characterization and properties of pineapple peel cellulose-g-acrylic acid hydrogel loaded with kaolin and sepia ink. <i>Cellulose</i> , 2017 , 24, 69-84	5.5	38
16	Effects of epicatechin gallate (ECG) on fetal bovine serum (FBS)-induced steatosis in human liver cell line L02 and 2,2'-azobis (2-amidinopropane) (AAPH)-induced oxidative stress in human erythrocytes. <i>European Food Research and Technology</i> , 2016 , 242, 495-504	3.4	2
15	Changes of porcine pancreas α -amylase in activity and secondary conformations under inhibition of tea polyphenols. <i>International Journal of Food Science and Technology</i> , 2016 , 51, 1537-1543	3.8	4

14	Characterization and behavior of composite hydrogel prepared from bamboo shoot cellulose and β -cyclodextrin. <i>International Journal of Biological Macromolecules</i> , 2016 , 89, 527-34	7.9	22
13	Preparation and characterization of cellulose composite hydrogels from tea residue and carbohydrate additives. <i>Carbohydrate Polymers</i> , 2016 , 147, 226-233	10.3	33
12	Modified pineapple peel cellulose hydrogels embedded with sepia ink for effective removal of methylene blue. <i>Carbohydrate Polymers</i> , 2016 , 148, 1-10	10.3	71
11	Assessments of antioxidant effect of black tea extract and its rationals by erythrocyte haemolysis assay, plasma oxidation assay and cellular antioxidant activity (CAA) assay. <i>Journal of Functional Foods</i> , 2015 , 18, 1095-1105	5.1	36
10	Changes of heat-treated soymilks in bioactive compounds and their antioxidant activities under in vitro gastrointestinal digestion. <i>European Food Research and Technology</i> , 2014 , 239, 637-652	3.4	18
9	Characterisation and comparison of phenols, flavonoids and isoflavones of soymilk and their correlations with antioxidant activity. <i>International Journal of Food Science and Technology</i> , 2014 , 49, 2290-2298	3.8	23
8	Impacts of some macromolecules on the characteristics of hydrogels prepared from pineapple peel cellulose using ionic liquid. <i>Cellulose</i> , 2013 , 20, 2923-2933	5.5	28
7	Modification of pineapple peel fibre with succinic anhydride for Cu^{2+} , Cd^{2+} and Pb^{2+} removal from aqueous solutions. <i>Environmental Technology (United Kingdom)</i> , 2011 , 32, 739-46	2.6	42
6	Changes in inhibitory activity and secondary conformation of soybean trypsin inhibitors induced by tea polyphenol complexation. <i>Journal of the Science of Food and Agriculture</i> , 2009 , 89, 2435-2439	4.3	3
5	Changes of trypsin in activity and secondary structure induced by complex with trypsin inhibitors and tea polyphenol. <i>European Food Research and Technology</i> , 2008 , 227, 361-365	3.4	19
4	Inhibitory activity and conformation changes of soybean trypsin inhibitors induced by ultrasound. <i>Ultrasonics Sonochemistry</i> , 2008 , 15, 724-30	8.9	44
3	Effect of thermal processing on genistein, daidzein and glycitein content in soymilk. <i>Journal of the Science of Food and Agriculture</i> , 2006 , 86, 1110-1114	4.3	41
2	Effects of tea polyphenols on the activities of soybean trypsin inhibitors and trypsin. <i>Journal of the Science of Food and Agriculture</i> , 2004 , 84, 121-126	4.3	34
1	A study on chitosan-coated liposomes as a carrier of bovine serum albumin as oral protein drug. <i>Journal of Dispersion Science and Technology</i> , 1-10	1.5	1