List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8737667/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Assessment of the antioxidative response and culturable micro-organisms of <i>Lygeum spartum</i> Loefl. ex L. for prospective phytoremediation applications. International Journal of Phytoremediation, 2023, 25, 293-304. | 1.7 | 2 |
| 2 | High-Throughput Microbial Community Analyses to Establish a Natural Fungal and Bacterial Consortium from Sewage Sludge Enriched with Three Pharmaceutical Compounds. Journal of Fungi (Basel, Switzerland), 2022, 8, 668. | 1.5 | 5 |
| 3 | Evaluation of the Potential of Sewage Sludge Mycobiome to Degrade High Diclofenac and Bisphenol-A Concentrations. Toxics, 2021, 9, 115. | 1.6 | 11 |
| 4 | Design of Bio-Absorbent Systems for the Removal of Hydrocarbons from Industrial Wastewater: Pilot-Plant Scale. Toxics, 2021, 9, 162. | 1.6 | 1 |
| 5 | Assessment of the diversity and abundance of the total and active fungal population and its correlation with humification during two-phase olive mill waste (††alperujoâ€) composting. Bioresource Technology, 2020, 295, 122267. | 4.8 | 19 |
| 6 | Assessment of bacterial and fungal communities in a full-scale thermophilic sewage sludge composting pile under a semipermeable cover. Bioresource Technology, 2020, 298, 122550. | 4.8 | 46 |
| 7 | Enzymatic Potential of Bacteria and Fungi Isolates from the Sewage Sludge Composting Process. Applied Sciences (Switzerland), 2020, 10, 7763. | 1.3 | 16 |
| 8 | Biodegradation and Absorption Technology for Hydrocarbon-Polluted Water Treatment. Applied Sciences (Switzerland), 2020, 10, 841. | 1.3 | 9 |
| 9 | Sewage sludge composting under semi-permeable film at full-scale: Evaluation of odour emissions and relationships between microbiological activities and physico-chemical variables. Environmental Research, 2019, 177, 108624. | 3.7 | 33 |
| 10 | Effect of Composting Under Semipermeable Film on the Sewage Sludge Virome. Microbial Ecology, 2019, 78, 895-903. | 1.4 | 6 |
| 11 | Production index: A new index to evaluate EPSs as surfactants and bioemulsifiers applied to Halomonas variabilis strain W10 for hydrocarbon bioremediation. Ecotoxicology and Environmental Safety, 2019, 175, 66-73. | 2.9 | 2 |
| 12 | Biostimulation of crude oil-polluted soils: influence of initial physicochemical and biological characteristics of soil. International Journal of Environmental Science and Technology, 2019, 16, 4925-4934. | 1.8 | 13 |
| 13 | Bioremediation of Polycyclic Aromatic Hydrocarbons (PAHs) Contaminated Soil Through Fungal Communities. Fungal Biology, 2019, , 217-236. | 0.3 | 2 |
| 14 | Effect of semi-permeable cover system on the bacterial diversity during sewage sludge composting. Journal of Environmental Management, 2018, 215, 57-67. | 3.8 | 30 |
| 15 | Capacity of Hydrophobic Carriers to Form Biofilm for Removing Hydrocarbons from Polluted Industrial Wastewater: Assay in Microcosms. Water, Air, and Soil Pollution, 2018, 229, 1. | 1.1 | 4 |
| 16 | A comparative study of adhesion by bacterial isolates of marine origin. International Biodeterioration and Biodegradation, 2017, 123, 87-95. | 1.9 | 5 |
| 17 | Evolution of the composting process with semi-permeable film technology at industrial scale. Journal of Cleaner Production, 2016, 115, 245-254. | 4.6 | 53 |
| 18 | Autochthonous microbial responses and hydrocarbons degradation in polluted soil during biostimulating treatments under different soil moisture. Assay in pilot plant. International Biodeterioration and Biodegradation, 2016, 108, 91-98. | 1.9 | 28 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Genome Sequence of Leucobacter sp . 4J7B1, a Plant-Osmoprotectant Soil Microorganism. Genome Announcements, 2015, 3, . | 0.8 | 7 |
| 20 | Reverse osmosis seawater desalination: current status of membrane systems. Desalination and Water Treatment, 2015, 56, 849-861. | 1.0 | 18 |
| 21 | Response of autochthonous microbiota of diesel polluted soils to land-farming treatments. Environmental Research, 2015, 137, 49-58. | 3.7 | 67 |
| 22 | Genome Sequence of Arthrobacter siccitolerans 4J27, a Xeroprotectant-Producing Desiccation-Tolerant Microorganism. Genome Announcements, 2014, 2, . | 0.8 | 13 |
| 23 | Novel Membrane Materials for Reverse Osmosis Desalination. Hydrology Current Research, 2014, 05, . | 0.4 | 3 |
| 24 | Bioremediation of diesel-polluted soil using biostimulation as post-treatment after oxidation with Fenton-like reagents: Assays in a pilot plant. Science of the Total Environment, 2013, 445-446, 347-355. | 3.9 | 92 |
| 25 | Application of selected microbial consortia combined with inorganic and oleophilic fertilizers to recuperate oil-polluted soil using land farming technology. Clean Technologies and Environmental Policy, 2012, 14, 719-726. | 2.1 | 51 |
| 26 | Treatment of diesel-polluted clay soil employing combined biostimulation in microcosms. International Journal of Environmental Science and Technology, 2012, 9, 535-542. | 1.8 | 23 |
| 27 | Biodegradative potential and characterization of bioemulsifiers of marine bacteria isolated from samples of seawater, sediment and fuel extracted at 4000Âm of depth (Prestige wreck). International Biodeterioration and Biodegradation, 2010, 64, 511-518. | 1.9 | 28 |
| 28 | Biostimulation combined treatments for remediation of diesel contaminated soil. WIT Transactions on Ecology and the Environment, 2010, , . | 0.0 | 2 |
| 29 | New isolation method of desiccation-tolerant microorganisms for the bioremediation of arid and semiarid soils. WIT Transactions on Ecology and the Environment, 2010, , . | 0.0 | 1 |
| 30 | Application of bioemulsifiers in soil oil bioremediation processes. Future prospects. Science of the Total Environment, 2009, 407, 3634-3640. | 3.9 | 196 |
| 31 | Production of bioemulsifier by Bacillus subtilis, Alcaligenes faecalis and Enterobacter species in liquid culture. Bioresource Technology, 2008, 99, 8470-8475. | 4.8 | 56 |
| 32 | Efficiency of the EPS emulsifier produced by Ochrobactrum anthropi in different hydrocarbon bioremediation assays. Journal of Industrial Microbiology and Biotechnology, 2008, 35, 1493-1501. | 1.4 | 47 |
| 33 | When can surfactants enhance hydrocarbon biodegradation in oil biotreatments?. WIT Transactions on Ecology and the Environment, 2008, , . | 0.0 | 0 |
| 34 | Characteristics of bioemulsifier V2-7 synthesized in culture media added of hydrocarbons: Chemical composition, emulsifying activity and rheological properties. Bioresource Technology, 2007, 98, 3130-3135. | 4.8 | 63 |
| 35 | Influence of pesticides and herbicides presence on phosphatase activity and selected bacterial microbiota of a natural lake system. Ecotoxicology, 2006, 15, 487-493. | 1.1 | 23 |
| 36 | TGGE analysis of the diversity of ammonia-oxidizing and denitrifying bacteria in submerged filter biofilms for the treatment of urban wastewater. Applied Microbiology and Biotechnology, 2006, 72, 393-400. | 1.7 | 42 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Selection and identification of bacteria isolated from waste crude oil with polycyclic aromatic hydrocarbons removal capacities. Systematic and Applied Microbiology, 2006, 29, 244-252. | 1.2 | 110 |
| 38 | Arsenic Uptake and Accumulation in Curly Endives (Cichorium endivia L .) Irrigated with Contaminated Water. Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes, 2006, 41, 459-470. | 0.7 | 7 |
| 39 | Identification of Bacteria Isolated from an Oligotrophic Lake with Pesticide Removal Capacities. Ecotoxicology, 2005, 14, 299-312. | 1.1 | 66 |
| 40 | Moderately Halophilic, Exopolysaccharide-Producing Bacteria. , 2004, , 297-314. | | 38 |
| 41 | Surfactant activity of a naphthalene degrading Bacillus pumilus strain isolated from oil sludge. Journal of Biotechnology, 2004, 109, 255-262. | 1.9 | 60 |
| 42 | Yield production, chemical composition, and functional properties of emulsifier H28 synthesized by Halomonas eurihalina strain H-28 in media containing various hydrocarbons. Applied Microbiology and Biotechnology, 2002, 58, 358-363. | 1.7 | 81 |
| 43 | Characteristics of bioemulsifiers synthesised in crude oil media by Halomonas eurihalina and their effectiveness in the isolation of bacteria able to grow in the presence of hydrocarbons. Applied Microbiology and Biotechnology, 2002, 60, 347-351. | 1.7 | 75 |
| 44 | Studies on the effects of the insecticide aldrin on aquatic microbial populations. International Biodegradation, 2002, 50, 83-87. | 1.9 | 15 |
| 45 | Antibiotic resistance patterns of coliforms isolated from six protected wetlands in the Southeast of Spain. Folia Microbiologica, 2000, 45, 555-560. | 1.1 | 3 |
| 46 | Effect of cations, pH and sulfate content on the viscosity and emulsifying activity of the Halomonas eurihalina exopolysaccharide. Journal of Industrial Microbiology and Biotechnology, 1998, 20, 205-209. | 1.4 | 71 |
| 47 | Fecal coliform-related bacterial and coliphage populations in five lakes of southeastern Spain. Microbiological Research, 1998, 153, 283-288. | 2.5 | 3 |
| 48 | Characterization of exopolysaccharides produced by 19 halophilic strains of the species Halomonas eurihalina. Journal of Biotechnology, 1998, 61, 135-141. | 1.9 | 106 |
| 49 | Effect of growth conditions on the rheological properties and chemical composition ofVolcaniella eurihalina exopolysaccharide. Applied Biochemistry and Biotechnology, 1996, 59, 77-86. | 1.4 | 34 |
| 50 | Some rheological properties of the extracellular polysaccharide produced byVolcaniella eurihalina F2-7. Applied Biochemistry and Biotechnology, 1995, 55, 45-54. | 1.4 | 45 |
| 51 | Behaviour of two D. halophila bacteriophages with respect to salt concentrations and other environmental factors. Toxicological and Environmental Chemistry, 1994, 43, 85-93. | 0.6 | 4 |
| 52 | Exopolysaccharide production byVolcaniella eurihalina. Experientia, 1993, 49, 1037-1041. | 1.2 | 97 |
| 53 | Isolation of phages HM5 and HM15 from hypersaline soil. Toxicological and Environmental Chemistry, 1991, 34, 29-37. | 0.6 | 3 |
| 54 | Precipitation of Struvite in Urine Medium by Urease-Positive and Urease-Negative <i>Yersinia</i> Strains. Urologia Internationalis, 1990, 45, 298-301. | 0.6 | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Strutive crystal precipitation by different phenotypes ofYersinia. Folia Microbiologica, 1989, 34, 485-489. | 1.1 | 3 |
| 56 | Isolation and characterization of phage F9-11 from a lysogenicDeleya halophila strain. Current Microbiology, 1988, 17, 49-53. | 1.0 | 27 |
| 57 | In vitro susceptibility of Yersinia kristensenii strains to β-lactam antibiotics. Annales De L'Institut Pasteur Microbiologie, 1986, 137, 169-177. | 0.8 | 6 |
| 58 | Antagonism betweenYersinia intermedia andYersinia enterocolitica in water. Folia Microbiologica, 1986, 31, 167-173. | 1.1 | 3 |
| 59 | Production of bacteriocin-like substances byYersinia frederiksenii, Y. kristensenii, andY. intermedia strains. Folia Microbiologica, 1986, 31, 177-186. | 1.1 | 14 |
| 60 | New waterborne bacteriophages active on Yersinia enterocolitica. Applied and Environmental Microbiology, 1981, 42, 35-38. | 1.4 | 12 |