
## Antigona Trofor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8737839/publications.pdf Version: 2024-02-01



ANTICONA TROFOR

#	Article	IF	CITATIONS
1	Gaps in Guidelines for the Management of Diabetes in Low- and Middle-Income Versus High-Income Countries—A Systematic Review. Diabetes Care, 2018, 41, 1097-1105.	4.3	62
2	The availability of references and the sponsorship of original research cited in pharmaceutical advertisements. Cmaj, 2005, 172, 487-491.	0.9	48
3	Global Alliance for Chronic Disease researchers' statement on multimorbidity. The Lancet Global Health, 2018, 6, e1270-e1271.	2.9	43
4	Study protocol of EUREST-PLUS - European Regulatory Science on Tobacco: Policy Implementation to Reduce Lung Disease. Tobacco Induced Diseases, 2018, 16, A2.	0.3	39
5	The Conceptual Model and Methods of Wave 1 ( 2016 ) of the EUREST-PLUS ITC 6 European Countries Survey. Tobacco Induced Diseases, 2018, 16, A3.	0.3	35
6	Quitting activity and use of cessation assistance reported by smokers in eight European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.3	31
7	Characterising smokers of menthol and flavoured cigarettes, their attitudes towards tobacco regulation, and the anticipated impact of the Tobacco Products Directive on their smoking and quitting behaviours: The EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A4.	0.3	27
8	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii4-iii9.	0.1	21
9	Knowledge of the health risks of smoking and impact of cigarette warning labels among tobacco users in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A10.	0.3	20
10	Depression, anxiety and panic disorders in chronic obstructive pulmonary disease patients: correlations with tobacco use, disease severity and quality of life. Tobacco Induced Diseases, 2017, 15, 23.	0.3	19
11	Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii78-iii83.	0.1	18
12	Characteristics and correlates of electronic cigarette product attributes and undesirable events during e-cigarette use in six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A1.	0.3	14
13	Social norms towards smoking and electronic cigarettes among adult smokers in seven European Countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A15.	0.3	13
14	A quantitative ionicity scale for liquid chloride salts. Physical Chemistry Chemical Physics, 2012, 14, 13053.	1.3	11
15	Receiving support to quit smoking and quit attempts among smokers with and without smoking related diseases: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A14.	0.3	11
16	Patterns of tobacco use, quit attempts, readiness to quit and selfefficacy among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A9.	0.3	11
17	Opinions and practices regarding electronic cigarette use among Romanian high school students. Gaceta Sanitaria, 2016, 30, 366-369.	0.6	10
18	Perceptions, Predictors of and Motivation for Quitting among Smokers from Six European Countries from 2016 to 2018: Findings from EUREST-PLUS ITC Europe Surveys. International Journal of Environmental Research and Public Health, 2020, 17, 6263.	1.2	10

ANTIGONA TROFOR

#	Article	IF	CITATIONS
19	Secondhand exposure to e-cigarette aerosols among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A11.	0.3	10
20	Inhaled gentamicin in non-cystic fibrosis bronchiectasis: effects of long-term therapy. Expert Opinion on Pharmacotherapy, 2011, 12, 1191-1194.	0.9	9
21	Smoking cessation for free: outcomes of a study of three Romanian clinics. Open Medicine (Poland), 2016, 11, 605-610.	0.6	9
22	Quitting behaviors and cessation assistance used among smokers with anxiety or depression: Findings among six countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.3	9
23	Cigarette brand loyalty among smokers in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A12.	0.3	9
24	EVALUATION OF OXIDATIVE STRESS IN SMOKING AND NON-SMOKING PATIENTS DIAGNOSED WITH ANXIOUS-DEPRESSIVE DISORDER. Farmacia, 2020, 68, 82-89.	0.1	9
25	Cross-border purchasing of cigarettes among smokers in Six Countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A13.	0.3	8
26	Extent and correlates of self-reported exposure to tobacco advertising, promotion and sponsorship in smokers: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.3	8
27	Prevalence and correlates of different smoking bans in homes and cars among smokers in 6 Countries of the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A8.	0.3	8
28	Dependence, plans to quit, quitting self-efficacy and past cessation behaviours among menthol and other flavoured cigarette users in Europe: The EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A19.	0.3	7
29	Impact of the ENSP eLearning platform on improving knowledge, attitudes and self-efficacy for treating tobacco dependence: An assessment across 15 European countries. Tobacco Induced Diseases, 2020, 18, 40.	0.3	7
30	Impact of anti-smoking advertising on health-risk knowledge and quit attempts across 6 European countries from the EUREST-PLUS ITC Europe Survey. Tobacco Induced Diseases, 2018, 16, A5.	0.3	7
31	Varenicline for smoking cessation intervention in chronic obstructive pulmonary disease. Expert Opinion on Pharmacotherapy, 2011, 12, 2595-2597.	0.9	6
32	The purchase sources of and price paid for cigarettes in six European countries: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, A16.	0.3	6
33	Biochemistry in Assessing Tobacco Exposure -Smokers versus Non-smokers Correlations with clinical practice. Revista De Chimie (discontinued), 2017, 68, 1002-1006.	0.2	6
34	Smoking cessation and prevention for young peopleRomanian expertise. Pneumologia, 2009, 58, 72-8.	0.1	6
35	Current practices and perceived barriers to tobaccotreatment delivery among healthcare professionals from 15 European countries. The EPACTT Plus project. Tobacco Prevention and Cessation, 2020, 6, 6.	0.2	5
36	Churg Strauss syndrome associated with montelukastcase report. Pneumologia, 2012, 61, 113-6.	0.1	5

ANTIGONA TROFOR

#	Article	IF	CITATIONS
37	Tobacco Treatment Guideline for High Risk Groups: A pilot study in patients with Chronic Obstructive Pulmonary Disease. Tobacco Induced Diseases, 2018, 16, 13.	0.3	4
38	Correlates of the support for smoke-free policies among smokers: A cross-sectional study in six European countries of the EUREST-PLUS ITC EUROPE SURVEYS. Tobacco Induced Diseases, 2018, 16, A17.	0.3	4
39	Biochemistry in Assessing the Inflammatory Response of the Respiratory System Due to Experimental Exposure to Glass Fibres. Materiale Plastice, 2019, 56, 285-290.	0.4	2
40	Correlations between lung function, exhaled carbon monoxide and "lung age―in smokers versus former smokers with COPD. , 2017, , .		1
41	Impact of the Tobacco Treatment Guidelines for High Risk Groups (TOB.g): A pilot study among physicians specializing in CVD, Diabetes and COPD. Tobacco Prevention and Cessation, 2018, 4, 13.	0.2	1
42	Short-term impact of the EuroPean Accredited Curriculum on Tobacco Treatment Training (EPACTT) program. Tobacco Prevention and Cessation, 2018, 4, 28.	0.2	1
43	Study of biochemical markers of oxidative stress in smokers versus nonsmokers with mixed anxious and depressive disorder. , 2019, , .		1
44	Smoking And Co Morbidities Analysis At Sleep Apnea Syndrome In A Sleep Population From Romania. , 2010, , .		0
45	The Impact of the Romanian National Smoking Cessation Strategy on Quit Attempts: Use of Treatment and Abstinence in General Population. Chest, 2011, 140, 437A.	0.4	0
46	Smoking cessation for free: First long-term outcomes in three Romanian centres. , 2015, , .		0
47	The problem of low rate-smokers: Smoking pattern and cessation outcomes. , 2015, , .		0
48	Effectiveness of a personalized smoking cessation counseling program in patients with oral cancer: preliminary results. , 2017, , .		0
49	Healthy smokers at risk for cardiovascular disease: the usefullness of left ventricular function and metabolic status evaluation. , 2017, , .		0
50	Effectiveness of a one-day training seminar on smoking cessation on health care professionals knowledge. , 2017, , .		0
51	Association between alpha <sub>1</sub> -antitrypsin (α <sub>1</sub> -AT) levels, lipid profile and ventilatory pulmonary function in predicting the cardiovascular risk in simptomatic smokers. Tobacco Induced Diseases, 2018, 16, .	0.3	Ο
52	"Lung age" - a motivational smoking cessation tool in smokers with chronic obstructive pulmonary disease. Tobacco Induced Diseases, 2018, 16, .	0.3	0
53	Prevalence and knowledge on e-cigarette among teenagers in Romania 2016. Tobacco Induced Diseases, 2018, 16, .	0.3	0
54	Integration of a personalized approach for tobacco use and dependence in a dentistry setting-preliminary results. Tobacco Induced Diseases, 2018, 16, .	0.3	0

ANTIGONA TROFOR

#	Article	IF	CITATIONS
55	Smoking cessation in cardiovascular, diabetes and COPD patients - lessons from the pilot TOB G project in Romania. Tobacco Prevention and Cessation, 2018, 4, .	0.2	Ο
56	Pre-post pilot study of a one day smoking cessation training for health care professionals in charge with high risk smokers. , 2018, , .		0
57	Evaluating the European Union (EU) Tobacco Products Directive: Findings from the EUREST-PLUS ITC cohort study among six EU Member States (MS). Tobacco Induced Diseases, 2018, 16, .	0.3	Ο
58	Undesirable events during electronic cigarette use prior to the implementation of Article 20 of the European Union Tobacco Products Directive: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2018, 16, .	0.3	0
59	Romanian contributions to international tobacco control programs in adults. Tobacco Prevention and Cessation, 2019, 5, .	0.2	0
60	Preparing the new generation of Romanian experts in tobacco control: PhD studies in the field. Tobacco Prevention and Cessation, 2019, 5, .	0.2	0
61	Smoking in public places in six European countries: Findings from the EUREST-PLUS ITC Europe Survey. Tobacco Induced Diseases, 2018, 16, A18.	0.3	0
62	Smoking cessation in Type 2 Diabetes and pre-diabetic patients – outcomes from a pilot health program for high risk smokers. , 2019, , .		0
63	Attitudes towards tobacco control policies among smokers of menthol, other flavored and unflavored cigarettes: Findings from the EUREST-PLUS ITC Europe Surveys. Tobacco Induced Diseases, 2019, 17, .	0.3	0
64	School-based smoking prevention programmes: ethical aspects. Pneumologia, 2011, 60, 107-10.	0.1	0