

Luis Gustavo Corbellini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8739205/publications.pdf>

Version: 2024-02-01

86
papers

1,337
citations

361045

20
h-index

433756

31
g-index

88
all docs

88
docs citations

88
times ranked

1888
citing authors

#	ARTICLE	IF	CITATIONS
1	Description of bovine babesiosis and anaplasmosis outbreaks in northern Uruguay between 2016 and 2018. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2022, 29, 100700.	0.3	2
2	Characterization of the transfer probability of <i>Salmonella</i> ser. Typhimurium between pork and a cutting knife in an experimental model. <i>Microbial Risk Analysis</i> , 2022, 21, 100203.	1.3	1
3	Validation of a multiplex PCR assay to detect <i>Babesia</i> spp. and <i>Anaplasma marginale</i> in cattle in Uruguay in the absence of a gold standard test. <i>Journal of Veterinary Diagnostic Investigation</i> , 2021, 33, 73-79.	0.5	9
4	Non-typhoidal human salmonellosis in Rio Grande do Sul, Brazil: A combined source attribution study of microbial subtyping and outbreak data. <i>International Journal of Food Microbiology</i> , 2021, 338, 108992.	2.1	8
5	Causes of neonatal calf diarrhea and mortality in pasture-based dairy herds in Uruguay: a farm-matched case-control study. <i>Brazilian Journal of Microbiology</i> , 2021, 52, 977-988.	0.8	34
6	Serologic evidence of West Nile virus and Saint Louis encephalitis virus in horses from Southern Brazil. <i>Brazilian Journal of Microbiology</i> , 2021, 52, 1021-1027.	0.8	4
7	Impact of changes of horse movement regulations on the risks of equine infectious anemia: A risk assessment approach. <i>Preventive Veterinary Medicine</i> , 2021, 190, 105319.	0.7	5
8	Molecular prevalence of <i>Coxiella burnetii</i> in bulk-tank milk from bovine dairy herds: Systematic review and meta-analysis. <i>One Health</i> , 2021, 12, 100208.	1.5	12
9	Serological Evidence of Human Infection with <i>Coxiella burnetii</i> after Occupational Exposure to Aborting Cattle. <i>Veterinary Sciences</i> , 2021, 8, 196.	0.6	2
10	Epidemiological, pathological and immunohistochemical aspects of 125 cases of feline lymphoma in Southern Brazil. <i>Veterinary and Comparative Oncology</i> , 2020, 18, 224-230.	0.8	11
11	Evaluation of two strategies for reducing the spread of <i>Salmonella</i> in commercial swine herds during the finishing phase and their incremental cost-effectiveness ratios. <i>Semina:Ciencias Agrarias</i> , 2020, 41, 505-516.	0.1	11
12	Shifting to foot-and-mouth disease-free status without vaccination: Application of the PROMETHEE method to assist in the development of a foot-and-mouth national program in Uruguay. <i>Preventive Veterinary Medicine</i> , 2020, 181, 105082.	0.7	3
13	Survey for pestiviruses in backyard pigs in southern Brazil. <i>Journal of Veterinary Diagnostic Investigation</i> , 2020, 32, 136-141.	0.5	9
14	A qualitative risk assessment approach to microbial foodborne hazards in Brazilian intensive pork production: A step towards risk prioritization. <i>Microbial Risk Analysis</i> , 2020, 15, 100105.	1.3	11
15	Adverse effects of foot-and-mouth disease vaccine in dairy cattle. <i>Pesquisa Veterinaria Brasileira</i> , 2020, 40, 589-592.	0.5	0
16	Investigation of <i>Listeria monocytogenes</i> , <i>Salmonella enterica</i> and <i>Yersinia enterocolitica</i> in pig carcasses in Southern Brazil. <i>Pesquisa Veterinaria Brasileira</i> , 2020, 40, 781-790.	0.5	5
17	Intention to adopt Electronic Animal Movement Permit (e-GTA) systems in Rio Grande do Sul, Brazil. <i>Pesquisa Veterinaria Brasileira</i> , 2020, 40, 677-684.	0.5	1
18	Evaluation of losses in carcasses of cattle naturally infected with <i>Fasciola hepatica</i> : effects on weight by age range and on carcass quality parameters. <i>International Journal for Parasitology</i> , 2019, 49, 867-872.	1.3	27

#	ARTICLE	IF	CITATIONS
19	Assessment of biosecurity practices and development of a scoring system in swine farms using item response theory. <i>Preventive Veterinary Medicine</i> , 2019, 167, 128-136.	0.7	15
20	Biosecurity practices associated with influenza A virus seroprevalence in sows from southern Brazilian breeding herds. <i>Preventive Veterinary Medicine</i> , 2019, 166, 1-7.	0.7	6
21	Serological surveillance and factors associated with influenza A virus in backyard pigs in Southern Brazil. <i>Zoonoses and Public Health</i> , 2019, 66, 125-132.	0.9	2
22	Microbiological quality of colonial cheese sold in Porto Alegre-RS. <i>Semina: Ciências Agrárias</i> , 2019, 40, 639.	0.1	1
23	Prevalence of <i>Rhodococcus equi</i> from the nasal cavity of 1010 apparently healthy horses. <i>Equine Veterinary Journal</i> , 2018, 50, 667-671.	0.9	7
24	Development and validation of a scoring system to assess the relative vulnerability of swine breeding herds to the introduction of PRRS virus. <i>Preventive Veterinary Medicine</i> , 2018, 160, 116-122.	0.7	25
25	Ocorrência de brucelose e tuberculose bovinas no Rio Grande do Sul com base em dados secundários. <i>Pesquisa Veterinária Brasileira</i> , 2018, 38, 15-22.	0.5	6
26	Frequência de suínos soropositivos para <i>Salmonella</i> sp. em granjas afetadas em diferentes níveis de severidade pela Síndrome Multissistêmica de Definhamento do Leito Desmamado. <i>Acta Scientiae Veterinariae</i> , 2018, 38, 127.	0.2	6
27	Can hierarchical modeling improve our understanding of bovine abortion due to <i>Neospora caninum</i> infection?. <i>Veterinary Parasitology</i> , 2017, 237, 77-82.	0.7	5
28	Quantitative microbial risk assessment of <i>Salmonella</i> in dry fermented sausage (salami) in Southern Brazil. <i>Microbial Risk Analysis</i> , 2017, 6, 31-43.	1.3	10
29	A Stochastic Model to Assess the Effect of Meat Inspection Practices on the Contamination of the Pig Carcasses. <i>Risk Analysis</i> , 2017, 37, 1849-1864.	1.5	7
30	Canine diabetes mellitus risk factors: A matched case-control study. <i>Research in Veterinary Science</i> , 2017, 114, 469-473.	0.9	22
31	Extended-spectrum β -lactamase (ESBL)-producing <i>Escherichia coli</i> isolates collected from diseased food-producing animals in the GERM-Vet monitoring program 2008-2014. <i>Veterinary Microbiology</i> , 2017, 200, 142-150.	0.8	44
32	Odds Ratio or Prevalence Ratio? An Overview of Reported Statistical Methods and Appropriateness of Interpretations in Cross-sectional Studies with Dichotomous Outcomes in Veterinary Medicine. <i>Frontiers in Veterinary Science</i> , 2017, 4, 193.	0.9	121
33	Hematological findings and factors associated with feline leukemia virus (FeLV) and feline immunodeficiency virus (FIV) positivity in cats from southern Brazil. <i>Pesquisa Veterinária Brasileira</i> , 2017, 37, 1531-1536.	0.5	24
34	Identification of foot and mouth disease risk areas using a multi-criteria analysis approach. <i>PLoS ONE</i> , 2017, 12, e0178464.	1.1	15
35	Bovine Viral Diarrhoea Virus (BVDV) in Dairy Cattle: A Matched Case-Control Study. <i>Transboundary and Emerging Diseases</i> , 2016, 63, e1-e13.	1.3	6
36	Seroprevalence of <i>Pythium insidiosum</i> infection in equine in Rio Grande do Sul, Brazil. <i>Ciencia Rural</i> , 2016, 46, 126-131.	0.3	14

#	ARTICLE	IF	CITATIONS
37	Antibodies against vesicular stomatitis virus in horses from southern, midwestern and northeastern Brazilian States. <i>Ciencia Rural</i> , 2016, 46, 1424-1429.	0.3	5
38	Ocurrence and characterization of bovine abortion caused by <i>Brucella abortus</i> infection in southern Brazil. <i>Archivos De Medicina Veterinaria</i> , 2016, 48, 43-49.	0.2	5
39	Effect of slaughterhouse and day of sample on the probability of a pig carcass being <i>Salmonella</i> -positive according to the Enterobacteriaceae count in the largest Brazilian pork production region. <i>International Journal of Food Microbiology</i> , 2016, 228, 58-66.	2.1	27
40	Prevalence of <i>Streptococcus equi</i> subsp. <i>equi</i> in horses and associated risk factors in the State of Rio Grande do Sul, Brazil. <i>Research in Veterinary Science</i> , 2016, 104, 53-57.	0.9	15
41	Case-control study evaluating the sow's risk factors associated with stillbirth piglets in Midwestern in Brazil. <i>Tropical Animal Health and Production</i> , 2015, 47, 445-449.	0.5	1
42	Seroprevalence of <i>Brucella ovis</i> in rams and associated flock level risk factors in the state of Rio Grande do Sul, Brazil. <i>Preventive Veterinary Medicine</i> , 2015, 121, 183-187.	0.7	10
43	The impact of screening-test negative samples not enumerated by MPN. <i>International Journal of Food Microbiology</i> , 2015, 205, 1-6.	2.1	2
44	What variables are important in predicting bovine viral diarrhea virus? A random forest approach. <i>Veterinary Research</i> , 2015, 46, 85.	1.1	54
45	Leptospirosis in Rio Grande do Sul, Brazil: An Ecosystem Approach in the Animal-Human Interface. <i>PLoS Neglected Tropical Diseases</i> , 2015, 9, e0004095.	1.3	46
46	A análise de risco como ferramenta estratégica para o serviço veterinário oficial brasileiro: dificuldades e desafios. <i>Pesquisa Veterinaria Brasileira</i> , 2014, 34, 542-554.	0.5	3
47	Identification, occurrence and clinical findings of canine hemoplasmas in southern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2014, 37, 259-265.	0.7	21
48	High frequency of bovine viral diarrhea virus type 2 in Southern Brazil. <i>Virus Research</i> , 2014, 191, 117-124.	1.1	37
49	<i>Ureaplasma diversum</i> as a cause of pustular vulvovaginitis in bovine females in Vale Guapore, Mato Grosso State, Brazil. <i>Tropical Animal Health and Production</i> , 2014, 46, 1059-1063.	0.5	12
50	Targeted survey of Newcastle disease virus in backyard poultry flocks located in wintering site for migratory birds from Southern Brazil. <i>Preventive Veterinary Medicine</i> , 2014, 116, 197-202.	0.7	23
51	Relação da idade na presença de bactérias resistentes a antimicrobianos em rebanhos leiteiros no Rio Grande do Sul. <i>Pesquisa Veterinaria Brasileira</i> , 2014, 34, 613-620.	0.5	3
52	Herd-level risk factors for bovine viral diarrhea virus infection in dairy herds from Southern Brazil. <i>Research in Veterinary Science</i> , 2013, 95, 901-907.	0.9	37
53	Causas de aborto bovino diagnosticadas no Setor de Patologia Veterinária da UFRGS de 2003 a 2011. <i>Pesquisa Veterinaria Brasileira</i> , 2013, 33, 155-160.	0.5	20
54	Ovinocultura do Rio Grande do Sul: descrição do sistema produtivo e dos principais aspectos sanitários e reprodutivos. <i>Pesquisa Veterinaria Brasileira</i> , 2013, 33, 1453-1458.	0.5	16

#	ARTICLE	IF	CITATIONS
55	Aspergillus fumigatus from normal and condemned carcasses with airsacculitis in commercial poultry. Pesquisa Veterinaria Brasileira, 2013, 33, 1071-1075.	0.5	7
56	Longitudinal Dissemination of Salmonella enterica Clonal Groups through the Slaughter Process of Salmonella-Positive Pig Batches. Journal of Food Protection, 2012, 75, 1580-1588.	0.8	29
57	Typing of canine parvovirus strains circulating in Brazil between 2008 and 2010. Virus Research, 2012, 165, 29-33.	1.1	51
58	Neosporose bovina: avaliação da transmissão vertical e fração atribuível de aborto em uma população de bovinos no Estado do Rio Grande do Sul. Pesquisa Veterinaria Brasileira, 2012, 32, 396-400.	0.5	10
59	Risk Assessment of the Introduction of H5N1 Highly Pathogenic Avian Influenza as a Tool to be Applied in Prevention Strategy Plan. Transboundary and Emerging Diseases, 2012, 59, 106-116.	1.3	5
60	Records of performance and sanitary status from a dairy cattle herd in southern Brazil. Pesquisa Veterinaria Brasileira, 2011, 31, 01-09.	0.5	12
61	Quantitative Risk Assessment for Human Salmonellosis through the Consumption of Pork Sausage in Porto Alegre, Brazil. Journal of Food Protection, 2011, 74, 553-558.	0.8	14
62	Malassezia dermatitis in dogs in Brazil: diagnosis, evaluation of clinical signs and molecular identification. Veterinary Dermatology, 2011, 22, 46-52.	0.4	13
63	Long-term cyclosporine treatment: Evaluation of serum biochemical parameters and histopathological alterations in Wistar rats. Experimental and Toxicologic Pathology, 2011, 63, 119-123.	2.1	12
64	Matched case-control study evaluating the frequency of the main agents associated with neonatal diarrhea in piglets. Pesquisa Veterinaria Brasileira, 2011, 31, 505-510.	0.5	16
65	Validação interlaboratorial do teste de polarização fluorescente para o diagnóstico sorológico da brucelose bovina. Ciencia Rural, 2010, 40, 2135-2140.	0.3	3
66	Análise imuno-histoquímica de cães naturalmente infectados pelo parvovírus canino. Pesquisa Veterinaria Brasileira, 2009, 29, 131-136.	0.5	7
67	Aborto ovino associado com infecção por Sarcocystis sp. Pesquisa Veterinaria Brasileira, 2007, 27, 393-397.	0.5	12
68	Perdas reprodutivas associadas com infecção por Toxoplasma gondii em caprinos no sul do Brasil. Pesquisa Veterinaria Brasileira, 2007, 27, 167-171.	0.5	18
69	Co-Infection of Pneumocystis carinii f. sp. suis and Porcine Circovirus-2 (PCV2) in Pig Lungs Obtained from Slaughterhouses in Southern and Midwestern Regions of Brazil. Journal of Eukaryotic Microbiology, 2006, 53, S92-S94.	0.8	21
70	Staphylococcus spp. Abortion: Skin Lesions Caused by Staphylococcus aureus Infection in an Aborted Bovine-Fetus. Veterinary Research Communications, 2006, 30, 717-721.	0.6	5
71	Analysis of national serological surveys for the documentation of freedom from porcine reproductive and respiratory syndrome in Switzerland. Veterinary Microbiology, 2006, 118, 267-273.	0.8	12
72	Diagnostic survey of bovine abortion with special reference to Neospora caninum infection: Importance, repeated abortion and concurrent infection in aborted fetuses in Southern Brazil. Veterinary Journal, 2006, 172, 114-120.	0.6	40

#	ARTICLE	IF	CITATIONS
73	Herd-level risk factors for <i>Neospora caninum</i> seroprevalence in dairy farms in southern Brazil. <i>Preventive Veterinary Medicine</i> , 2006, 74, 130-141.	0.7	55
74	Aborto eqüino por <i>Leptospira</i> sp.. <i>Ciencia Rural</i> , 2004, 34, 271-274.	0.3	10
75	Simple procedure for emptying long-term ovarian cysts in cattle. <i>Veterinary Record</i> , 2004, 155, 599-601.	0.2	3
76	Neurological disorder associated with pestivirus infection in sheep in Rio Grande do Sul, Brazil. <i>Ciencia Rural</i> , 2004, 34, 935-938.	0.3	3
77	Aborto por <i>Aspergillus fumigatus</i> e <i>A. niger</i> em bovinos no sul do Brasil. <i>Pesquisa Veterinaria Brasileira</i> , 2003, 23, 82-86.	0.5	5
78	Clinical and epidemiological aspects of bovine digital lesions in southern Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2001, 53, 654-657.	0.1	7
79	Bovine mastitis due to <i>Prototheca zopfii</i> : clinical, epidemiological and pathological aspects in a Brazilian dairy herd. <i>Tropical Animal Health and Production</i> , 2001, 33, 463-470.	0.5	29
80	Bovine digital dermatitis in southern Brazil. <i>Veterinary Record</i> , 2001, 148, 576-577.	0.2	20
81	Granulomatous Encephalitis in a Neurologically Impaired Goat Kid Associated with Degeneration of <i>Neospora Caninum</i> Tissue Cysts. <i>Journal of Veterinary Diagnostic Investigation</i> , 2001, 13, 416-419.	0.5	43
82	Aborto bovino por <i>Neospora caninum</i> no Rio Grande do Sul. <i>Ciencia Rural</i> , 2000, 30, 863-868.	0.3	11
83	Infecço natural pelo Vrus Sincicial Respiratrio Bovino (BRSV) no Estado de Alagoas. <i>Pesquisa Veterinaria Brasileira</i> , 2000, 20, 171-175.	0.5	6
84	Aspectos clnicos e patolgicos da paratuberculose em bovinos no Rio Grande do Sul. <i>Pesquisa Veterinaria Brasileira</i> , 1999, 19, 109-115.	0.5	27
85	Analysis of the Performance of the Animal Health Surveillance System in the Outbreak of Swine Vesicular Disease in the State of Santa Catarina - Brazil. <i>Acta Scientiae Veterinariae</i> , 0, 48, .	0.2	0
86	Epidemiological analyses of cattle carcasses affected by cysticercosis and hydatidosis in the State of Rio Grande do Sul from 2014 to 2018. <i>Pesquisa Veterinaria Brasileira</i> , 0, 42, .	0.5	3