

Johannes Hennings

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8741206/publications.pdf>

Version: 2024-02-01

16
papers

629
citations

840776
11
h-index

1199594
12
g-index

16
all docs

16
docs citations

16
times ranked

1706
citing authors

#	ARTICLE	IF	CITATIONS
1	The Neuronal Transporter Gene SLC6A15 Confers Risk to Major Depression. <i>Neuron</i> , 2011, 70, 252-265.	8.1	189
2	Association of Genetic Variants in the Neurotrophic Receptorâ€“Encoding Gene<i>NTRK2</i>and a Lifetime History of Suicide Attempts in Depressed Patients. <i>Archives of General Psychiatry</i> , 2010, 67, 348.	12.3	82
3	Genome-Wide Association Study of Antidepressant Treatment-Emergent Suicidal Ideation. <i>Neuropsychopharmacology</i> , 2012, 37, 797-807.	5.4	76
4	IGF-I in major depression and antidepressant treatment response. <i>European Neuropsychopharmacology</i> , 2015, 25, 864-872.	0.7	53
5	Mirtazapine Provokes Periodic Leg Movements during Sleep in Young Healthy Men. <i>Sleep</i> , 2013, 36, 661-669.	1.1	44
6	FKBP5 Gene Expression Predicts Antidepressant Treatment Outcome in Depression. <i>International Journal of Molecular Sciences</i> , 2019, 20, 485.	4.1	40
7	Suppressive effect of mirtazapine on the HPA system in acutely depressed women seems to be transient and not related to antidepressant action. <i>Psychoneuroendocrinology</i> , 2009, 34, 238-248.	2.7	36
8	Aberrant computational mechanisms of social learning and decision-making in schizophrenia and borderline personality disorder. <i>PLoS Computational Biology</i> , 2020, 16, e1008162.	3.2	33
9	Resistance to antidepressant treatment is associated with polymorphisms in the leptin gene, decreased leptin mRNA expression, and decreased leptin serum levels. <i>European Neuropsychopharmacology</i> , 2013, 23, 653-662.	0.7	32
10	ANK3 and CACNA1C â€“ Missing genetic link for bipolar disorder and major depressive disorder in two German case-control samples. <i>Journal of Psychiatric Research</i> , 2012, 46, 973-979.	3.1	19
11	Polymorphisms within the metabotropic glutamate receptor 1 gene are associated with depression phenotypes. <i>Psychoneuroendocrinology</i> , 2012, 37, 565-575.	2.7	14
12	Evidence for associations between MDGA2 polymorphisms and harm avoidance â€“ replication and extension of a genome-wide association finding. <i>Psychiatric Genetics</i> , 2011, 21, 257-260.	1.1	11
13	Title is missing!. , 2020, 16, e1008162.		0
14	Title is missing!. , 2020, 16, e1008162.		0
15	Title is missing!. , 2020, 16, e1008162.		0
16	Title is missing!. , 2020, 16, e1008162.		0