

# Jernej Pajek

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8744076/publications.pdf>

Version: 2024-02-01

54  
papers

787  
citations

516215

16  
h-index

580395

25  
g-index

55  
all docs

55  
docs citations

55  
times ranked

892  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Effects of Intradialytic Cognitive and Physical Exercise Training on Cognitive and Physical Abilities in Hemodialysis Patients: Study Protocol for a Randomized Controlled Trial. <i>Frontiers in Psychology</i> , 2022, 13, 835486.         | 1.1 | 2         |
| 2  | Nutrient and Food Intake of Participants in a Whole-Food Plant-Based Lifestyle Program. <i>Journal of the American College of Nutrition</i> , 2021, 40, 333-348.   | 1.1 | 10        |
| 3  | Comparison of Body Composition Monitor and InBody 720 Bioimpedance Devices for Body Composition Estimation in Hemodialysis Patients and Healthy Controls. <i>Symmetry</i> , 2021, 13, 150.   | 1.1 | 3         |
| 4  | Physical Activity and Quality of Life in Hemodialysis Patients and Healthy Controls: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1978.                                     | 1.2 | 16        |
| 5  | Medium Cut-Off Dialysis Membrane and Dietary Fiber Effects on Inflammation and Protein-Bound Uremic Toxins: A Systematic Review and Protocol for an Interventional Study. <i>Toxins</i> , 2021, 13, 244.                                     | 1.5 | 5         |
| 6  | Role of Doppler ultrasonography in the evaluation of hemodialysis arteriovenous access maturation and influencing factors. <i>Journal of Vascular Access</i> , 2021, 22, 42-55.  | 0.5 | 7         |
| 7  | Barriers and opportunities to increase PD incidence and prevalence: Lessons from a European Survey. <i>Peritoneal Dialysis International</i> , 2021, 41, 089686082110349.  | 1.1 | 3         |
| 8  | Assisted peritoneal dialysis across Europe: Practice variation and factors associated with availability. <i>Peritoneal Dialysis International</i> , 2021, 41, 533-541.   | 1.1 | 16        |
| 9  | Exercise-Based Interventions in Hemodialysis Patients: A Systematic Review with a Meta-Analysis of Randomized Controlled Trials. <i>Journal of Clinical Medicine</i> , 2020, 9, 43.  | 1.0 | 27        |
| 10 | Dietary Intakes and Cardiovascular Health of Healthy Adults in Short-, Medium-, and Long-Term Whole-Food Plant-Based Lifestyle Program. <i>Nutrients</i> , 2020, 12, 55.   | 1.7 | 23        |
| 11 | Characteristics of Slovenian Adults in Community-Based Whole-Food Plant-Based Lifestyle Program. <i>Journal of Nutrition and Metabolism</i> , 2020, 2020, 1-13.  | 0.7 | 5         |
| 12 | Functional training added to intradialytic cycling lowers low-density lipoprotein cholesterol and improves dialysis adequacy: a randomized controlled trial. <i>BMC Nephrology</i> , 2020, 21, 352.  | 0.8 | 6         |
| 13 | Whole-Food Plant-Based Lifestyle Program and Decreased Obesity. <i>American Journal of Lifestyle Medicine</i> , 2020, , 155982762094920.   | 0.8 | 8         |
| 14 | Kinesiologist-guided functional exercise in addition to intradialytic cycling program in end-stage kidney disease patients: a randomised controlled trial. <i>Scientific Reports</i> , 2020, 10, 5717.                                       | 1.6 | 20        |
| 15 | Outcome Expectations for Exercise and Decisional Balance Questionnaires Predict Adherence and Efficacy of Exercise Programs in Dialysis Patients. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3175. | 1.2 | 12        |
| 16 | Uric Acid and Plant-Based Nutrition. <i>Nutrients</i> , 2019, 11, 1736.  | 1.7 | 60        |
| 17 | Effects of ad libitum consumed, low-fat, high-fiber plant-based diet supplemented with plant-based meal replacements on cardiovascular risk factors. <i>Food and Nutrition Research</i> , 2019, 63, .  | 1.2 | 13        |
| 18 | Implementation of Exercise Training Programs in Dialysis Patients. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 850-850.   | 0.2 | 0         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Characterization of deficits across the spectrum of motor abilities in dialysis patients and the impact of sarcopenic overweight and obesity. <i>Clinical Nutrition</i> , 2018, 37, 870-877.           | 2.3 | 25        |
| 20 | Association of Uremic Toxins and Inflammatory Markers with Physical Performance in Dialysis Patients. <i>Toxins</i> , 2018, 10, 403.   | 1.5 | 12        |
| 21 | Relation of Lean Body Mass and Muscle Performance to Serum Creatinine Concentration in Hemodialysis Patients. <i>BioMed Research International</i> , 2018, 2018, 1-7.                                  | 0.9 | 6         |
| 22 | Preoperative ultrasound still valuable for radio-cephalic arteriovenous fistula creation?. <i>Journal of Vascular Access</i> , 2017, 18, S5-S9.  | 0.5 | 15        |
| 23 | Effects of an Ad Libitum Consumed Low-Fat Plant-Based Diet Supplemented with Plant-Based Meal Replacements on Body Composition Indices. <i>BioMed Research International</i> , 2017, 2017, 1-8.        | 0.9 | 77        |
| 24 | The predictive value of urinary vascular endothelial growth factor (VEGF) on worsening kidney function in proteinuric chronic kidney disease. <i>Clinical Nephrology</i> , 2017, 88, 10-13.            | 0.4 | 8         |
| 25 | The impact of gene polymorphisms in angiotensin receptor 1 and aldosterone synthase in peritoneal dialysis patients. <i>Clinical Nephrology</i> , 2017, 88, 73-77.                                     | 0.4 | 1         |
| 26 | Tubular urinary indexes reliably distinguish between primary tubulointerstitial and primary glomerular diseases in patients referred for kidney biopsy. <i>Clinical Nephrology</i> , 2017, 88, 1-6.    | 0.4 | 3         |
| 27 | Physical function and 25-hydroxyvitamin D in dialysis patients – lessons learned from the Slovenian DIAGIB study. <i>Clinical Nephrology</i> , 2017, 88, 48-52.  | 0.4 | 3         |
| 28 | Integrative Examination of Motor Abilities in Dialysis Patients and Selection of Tests for a Standardized Physical Function Assessment. <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 286-294. | 0.4 | 13        |
| 29 | Vascular Access Effects on Motor Performance and Anthropometric Indices of Upper Extremities. <i>Therapeutic Apheresis and Dialysis</i> , 2016, 20, 295-301.   | 0.4 | 4         |
| 30 | Isolated Effects of Renal Failure, Anthropometric Indices, and Serum Total Iron-Binding Capacity as Determinants of Muscle Performance in Hemodialysis Patients. , 2016, 26, 245-252.                  |     | 4         |
| 31 | Six-Minute Walk Test in Renal Failure Patients: Representative Results, Performance Analysis and Perceived Dyspnea Predictors. <i>PLoS ONE</i> , 2016, 11, e0150414.                                   | 1.1 | 22        |
| 32 | Overcoming the Underutilisation of Peritoneal Dialysis. <i>BioMed Research International</i> , 2015, 2015, 1-7.  | 0.9 | 4         |
| 33 | FP163CLINICAL AND HISTOLOGICAL PRESENTATION IN ANCA-ASSOCIATED GLOMERULONEPHRITIS AS INDICATORS OF EARLY OUTCOME. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii121-iii121.                | 0.4 | 0         |
| 34 | Serum with phospholipase <sc>A</sc>2 receptor autoantibodies interferes with podocyte adhesion to collagen. <i>European Journal of Clinical Investigation</i> , 2014, 44, 753-765.                     | 1.7 | 36        |
| 35 | Outcomes of Peritoneal Dialysis Patients and Switching to Hemodialysis: A Competing Risks Analysis. <i>Peritoneal Dialysis International</i> , 2014, 34, 289-298.                                      | 1.1 | 32        |
| 36 | Non-inferiority of creatinine excretion rate to urinary L-FABP and NGAL as predictors of early renal allograft function. <i>BMC Nephrology</i> , 2014, 15, 117.  | 0.8 | 31        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Successful Treatment of Severe Hantavirus Nephritis With Corticosteroids: A Case Report and Literature Review. <i>Therapeutic Apheresis and Dialysis</i> , 2013, 17, 402-406.  | 0.4 | 6         |
| 38 | Is the Quality of Judging in Women Artistic Gymnastics Equivalent at Major Competitions of Different Levels?. <i>Journal of Human Kinetics</i> , 2013, 37, 173-181.  | 0.7 | 16        |
| 39 | Influence of Renin-Angiotensin-Aldosterone System-Blocking Drugs on Peritoneal Membrane in Peritoneal Dialysis Patients. <i>Therapeutic Apheresis and Dialysis</i> , 2013, 17, 425-430.  | 0.4 | 12        |
| 40 | Urinary Immunoglobulin G to Albumin Ratio and N-Acetyl-Beta-D-Glucosaminidase as Early Predictors of Therapeutic Response in ANCA-Associated Glomerulonephritis. <i>PLoS ONE</i> , 2013, 8, e81703.  | 1.1 | 1         |
| 41 | Reliability and validity of judging in women's artistic gymnastics at University Games 2009. <i>European Journal of Sport Science</i> , 2012, 12, 207-215.   | 1.4 | 20        |
| 42 | Morphologic Bilateral Differences of Top Level Gymnasts. <i>International Journal of Morphology</i> , 2012, 30, 110-114.   | 0.1 | 12        |
| 43 | BIAS OF JUDGING IN MEN'S ARTISTIC GYMNASTICS AT THE EUROPEAN CHAMPIONSHIP 2011. <i>Biology of Sport</i> , 2012, 29, 107-113.   | 1.7 | 16        |
| 44 | Severe Peritonitis in Patients Treated With Peritoneal Dialysis: A Case Series Study. <i>Therapeutic Apheresis and Dialysis</i> , 2011, 15, 250-256.   | 0.4 | 6         |
| 45 | Treatment of Anemia With Epoetin in Kidney Transplant Recipients. <i>Therapeutic Apheresis and Dialysis</i> , 2011, 15, 257-260.   | 0.4 | 0         |
| 46 | Cell-free DNA in the Peritoneal Effluent of Peritoneal Dialysis Solutions. <i>Therapeutic Apheresis and Dialysis</i> , 2010, 14, 20-26.  | 0.4 | 17        |
| 47 | Short-term effects of bicarbonate/lactate-buffered and conventional lactate-buffered dialysis solutions on peritoneal ultrafiltration: a comparative crossover study. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 1617-1625.                  | 0.4 | 32        |
| 48 | Encapsulating Peritoneal Sclerosis in Patients on Peritoneal Dialysis in Slovenia. <i>Therapeutic Apheresis and Dialysis</i> , 2009, 13, 282-287.  | 0.4 | 8         |
| 49 | Impact of Dialysis Duration and Glucose Absorption on Nutritional Indices in Stable Continuous Ambulatory Peritoneal Dialysis Patients. , 2008, 18, 503-508.   |     | 8         |
| 50 | Short-Term Effects of a New Bicarbonate/Lactate-Buffered and Conventional Peritoneal Dialysis Fluid on Peritoneal and Systemic Inflammation in CAPD Patients: A Randomized Controlled Study. <i>Peritoneal Dialysis International</i> , 2008, 28, 44-52. | 1.1 | 43        |
| 51 | Short-term effects of a new bicarbonate/lactate-buffered and conventional peritoneal dialysis fluid on peritoneal and systemic inflammation in CAPD patients: a randomized controlled study. <i>Peritoneal Dialysis International</i> , 2008, 28, 44-52. | 1.1 | 11        |
| 52 | Epoetin Responsiveness in Peritoneal Dialysis Patients: A Multi-center Slovenian Study. <i>Therapeutic Apheresis and Dialysis</i> , 2005, 9, 228-232.  | 0.4 | 7         |
| 53 | Follow-up of Kidney Graft Recipients With Cyclosporine-Associated Hemolytic-Uremic Syndrome and Thrombotic Microangiopathy. <i>Transplantation Proceedings</i> , 2005, 37, 1889-1891.  | 0.3 | 40        |
| 54 | Pilotna raziskava psihometriĹnih lastnosti vpraĹjalnikov SF-36v2 in ESRD-SCL-TM za merjenje z zdravjem povezane kakovosti Ĺivljenja bolnikov po presaditvi ledvice. <i>Psiholoska Obzorja</i> , 0, , 1-11.   | 0.1 | 0         |