

# Sebastian Fischer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8745139/publications.pdf>

Version: 2024-02-01

30  
papers

1,118  
citations

840776

11  
h-index

642732

23  
g-index

30  
all docs

30  
docs citations

30  
times ranked

1153  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pipeline embolization device (PED) for neurovascular reconstruction: initial experience in the treatment of 101 intracranial aneurysms and dissections. <i>Neuroradiology</i> , 2012, 54, 369-382.	2.2	355
2	Endovascular Coil Occlusion of 1811 Intracranial Aneurysms: Early Angiographic and Clinical Results. <i>Neurosurgery</i> , 2004, 54, 268-285.	1.1	293
3	Thrombectomy for Primary Distal Posterior Cerebral Artery Occlusion Stroke. <i>JAMA Neurology</i> , 2021, 78, 434.	9.0	79
4	Intracranial thrombectomy using the Solitaire stent: a historical vignette: Figure 1. <i>Journal of NeuroInterventional Surgery</i> , 2012, 4, e32-e32.	3.3	58
5	Two-Center Experience in the Endovascular Treatment of Ruptured and Unruptured Intracranial Aneurysms Using the WEB Device: A Retrospective Analysis. <i>American Journal of Neuroradiology</i> , 2018, 39, 111-117.	2.4	58
6	Initial Experience with p64: A Novel Mechanically Detachable Flow Diverter for the Treatment of Intracranial Saccular Sidewall Aneurysms. <i>American Journal of Neuroradiology</i> , 2015, 36, 2082-2089.	2.4	48
7	Coiling of wide-necked carotid artery aneurysms assisted by a temporary bridging device (Comaneci): preliminary experience. <i>Journal of NeuroInterventional Surgery</i> , 2017, 9, 1039-1097.	3.3	47
8	Treatment of Intra- and Extracranial Aneurysms Using the Flow-Redirection Endoluminal Device: Multicenter Experience and Follow-Up Results. <i>American Journal of Neuroradiology</i> , 2017, 38, 105-112.	2.4	39
9	Mechanical Thrombectomy in Acute Ischemic Stroke Using a Manually Expandable Stent Retriever (Tigertriever). <i>Clinical Neuroradiology</i> , 2021, 31, 491-497.	1.9	15
10	Endovascular Thrombectomy of Calcified Emboli in Acute Ischemic Stroke: A Multicenter Study. <i>American Journal of Neuroradiology</i> , 2020, 41, 464-468.	2.4	15
11	The Tigertriever 13 for mechanical thrombectomy in distal and medium intracranial vessel occlusions. <i>Neuroradiology</i> , 2022, 64, 775-783.	2.2	15
12	Dislocation of a WEB Device into the Middle Cerebral Artery. <i>Clinical Neuroradiology</i> , 2019, 29, 361-364.	1.9	14
13	Widening the Indications for Intrasaccular Flow Disruption: WEB 17 in the Treatment of Aneurysm Locations Different from Those in the Good Clinical Practice Trials. <i>American Journal of Neuroradiology</i> , 2021, 42, 524-529.	2.4	14
14	Periprocedural Safety and Feasibility of the New LVIS EVO Device for Stent-Assisted Coiling of Intracranial Aneurysms: An Observational Multicenter Study. <i>American Journal of Neuroradiology</i> , 2021, 42, 319-326.	2.4	12
15	Two-Center Experience in the Endovascular Treatment of Intracranial Aneurysms Using the Woven EndoBridge 17 Device Including Midterm Follow-Up Results: A Retrospective Analysis. <i>American Journal of Neuroradiology</i> , 2019, 40, 1517-1522.	2.4	11
16	Treatment of Ruptured and Unruptured Intracranial Aneurysms with WEB 17 Versus WEB 21 Systems. <i>Clinical Neuroradiology</i> , 2021, 31, 691-697.	1.9	11
17	Pulsatile tinnitus due to an aneurysmatic diverticulum of the jugular bulb treated with the Woven EndoBridge device. <i>Interventional Neuroradiology</i> , 2020, 26, 235-238.	1.1	7
18	Mechanical Thrombectomy in Acute Terminal Internal Carotid Artery Occlusions Using a Large Manually Expandable Stentretriever (Tiger XL Device): Multicenter Initial Experience. <i>Journal of Clinical Medicine</i> , 2021, 10, 3853.	2.4	7

#	ARTICLE	IF	CITATIONS
19	Two-center experience with Neuroform Atlas stent-assisted coil occlusion of broad-based intracranial aneurysms. <i>Neuroradiology</i> , 2021, 63, 1093-1101.	2.2	7
20	â€œShelfâ€•Technique Using aâ€•Novel Braided Self-Expandable Stent for the Treatment of Wide-Necked Bifurcation Aneurysms. <i>Clinical Neuroradiology</i> , 2021, 31, 1187-1193.	1.9	5
21	Benefit of mechanical thrombectomy in acute ischemic stroke related to calcified cerebral embolus. <i>Journal of Neuroradiology</i> , 2022, 49, 317-323.	1.1	3
22	Flow Diversion for ICA Aneurysms with Compressive Neuro-Ophthalmologic Symptoms: Predictors of Morbidity, Mortality, and Incomplete Aneurysm Occlusion. <i>American Journal of Neuroradiology</i> , 2022, 43, 998-1003.	2.4	3
23	Two Cases of Symptomatic Carotid Web Treated by Carotid Artery Stenting. <i>Clinical Neuroradiology</i> , 2020, 30, 643-645.	1.9	2
24	Paraophthalmic Internal Carotid Artery Aneurysm: Coil Occlusion Assisted by the Comaneci Device. , 2018, , 1-9.		0
25	Paraophthalmic Internal Carotid Artery Aneurysm: Coil Occlusion Assisted by the Comaneci Device. , 2018, , 1-7.		0
26	Anterior Communicating Artery Aneurysm: Aneurysm Recurrence After Initial Coil Occlusion, Treated with a WEB Device. , 2018, , 1-7.		0
27	Internal Carotid Artery Bifurcation Aneurysm: WEB Device Dislodging into the Middle Cerebral Artery Followed by Removal with an Alligator Retrieval Device and Subsequent Coiling of the Aneurysm. , 2019, , 1-7.		0
28	Paraophthalmic Internal Carotid Artery Aneurysm: Coil Occlusion Assisted by the Comaneci Device. , 2020, , 119-127.		0
29	Internal Carotid Artery Bifurcation Aneurysm: WEB Device Dislodging into the Middle Cerebral Artery Followed by Removal with an Alligator Retrieval Device and Subsequent Coiling of the Aneurysm. , 2020, , 475-481.		0
30	Anterior Communicating Artery Aneurysm: Aneurysm Recurrence After Initial Coil Occlusion, Treated with a WEB Device. , 2020, , 617-623.		0