

Laila Y Al-Ayadhi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8745669/laila-y-al-ayadhi-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104
papers

1,964
citations

26
h-index

39
g-index

114
ext. papers

2,366
ext. citations

4.2
avg, IF

5.58
L-index

#	Paper	IF	Citations
104	CTRP3 as a novel biomarker in the plasma of Saudi children with autism.. <i>PeerJ</i> , 2022 , 10, e12630	3.1	0
103	Discriminant analysis and binary logistic regression enable more accurate prediction of autism spectrum disorder than principal component analysis.. <i>Scientific Reports</i> , 2022 , 12, 3764	4.9	0
102	Dysregulated Nrf2 signaling in response to di(2-ethylhexyl) phthalate in neutrophils of children with autism.. <i>International Immunopharmacology</i> , 2022 , 106, 108619	5.8	1
101	Reply to "Plasma Levels of Alpha and Gamma Synucleins in Children with Autism Spectrum Disorder: Statistical Validity".. <i>Medical Principles and Practice</i> , 2022 , 1	2.1	0
100	Imbalance in pro-inflammatory and anti-inflammatory cytokines milieu in B cells of children with autism.. <i>Molecular Immunology</i> , 2021 , 141, 297-304	4.3	5
99	Plasma Levels of Alpha and Gamma Synucleins in Autism Spectrum Disorder: An Indicator of Severity. <i>Medical Principles and Practice</i> , 2021 , 30, 160-167	2.1	8
98	Alpha-Synuclein, cyclooxygenase-2 and prostaglandins-EP2 receptors as neuroinflammatory biomarkers of autism spectrum disorders: Use of combined ROC curves to increase their diagnostic values. <i>Lipids in Health and Disease</i> , 2021 , 20, 155	4.4	0
97	GABA synaptopathy promotes the elevation of caspases 3 and 9 as pro-apoptotic markers in Egyptian patients with autism spectrum disorder. <i>Acta Neurologica Belgica</i> , 2021 , 121, 489-501	1.5	4
96	Dysregulation of Ki-67 Expression in T Cells of Children with Autism Spectrum Disorder. <i>Children</i> , 2021 , 8,	2.8	6
95	The use of biomarkers associated with leaky gut as a diagnostic tool for early intervention in autism spectrum disorder: a systematic review. <i>Gut Pathogens</i> , 2021 , 13, 54	5.4	8
94	A potential role for the adrenal gland in autism. <i>Scientific Reports</i> , 2021 , 11, 17743	4.9	0
93	Elevated expression of toll-like receptor 4 is associated with NADPH oxidase-induced oxidative stress in B cells of children with autism. <i>International Immunopharmacology</i> , 2020 , 84, 106555	5.8	6
92	Elevated Plasma X-Linked Neuroligin 4 Expression Is Associated with Autism Spectrum Disorder. <i>Medical Principles and Practice</i> , 2020 , 29, 480-485	2.1	1
91	Preliminary evaluation of a novel nine-biomarker profile for the prediction of autism spectrum disorder. <i>PLoS ONE</i> , 2020 , 15, e0227626	3.7	14
90	Involvement of CD45 cells in the development of autism spectrum disorder through dysregulation of granulocyte-macrophage colony-stimulating factor, key inflammatory cytokines, and transcription factors. <i>International Immunopharmacology</i> , 2020 , 83, 106466	5.8	7
89	Dysregulation in IL-6 receptors is associated with upregulated IL-17A related signaling in CD4+ T cells of children with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 97, 109783	5.5	20
88	Differential regulation of Nrf2 is linked to elevated inflammation and oxidative stress in monocytes of children with autism. <i>Psychoneuroendocrinology</i> , 2020 , 113, 104554	5	26

87	C-C motif chemokine receptor 6-mediated pro-inflammatory mediator expression is associated with immune dysfunction in children with autism. <i>Research in Autism Spectrum Disorders</i> , 2020 , 71, 101500	3	1
86	Evaluation of DNA repair efficiency in autistic children by molecular cytogenetic analysis and transcriptome profiling. <i>DNA Repair</i> , 2020 , 85, 102750	4.3	3
85	Ubiquitous plasticizer, Di-(2-ethylhexyl) phthalate enhances existing inflammatory profile in monocytes of children with autism. <i>Toxicology</i> , 2020 , 446, 152597	4.4	7
84	Upregulation of interleukin (IL)-31, a cytokine producing CXCR1 peripheral immune cells, contributes to the immune abnormalities of autism spectrum disorder. <i>Journal of Neuroimmunology</i> , 2020 , 349, 577430	3.5	5
83	Upregulation of enzymatic antioxidants in CD4 T cells of autistic children. <i>Biochimie</i> , 2020 , 171-172, 205-212	4.6	2
82	Preliminary evaluation of a novel nine-biomarker profile for the prediction of autism spectrum disorder 2020 , 15, e0227626		
81	Preliminary evaluation of a novel nine-biomarker profile for the prediction of autism spectrum disorder 2020 , 15, e0227626		
80	Preliminary evaluation of a novel nine-biomarker profile for the prediction of autism spectrum disorder 2020 , 15, e0227626		
79	Preliminary evaluation of a novel nine-biomarker profile for the prediction of autism spectrum disorder 2020 , 15, e0227626		
78	Impact of Auditory Integration Therapy (AIT) on the Plasma Levels of Human Glial Cell Line-Derived Neurotrophic Factor (GDNF) in Autism Spectrum Disorder. <i>Journal of Molecular Neuroscience</i> , 2019 , 68, 688-695	3.3	2
77	Dysregulated enzymatic antioxidant network in peripheral neutrophils and monocytes in children with autism. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 88, 352-359	5.5	22
76	Dysregulation of T cell immunoglobulin and mucin domain 3 (TIM-3) signaling in peripheral immune cells is associated with immune dysfunction in autistic children. <i>Molecular Immunology</i> , 2019 , 106, 77-86	4.3	9
75	Oxidative and inflammatory mediators are upregulated in neutrophils of autistic children: Role of IL-17A receptor signaling. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019 , 90, 204-211	5.5	22
74	Elevated IL-16 expression is associated with development of immune dysfunction in children with autism. <i>Psychopharmacology</i> , 2019 , 236, 831-838	4.7	10
73	In the search for reliable biomarkers for the early diagnosis of autism spectrum disorder: the role of vitamin D. <i>Metabolic Brain Disease</i> , 2018 , 33, 917-931	3.9	22
72	Relationship between absolute and relative ratios of glutamate, glutamine and GABA and severity of autism spectrum disorder. <i>Metabolic Brain Disease</i> , 2018 , 33, 843-854	3.9	40
71	Understanding the roles of glutamine synthetase, glutaminase, and glutamate decarboxylase autoantibodies in imbalanced excitatory/inhibitory neurotransmission as etiological mechanisms of autism. <i>Psychiatry and Clinical Neurosciences</i> , 2018 , 72, 362-373	6.2	4
70	Impact of Auditory Integrative Training on Transforming Growth Factor- β and Its Effect on Behavioral and Social Emotions in Children with Autism Spectrum Disorder. <i>Medical Principles and Practice</i> , 2018 , 27, 23-29	2.1	6

69	Impaired lipid metabolism markers to assess the risk of neuroinflammation in autism spectrum disorder. <i>Metabolic Brain Disease</i> , 2018 , 33, 1141-1153	3.9	20
68	Activation of IL-17 receptor leads to increased oxidative inflammation in peripheral monocytes of autistic children. <i>Brain, Behavior, and Immunity</i> , 2018 , 67, 335-344	16.6	47
67	Metabolism-Associated Markers and Childhood Autism Rating Scales (CARS) as a Measure of Autism Severity. <i>Journal of Molecular Neuroscience</i> , 2018 , 65, 265-276	3.3	14
66	The Use of Multi-parametric Biomarker Profiles May Increase the Accuracy of ASD Prediction. <i>Journal of Molecular Neuroscience</i> , 2018 , 66, 85-101	3.3	13
65	Dysregulation of the expression of HLA-DR, costimulatory molecule, and chemokine receptors on immune cells in children with autism. <i>International Immunopharmacology</i> , 2018 , 65, 360-365	5.8	6
64	Toll-like receptor 4 signaling is associated with upregulated NADPH oxidase expression in peripheral T cells of children with autism. <i>Brain, Behavior, and Immunity</i> , 2017 , 61, 146-154	16.6	54
63	Postnatal treatment using curcumin supplements to amend the damage in VPA-induced rodent models of autism. <i>BMC Complementary and Alternative Medicine</i> , 2017 , 17, 259	4.7	25
62	Novel biomarkers of metabolic dysfunction is autism spectrum disorder: potential for biological diagnostic markers. <i>Metabolic Brain Disease</i> , 2017 , 32, 1983-1997	3.9	47
61	Camel Milk as a Potential Nutritional Therapy in Autism 2017 , 389-405		0
60	Elimination of high-refined-sugar diet as treatment strategy for autistic features induced in a rodent model. <i>Tropical Journal of Pharmaceutical Research</i> , 2017 , 16, 1637	0.8	
59	Potency of pre-post treatment of coenzyme Q10 and melatonin supplement in ameliorating the impaired fatty acid profile in rodent model of autism. <i>Food and Nutrition Research</i> , 2016 , 60, 28127	3.1	8
58	Cysteinyl leukotriene correlated with 8-isoprostane levels as predictive biomarkers for sensory dysfunction in autism. <i>Lipids in Health and Disease</i> , 2016 , 15, 130	4.4	13
57	Therapeutic potency of bee pollen against biochemical autistic features induced through acute and sub-acute neurotoxicity of orally administered propionic acid. <i>BMC Complementary and Alternative Medicine</i> , 2016 , 16, 120	4.7	13
56	Pancreatic response to gold nanoparticles includes decrease of oxidative stress and inflammation in autistic diabetic model. <i>Cellular Physiology and Biochemistry</i> , 2015 , 35, 586-600	3.9	27
55	Role of amino acids in the pathophysiology of autism spectrum disorders in Saudi and Egyptian population samples. <i>Journal of Pediatric Neurology</i> , 2015 , 12, 171-181	0.2	1
54	Prevalence of antimitochondrial antibodies in autism spectrum subjects. <i>Future Neurology</i> , 2015 , 10, 203-209	1.5	1
53	The second to fourth digit ratio (2D:4D) in Saudi boys with autism: A potential screening tool. <i>Early Human Development</i> , 2015 , 91, 413-5	2.2	18
52	Apitoxin protects rat pups brain from propionic acid-induced oxidative stress: The expression pattern of Bcl-2 and Caspase-3 apoptotic genes. <i>NeuroToxicology</i> , 2015 , 49, 121-31	4.4	36

51	Endothelial antibody levels in the sera of children with autism spectrum disorders. <i>Journal of the Chinese Medical Association</i> , 2015 , 78, 414-7	2.8	10
50	A possible association between elevated serum levels of brain-specific auto-antibodies and reduced plasma levels of docosahexaenoic acid in autistic children. <i>Journal of Neuroimmunology</i> , 2015 , 280, 16-20	3.5	15
49	Behavioral Benefits of Camel Milk in Subjects with Autism Spectrum Disorder. <i>Journal of the College of Physicians and Surgeons--Pakistan: JCPSP</i> , 2015 , 25, 819-23	0.7	10
48	Correlation Between Hedgehog (Hh) Protein Family and Brain-Derived Neurotrophic Factor (BDNF) in Autism Spectrum Disorder (ASD). <i>Journal of the College of Physicians and Surgeons--Pakistan: JCPSP</i> , 2015 , 25, 882-5	0.7	18
47	Association of social and cognitive impairment and biomarkers in autism spectrum disorders. <i>Journal of Neuroinflammation</i> , 2014 , 11, 4	10.1	60
46	Effect of camel milk on thymus and activation-regulated chemokine in autistic children: double-blind study. <i>Pediatric Research</i> , 2014 , 75, 559-63	3.2	29
45	Role of hedgehog protein family members in autistic children. <i>Neurology Psychiatry and Brain Research</i> , 2014 , 20, 63-67	2.1	3
44	Serum antinucleosome-specific antibody as a marker of autoimmunity in children with autism. <i>Journal of Neuroinflammation</i> , 2014 , 11, 69	10.1	13
43	A key role for an impaired detoxification mechanism in the etiology and severity of autism spectrum disorders. <i>Behavioral and Brain Functions</i> , 2014 , 10, 14	4.1	48
42	Systemic auto-antibodies in children with autism. <i>Journal of Neuroimmunology</i> , 2014 , 272, 94-8	3.5	20
41	Brain autoantibodies in autism spectrum disorder. <i>Biomarkers in Medicine</i> , 2014 , 8, 345-52	2.3	11
40	Combined cytogenotoxic effects of bee venom and bleomycin on rat lymphocytes: an in vitro study. <i>BioMed Research International</i> , 2014 , 2014, 173903	3	13
39	Selected biomarkers as predictive tools in testing efficacy of melatonin and coenzyme Q on propionic acid - induced neurotoxicity in rodent model of autism. <i>BMC Neuroscience</i> , 2014 , 15, 34	3.2	14
38	Protective and restorative potency of Vitamin D on persistent biochemical autistic features induced in propionic acid-intoxicated rat pups. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 416	4.7	26
37	GABAergic/glutamatergic imbalance relative to excessive neuroinflammation in autism spectrum disorders. <i>Journal of Neuroinflammation</i> , 2014 , 11, 189	10.1	116
36	Serum level of desert hedgehog protein in autism spectrum disorder: preliminary results. <i>Medical Principles and Practice</i> , 2014 , 23, 14-7	2.1	4
35	The Relationship of HLA Class I and II Alleles and Haplotypes with Autism: A Case Control Study. <i>Autism Research & Treatment</i> , 2014 , 2014, 242048	3.2	16
34	Alterations in plasma dipeptidyl peptidase IV in autism: A pilot study. <i>Neurology Psychiatry and Brain Research</i> , 2014 , 20, 41-44	2.1	7

33	Therapeutic use of hyperbaric oxygen therapy for children with autism spectrum disorder. <i>Journal of the College of Physicians and Surgeons--Pakistan: JCPSP</i> , 2014 , 24, 508-14	0.7	5
32	The neurotoxic effect of clindamycin - induced gut bacterial imbalance and orally administered propionic acid on DNA damage assessed by the comet assay: protective potency of carnosine and carnitine. <i>Gut Pathogens</i> , 2013 , 5, 9	5.4	11
31	Possible ameliorative effects of antioxidants on propionic acid / clindamycin - induced neurotoxicity in Syrian hamsters. <i>Gut Pathogens</i> , 2013 , 5, 32	5.4	11
30	The link between some alleles on human leukocyte antigen system and autism in children. <i>Journal of Neuroimmunology</i> , 2013 , 255, 70-4	3.5	32
29	Role of serum levels of neurotensin in children with autism spectrum disorder. <i>Neurology Psychiatry and Brain Research</i> , 2013 , 19, 59-63	2.1	3
28	Camel Milk as a Potential Therapy as an Antioxidant in Autism Spectrum Disorder (ASD). <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 602834	2.3	50
27	Possible ameliorative effect of breastfeeding and the uptake of human colostrum against coeliac disease in autistic rats. <i>World Journal of Gastroenterology</i> , 2013 , 19, 3281-90	5.6	4
26	Evaluation of plasma soluble fatty acid synthase levels among Saudi autistic children. Relation to disease severity. <i>Neurosciences</i> , 2013 , 18, 242-7	0.1	1
25	Role of proteomics in the discovery of autism biomarkers. <i>Journal of the College of Physicians and Surgeons--Pakistan: JCPSP</i> , 2013 , 23, 137-43	0.7	8
24	A novel study on amyloid β peptide 40, 42 and 40/42 ratio in Saudi autistics. <i>Behavioral and Brain Functions</i> , 2012 , 8, 4	4.1	15
23	Relationship between Sonic hedgehog protein, brain-derived neurotrophic factor and oxidative stress in autism spectrum disorders. <i>Neurochemical Research</i> , 2012 , 37, 394-400	4.6	65
22	Reduced serum concentrations of 25-hydroxy vitamin D in children with autism: relation to autoimmunity. <i>Journal of Neuroinflammation</i> , 2012 , 9, 201	10.1	96
21	Neuroinflammation in autism spectrum disorders. <i>Journal of Neuroinflammation</i> , 2012 , 9, 265	10.1	91
20	Mechanism of nitrogen metabolism-related parameters and enzyme activities in the pathophysiology of autism. <i>Journal of Neurodevelopmental Disorders</i> , 2012 , 4, 4	4.6	23
19	The relationship between the increased frequency of serum antineuronal antibodies and the severity of autism in children. <i>European Journal of Paediatric Neurology</i> , 2012 , 16, 464-8	3.8	36
18	Lipid mediators in plasma of autism spectrum disorders. <i>Lipids in Health and Disease</i> , 2012 , 11, 160	4.4	45
17	Increased serum osteopontin levels in autistic children: relation to the disease severity. <i>Brain, Behavior, and Immunity</i> , 2011 , 25, 1393-8	16.6	28
16	Novel metabolic biomarkers related to sulfur-dependent detoxification pathways in autistic patients of Saudi Arabia. <i>BMC Neurology</i> , 2011 , 11, 139	3.1	59

15	Low plasma progranulin levels in children with autism. <i>Journal of Neuroinflammation</i> , 2011 , 8, 111	10.1	29
14	Proinflammatory and proapoptotic markers in relation to mono and di-cations in plasma of autistic patients from Saudi Arabia. <i>Journal of Neuroinflammation</i> , 2011 , 8, 142	10.1	36
13	The possible link between the elevated serum levels of neurokinin A and anti-ribosomal P protein antibodies in children with autism. <i>Journal of Neuroinflammation</i> , 2011 , 8, 180	10.1	21
12	Increased serum levels of anti-ganglioside M1 auto-antibodies in autistic children: relation to the disease severity. <i>Journal of Neuroinflammation</i> , 2011 , 8, 39	10.1	52
11	A lack of association between hyperserotonemia and the increased frequency of serum anti-myelin basic protein auto-antibodies in autistic children. <i>Journal of Neuroinflammation</i> , 2011 , 8, 71	10.1	39
10	The effect of vitamin E, L-arginine, N-nitro L-arginine methyl ester and forskolin on endocrine and metabolic changes of rats exposed to acute cold stress. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2006 , 27, 17-22	1.1	3
9	Neurohormonal changes in medical students during academic stress. <i>Annals of Saudi Medicine</i> , 2005 , 25, 36-40	1.6	25
8	Arginine, omega-3 fatty acids and nucleotide-enriched diet augment the anti-inflammatory effect of diclofenac on carrageenan-induced rat paw edema. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2005 , 26, 1146-8	1.1	
7	Altered oxytocin and vasopressin levels in autistic children in Central Saudi Arabia. <i>Neurosciences</i> , 2005 , 10, 47-50	0.1	47
6	Pro-inflammatory cytokines in autistic children in central Saudi Arabia. <i>Neurosciences</i> , 2005 , 10, 155-8	0.1	24
5	Heavy metals and trace elements in hair samples of autistic children in central Saudi Arabia. <i>Neurosciences</i> , 2005 , 10, 213-8	0.1	43
4	The synergistic effect of adenosine A2A receptors agonist, type IV phosphodiesterase inhibitor and ATP-sensitive K channels activation on free radicals production and aggregation of human polymorphonuclear leukocytes. <i>Pharmacological Research</i> , 2004 , 50, 157-63	10.2	5
3	Sex hormones, personality characters and professional status among Saudi females. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2004 , 25, 711-6	1.1	9
2	Oxidative stress and neurodegenerative disease. <i>Neurosciences</i> , 2004 , 9, 19-23	0.1	8
1	The influence of academics stress on free radicals production in the blood of students during examinations. <i>Annals of Saudi Medicine</i> , 2003 , 23, 51-4	1.6	