## JesÃ<sup>o</sup>s D Del Mazo

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8745845/publications.pdf

Version: 2024-02-01

64 papers

1,858 citations

236912 25 h-index 276858 41 g-index

65 all docs

 $\begin{array}{c} 65 \\ \text{docs citations} \end{array}$ 

65 times ranked

 $\begin{array}{c} 2533 \\ \text{citing authors} \end{array}$ 

| #  | Article  | lF   | Citations |
|----|--|------|-----------|
| 1  | DNA polymerase lambda (Pol $\hat{l}$ »), a novel eukaryotic DNA polymerase with a potential role in meiosis 1 1Edited by M. Yaniv. Journal of Molecular Biology, 2000, 301, 851-867.   | 4.2  | 268       |
| 2  | <i>STAG3</i> , a novel gene encoding a protein involved in meiotic chromosome pairing and location of <i>STAG3</i> â€related genes flanking the Williamsâ€Beuren syndrome deletion. FASEB Journal, 2000, 14, 581-592.          | 0.5  | 128       |
| 3  | Exposure to Endocrine Disruptor Induces Transgenerational Epigenetic Deregulation of MicroRNAs in Primordial Germ Cells. PLoS ONE, 2015, 10, e0124296.   | 2.5  | 86        |
| 4  | Scientific opinion on the risks for animal and human health related to the presence of quinolizidine alkaloids in feed and food, in particular in lupins and lupinâ€derived products. EFSA Journal, 2019, 17, e05860.          | 1.8  | 84        |
| 5  | Reprogramming of microRNAs by adenosine-to-inosine editing and the selective elimination of edited microRNA precursors in mouse oocytes and preimplantation embryos. Nucleic Acids Research, 2013, 41, 5483-5493.              | 14.5 | 76        |
| 6  | Diversity and functional convergence of small noncoding RNAs in male germ cell differentiation and fertilization. Rna, 2015, 21, 946-962.  | 3.5  | 53        |
| 7  | The expression patterns of genes involved in the RNAi pathways are tissue-dependent and differ in the germ and somatic cells of mouse testis. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2008, 1779, 306-311. | 1.9  | 49        |
| 8  | Global characterization and target identification of piRNAs and endo-siRNAs in mouse gametes and zygotes. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2014, 1839, 463-475.                                     | 1.9  | 48        |
| 9  | DNA methylation changes during mouse spermatogenesis. Chromosome Research, 1994, 2, 147-152.   | 2.2  | 45        |
| 10 | Expression dynamics of microRNA biogenesis during preimplantation mouse development. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2012, 1819, 847-854.  | 1.9  | 44        |
| 11 | The effects of different endocrine disruptors defining compound-specific alterations of gene expression profiles in the developing testis. Reproductive Toxicology, 2012, 33, 106-115.   | 2.9  | 39        |
| 12 | Endocrine disruptors, gene deregulation and male germ cell tumors. International Journal of Developmental Biology, 2013, 57, 225-239.  | 0.6  | 38        |
| 13 | Risk assessment of glycoalkaloids in feed and food, in particular in potatoes and potatoâ€derived products. EFSA Journal, 2020, 18, e06222.  | 1.8  | 36        |
| 14 | Deregulation of the Sod1 and Nd1 genes in mouse fetal oocytes exposed to mono-(2-ethylhexyl) phthalate (MEHP). Reproductive Toxicology, 2010, 30, 387-392.   | 2.9  | 35        |
| 15 | MicroRNA biogenesis and variability. Biomolecular Concepts, 2013, 4, 367-380.  | 2.2  | 35        |
| 16 | Evaluation of the health risks related to the presence of cyanogenic glycosides in foods other than raw apricot kernels. EFSA Journal, 2019, 17, e05662.   | 1.8  | 35        |
| 17 | Fhx (Foxj2) expression is activated during spermatogenesis and very early in embryonic development.<br>Mechanisms of Development, 2000, 97, 157-160.   | 1.7  | 34        |
| 18 | The landscape of mitochondrial small non-coding RNAs in the PGCs of male mice, spermatogonia, gametes and in zygotes. BMC Genomics, 2018, 19, 634.   | 2.8  | 34        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Role of Non-Coding RNAs in the Transgenerational Epigenetic Transmission of the Effects of Reprotoxicants. International Journal of Molecular Sciences, 2016, 17, 452.  | 4.1 | 33        |
| 20 | Chronic low-dose exposure to a mixture of environmental endocrine disruptors induces microRNAs/isomiRs deregulation in mouse concomitant with intratesticular estradiol reduction. Scientific Reports, 2017, 7, 3373.   | 3.3 | 33        |
| 21 | XYbp, a novel RING-finger protein, is a component of the XY body of spermatocytes and centrosomes. Mechanisms of Development, 2000, 90, 95-101.   | 1.7 | 32        |
| 22 | Cell-type-specific regulation of genes involved in testicular lipid metabolism: fatty acid-binding proteins, diacylglycerol acyltransferases, and perilipin 2. Reproduction, 2013, 146, 471-480.                        | 2.6 | 32        |
| 23 | MicroRNA dynamics at the onset of primordial germ and somatic cell sex differentiation during mouse embryonic gonad development. Rna, 2018, 24, 287-303.  | 3.5 | 32        |
| 24 | Trisomy 21: Origin of non-disjunction. Human Genetics, 1982, 62, 316-320.   | 3.8 | 28        |
| 25 | The cytosolic aldehyde dehydrogenase gene (Aldh1) is developmentally expressed in Leydig cells. FEBS Letters, 1997, 407, 225-229.   | 2.8 | 27        |
| 26 | Editor's Highlight: Differential Effects of Exposure to Single Versus a Mixture of Endocrine-Disrupting Chemicals on Steroidogenesis Pathway in Mouse Testes. Toxicological Sciences, 2018, 161, 76-86.                 | 3.1 | 27        |
| 27 | Dysfunction of the mitotic:meiotic switch as a potential cause of neoplastic conversion of primordial germ cells. Journal of Developmental and Physical Disabilities, 2006, 29, 219-227.                                | 3.6 | 26        |
| 28 | Proteome profile changes during mouse testis development. Comparative Biochemistry and Physiology Part D: Genomics and Proteomics, 2006, $1$ , 404-415.   | 1.0 | 25        |
| 29 | Tex27, a Gene Containing a Zinc-Finger Domain, Is Up-Regulated during the Haploid Stages of Spermatogenesis. Experimental Cell Research, 1999, 249, 320-326.  | 2.6 | 23        |
| 30 | Ilf2 is regulated during meiosis and associated to transcriptionally active chromatin. Mechanisms of Development, 2002, 111, 153-157.   | 1.7 | 21        |
| 31 | Partial deletion of 4p16 band in a ring chromosome and wolf syndrome. Human Genetics, 1978, 44, 105-108.  | 3.8 | 20        |
| 32 | Cellular and molecular characterization of gametogenic progression in ex vivo cultured prepuberal mouse testes. Reproductive Biology and Endocrinology, 2017, 15, 85.   | 3.3 | 20        |
| 33 | Geographical clustering of Trypanosoma cruzi I groups from Colombia revealed by low-stringency single specific primer-PCR of the intergenic regions of spliced-leader genes. Parasitology Research, 2009, 104, 399-410. | 1.6 | 19        |
| 34 | An integrative piRNA analysis of mouse gametes and zygotes reveals new potential origins and gene regulatory roles. Scientific Reports, 2018, 8, 12832.   | 3.3 | 19        |
| 35 | A new contribution to the study of 22 trisomy. Human Genetics, 1975, 30, 265-271.   | 3.8 | 18        |
| 36 | Gene silencing by RNAi in mouse Sertoli cells. Reproductive Biology and Endocrinology, 2008, 6, 29.   | 3.3 | 18        |

| #  | Article   | IF  | Citations |
|----|---|-----|-----------|
| 37 | Endocrine disrupters, microRNAs, and primordial germ cells: aÂdangerous cocktail. Fertility and Sterility, 2016, 106, 871-879.  | 1.0 | 16        |
| 38 | Gene expression of mouse M1 and M2 pyruvate kinase isoenzymes correlates with differential poly[A] tract extension of their mRNAs during the development of spermatogenesis. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1998, 1396, 294-305.             | 2.4 | 15        |
| 39 | Differential expression of Ran GTPase during HMBA-induced differentiation in murine erythroleukemia cells. Leukemia Research, 2003, 27, 607-615.  | 0.8 | 15        |
| 40 | Regulation of flotillin-1 in the establishment of NIH-3T3 cell-cell interactions 1. FEBS Letters, 2003, 555, 223-228.   | 2.8 | 15        |
| 41 | Expression of stress inducible protein 1 (Stip1) in the mouse testis. Molecular Reproduction and Development, 2006, 73, 1361-1366.  | 2.0 | 15        |
| 42 | Deregulation of gene expression in fetal oocytes exposed to doxorubicin. Biochemical Pharmacology, 2003, 65, 1701-1707.   | 4.4 | 14        |
| 43 | Combined proteomic and miRNome analyses of mouse testis exposed to an endocrine disruptors chemicals mixture reveals altered toxicological pathways involved in male infertility. Molecular Human Reproduction, 2019, 25, 156-169.                                      | 2.8 | 14        |
| 44 | Centromeric proteins recognized by CREST sera and meiotic chromosome segregation. Chromosoma, 1987, 96, 55-59.  | 2.2 | 13        |
| 45 | Phosphoprotein enriched in astrocytes-15 is expressed in mouse testis and protects spermatocytes from apoptosis. Reproduction, 2007, 133, 743-751.  | 2.6 | 13        |
| 46 | Different developmental pattern of N-ras and unr gene expression in mouse gametogenic and somatic tissues. Biochimica Et Biophysica Acta Gene Regulatory Mechanisms, 1995, 1263, 10-16.   | 2.4 | 12        |
| 47 | Tex261,a Novel Gene Presumably Related but Distinct from Steroidogenic Acute Regulatory (StAR) Gene, Is Regulated during the Development of Germ Cells. Biochemical and Biophysical Research Communications, 1998, 242, 565-569.  | 2.1 | 12        |
| 48 | Microtubule-associated proteins during mouse spermatogenesis: localization of a protein immunologically related to brain MAP1B protein in the synaptonemal complex. Cytogenetic and Genome Research, 1992, 59, 1-5.   | 1.1 | 11        |
| 49 | Trisomy 10p due to a de novo t(10p;13p). Human Genetics, 1979, 46, 129-134.   | 3.8 | 9         |
| 50 | Changes in Vinexin Expression Patterns in the Mouse Testis Induced by Developmental Exposure to 17Beta-Estradiol1. Biology of Reproduction, 2007, 77, 605-613.  | 2.7 | 9         |
| 51 | Ran GTPase expression during early development of the mouse embryo. Mechanisms of Development, 2002, 113, 103-106.  | 1.7 | 8         |
| 52 | Expression of the B56δ subunit of protein phosphatase 2A and $\langle i \rangle$ Mea1 $\langle i \rangle$ in mouse spermatogenesis. Identification of a new B56γ subunit (B56γ4) specifically expressed in testis. Cytogenetic and Genome Research, 2003, 103, 345-351. | 1.1 | 8         |
| 53 | Diversification of piRNAs expressed in PGCs and somatic cells during embryonic gonadal development. RNA Biology, 2020, 17, 1309-1323.   | 3.1 | 8         |
| 54 | piRNA-IPdb: a PIWI-bound piRNAs database to mining NGS sncRNA data and beyond. BMC Genomics, 2021, 22, 765.   | 2.8 | 7         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | The antiandrogenic vinclozolin induces differentiation delay of germ cells and changes in energy metabolism in 3D cultures of fetal ovaries. Scientific Reports, 2020, 10, 18036.    | 3.3 | 6         |
| 56 | An r(22)(p11→q13) in a moderately mentally retarded girl. Human Genetics, 1979, 51, 157-162.   | 3.8 | 5         |
| 57 | Human triploid embryo. Human Genetics, 1977, 39, 251-256.  | 3.8 | 4         |
| 58 | H3.3A Variant Histone mRNA Containing an α-Globin Insertion: Modulated Expression During Mouse Gametogenesis Correlates with Meiotic Onset. DNA and Cell Biology, 1997, 16, 639-644. | 1.9 | 3         |
| 59 | Epigenetic traits of testicular cancer: from primordial germ cells to germ cell tumors. Epigenomics, 2014, 6, 253-255.   | 2.1 | 3         |
| 60 | Trisomy 14 by paternal origin. Human Genetics, 1984, 68, 193-193.  | 3.8 | 2         |
| 61 | Four cases of partial trisomy 4p by preferential segregation in a familial 4p/17q balanced translocation. Human Genetics, 1984, 66, 370-370.   | 3.8 | 1         |
| 62 | Detection and Characterization of Small Noncoding RNAs in Mouse Gametes and Embryos Prior to Zygotic Genome Activation. Methods in Molecular Biology, 2017, 1605, 105-120.           | 0.9 | 0         |
| 63 | Evaluation of calcium lignosulfonate as a acceptable previous cargo for edible fats and oils. EFSA Journal, 2019, 17, e05951.  | 1.8 | 0         |
| 64 | A human mutated gene is guillotining spermatozoa. Translational Cancer Research, 2018, 7, S466-S468.   | 1.0 | 0         |