

Sergey N Krylov

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8746248/publications.pdf>

Version: 2024-02-01

182
papers

6,874
citations

57758

44
h-index

79698

73
g-index

199
all docs

199
docs citations

199
times ranked

6299
citing authors

#	ARTICLE	IF	CITATIONS
1	Quantitative Characterization of Partitioning in Selection of DNA Aptamers for Protein Targets by Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2022, 94, 2578-2588.	6.5	7
2	Circular Geometry in Molecular Stream Separation to Facilitate Nonorthogonal Field-to-Flow Orientation. <i>Analytical Chemistry</i> , 2022, 94, 9519-9524.	6.5	1
3	How to Develop and Prove High-Efficiency Selection of Ligands from Oligonucleotide Libraries: A Universal Framework for Aptamers and DNA-Encoded Small-Molecule Ligands. <i>Analytical Chemistry</i> , 2021, 93, 5343-5354.	6.5	9
4	Multi-drug resistance efflux in cisplatin-naïve and cisplatin-exposed A2780 ovarian cancer cells responds differently to cell culture dimensionality. <i>Molecular and Clinical Oncology</i> , 2021, 15, 161.	1.0	7
5	Topino: A Graphical Tool for Quantitative Assessment of Molecular Stream Separations. <i>Analytical Chemistry</i> , 2021, 93, 9980-9985.	6.5	0
6	Template Instrumentation for Accurate Constant via Transient Incomplete Separation. <i>Analytical Chemistry</i> , 2021, 93, 11654-11659.	6.5	4
7	Necessity and Challenges of Sample Preconcentration in Analysis of Multiple MicroRNAs by Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2020, 92, 14251-14258.	6.5	9
8	Analytical Challenges in Development of Chemoresistance Predictors for Precision Oncology. <i>Analytical Chemistry</i> , 2020, 92, 12101-12110.	6.5	6
9	Assessing Accuracy of an Analytical Method <i>in Silico</i> : Application to Accurate Constant via Transient Incomplete Separation (ACTIS). <i>Analytical Chemistry</i> , 2020, 92, 11973-11980.	6.5	4
10	Spheroid-Based Approach to Assess the Tissue Relevance of Analysis of Dispersed-Settled Tissue Cells by Cytometry of the Reaction Rate Constant. <i>Analytical Chemistry</i> , 2020, 92, 9348-9355.	6.5	5
11	Empirical predictor of conditions that support ideal-filter capillary electrophoresis. <i>Electrophoresis</i> , 2020, 41, 1225-1229.	2.4	1
12	Visualization of Streams of Small Organic Molecules in Continuous-Flow Electrophoresis. <i>Analytical Chemistry</i> , 2020, 92, 2907-2910.	6.5	4
13	Spherical-Shape Assumption for Protein-Aptamer Complexes Facilitates Prediction of Their Electrophoretic Mobility. <i>Analytical Chemistry</i> , 2019, 91, 12680-12687.	6.5	10
14	Ideal-Filter Capillary Electrophoresis (IFCE) Facilitates the One-Step Selection of Aptamers. <i>Angewandte Chemie</i> , 2019, 131, 2765-2769.	2.0	10
15	Determination of the Equilibrium Constant and Rate Constant of Protein-Oligonucleotide Complex Dissociation under the Conditions of Ideal-Filter Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2019, 91, 8532-8539.	6.5	10
16	Non-aqueous continuous-flow electrophoresis (NACFE): potential separation complement for continuous-flow organic synthesis. <i>Lab on A Chip</i> , 2019, 19, 2156-2160.	6.0	7
17	Ideal-filter capillary electrophoresis: A highly efficient partitioning method for selection of protein binders from oligonucleotide libraries. <i>Electrophoresis</i> , 2019, 40, 2553-2564.	2.4	9
18	Transient Incomplete Separation Facilitates Finding Accurate Equilibrium Dissociation Constant of Protein-Small Molecule Complex. <i>Angewandte Chemie</i> , 2019, 131, 6707-6711.	2.0	2

#	ARTICLE	IF	CITATIONS
19	Transient Incomplete Separation Facilitates Finding Accurate Equilibrium Dissociation Constant of Protein–Small Molecule Complex. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 6635-6639.	13.8	9
20	Cytometry of Reaction Rate Constant: Measuring Reaction Rate Constant in Individual Cells To Facilitate Robust and Accurate Analysis of Cell-Population Heterogeneity. <i>Analytical Chemistry</i> , 2019, 91, 4186-4194.	6.5	8
21	Ideal–Filter Capillary Electrophoresis (IFCE) Facilitates the One–Step Selection of Aptamers. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 2739-2743.	13.8	43
22	Aptamer facilitated purification of functional proteins. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018, 1073, 201-206.	2.3	20
23	Direct Quantitative Analysis of Multiple microRNAs (DQAMmiR) with Peptide Nucleic Acid Hybridization Probes. <i>Analytical Chemistry</i> , 2018, 90, 14610-14615.	6.5	9
24	Predicting efficiency of NECEEM–based partitioning of protein binders from nonbinders in DNA–encoded libraries. <i>Electrophoresis</i> , 2018, 39, 2991-2996.	2.4	17
25	A circular RNA circ-DNMT1 enhances breast cancer progression by activating autophagy. <i>Oncogene</i> , 2018, 37, 5829-5842.	5.9	222
26	Quantitative Characterization of Molecular-Stream Separation. <i>Analytical Chemistry</i> , 2018, 90, 9504-9509.	6.5	8
27	miR-590-3p Promotes Ovarian Cancer Growth and Metastasis via a Novel FOXA2–Versican Pathway. <i>Cancer Research</i> , 2018, 78, 4175-4190.	0.9	83
28	Preservation of the 3D Phenotype Upon Dispersal of Cultured Cell Spheroids Into Monolayer Cultures. <i>Journal of Cellular Biochemistry</i> , 2017, 118, 154-162.	2.6	7
29	Synthetic, Switchable Enzymes. <i>Journal of Molecular Microbiology and Biotechnology</i> , 2017, 27, 117-127.	1.0	419
30	Image processing and analysis system for development and use of free flow electrophoresis chips. <i>Lab on A Chip</i> , 2017, 17, 256-266.	6.0	12
31	miR-10b is a prognostic marker in clear cell renal cell carcinoma. <i>Journal of Clinical Pathology</i> , 2017, 70, 854-859.	2.0	29
32	Accurate MicroRNA Analysis in Crude Cell Lysate by Capillary Electrophoresis-Based Hybridization Assay in Comparison with Quantitative Reverse Transcription-Polymerase Chain Reaction. <i>Analytical Chemistry</i> , 2017, 89, 4743-4748.	6.5	21
33	A fast stable discretization of the Constant–Convection–Diffusion–Reaction equations of Kinetic Capillary Electrophoresis (KCE). <i>Applied Numerical Mathematics</i> , 2017, 122, 82-91.	2.1	1
34	Improvement of LOD in Fluorescence Detection with Spectrally Nonuniform Background by Optimization of Emission Filtering. <i>Analytical Chemistry</i> , 2017, 89, 11122-11128.	6.5	28
35	High-precision quantitation of a tuberculosis vaccine antigen with capillary-gel electrophoresis using an injection standard. <i>Talanta</i> , 2017, 175, 273-279.	5.5	4
36	Simultaneous Analysis of a Non-Lipidated Protein and Its Lipidated Counterpart: Enabling Quantitative Investigation of Protein Lipidation–TM's Impact on Cellular Regulation. <i>Analytical Chemistry</i> , 2017, 89, 13502-13507.	6.5	6

#	ARTICLE	IF	CITATIONS
37	Metabolic Suppression of a Drug-Resistant Subpopulation in Cancer Spheroid Cells. <i>Journal of Cellular Biochemistry</i> , 2016, 117, 59-65.	2.6	20
38	Achieving Single-Nucleotide Specificity in Direct Quantitative Analysis of Multiple MicroRNAs (DQAMmiR). <i>Analytical Chemistry</i> , 2016, 88, 2472-2477.	6.5	19
39	Predicting Electrophoretic Mobility of Protein-Ligand Complexes for Ligands from DNA-Encoded Libraries of Small Molecules. <i>Analytical Chemistry</i> , 2016, 88, 5498-5506.	6.5	30
40	Hyphenation of Production-Scale Free-Flow Electrophoresis to Electrospray Ionization Mass Spectrometry Using a Highly Conductive Background Electrolyte. <i>Analytical Chemistry</i> , 2016, 88, 8415-8420.	6.5	7
41	Systematic Approach to Optimization of Experimental Conditions in Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures. <i>Analytical Chemistry</i> , 2016, 88, 9300-9308.	6.5	10
42	“Getting the best sensitivity from on-capillary fluorescence detection in capillary electrophoresis” A tutorial. <i>Analytica Chimica Acta</i> , 2016, 935, 58-81.	5.4	47
43	Unexpected Electrophoretic Behavior of Complexes between Rod-like Virions and Bivalent Antibodies. <i>Analytical Chemistry</i> , 2016, 88, 11908-11912.	6.5	0
44	Analysis of DNA in Phosphate Buffered Saline Using Kinetic Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2016, 88, 7421-7428.	6.5	20
45	Reciprocal regulation of miRNAs and piRNAs in embryonic development. <i>Cell Death and Differentiation</i> , 2016, 23, 1458-1470.	11.2	23
46	MicroRNA-194 is a Marker for Good Prognosis in Clear Cell Renal Cell Carcinoma. <i>Cancer Medicine</i> , 2016, 5, 656-664.	2.8	50
47	Slow-Equilibration Approximation in Kinetic Size Exclusion Chromatography. <i>Analytical Chemistry</i> , 2016, 88, 4063-4070.	6.5	9
48	Exosomal MicroRNAs Are Diagnostic Biomarkers and Can Mediate Cell-Cell Communication in Renal Cell Carcinoma. <i>European Urology Focus</i> , 2016, 2, 210-218.	3.1	108
49	Inhibition of Dexamethasone-induced Fatty Liver Development by Reducing miR-17-5p Levels. <i>Molecular Therapy</i> , 2015, 23, 1222-1233.	8.2	28
50	Slow-equilibration approximation in studying kinetics of protein adsorption on capillary walls. <i>Analyst</i> , 2015, 140, 2797-2803.	3.5	2
51	miR-210 Is a Prognostic Marker in Clear Cell Renal Cell Carcinoma. <i>Journal of Molecular Diagnostics</i> , 2015, 17, 136-144.	2.8	55
52	Using Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures (NECEEM) for Simultaneous Determination of Concentration and Equilibrium Constant. <i>Analytical Chemistry</i> , 2015, 87, 3099-3106.	6.5	33
53	Prediction of Protein-DNA Complex Mobility in Gel-Free Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2015, 87, 2474-2479.	6.5	19
54	Emulsion PCR Significantly Improves Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures-Based Aptamer Selection: Allowing for Efficient and Rapid Selection of Aptamer to Unmodified ABH2 Protein. <i>Analytical Chemistry</i> , 2015, 87, 1411-1419.	6.5	64

#	ARTICLE	IF	CITATIONS
55	Low Expression of miR-126 Is a Prognostic Marker for Metastatic Clear Cell Renal Cell Carcinoma. American Journal of Pathology, 2015, 185, 693-703.	3.8	68
56	Advances in steady-state continuous-flow purification by small-scale free-flow electrophoresis. TrAC - Trends in Analytical Chemistry, 2015, 72, 68-79.	11.4	26
57	Pre-equilibration kinetic size-exclusion chromatography with mass spectrometry detection (peKSEC-MS) for label-free solution-based kinetic analysis of proteinâ€‘small molecule interactions. Analyst, The, 2015, 140, 990-994.	3.5	9
58	Highly-Sensitive Amplification-Free Analysis of Multiple miRNAs by Capillary Electrophoresis. Analytical Chemistry, 2015, 87, 1404-1410.	6.5	32
59	One-Dimensional Approach to Study Kinetics of Reversible Binding of Protein on Capillary Walls. Analytical Chemistry, 2015, 87, 1219-1225.	6.5	7
60	Capillary Electrophoresis for Quantitative Studies of Biomolecular Interactions. Analytical Chemistry, 2015, 87, 157-171.	6.5	91
61	miR-620 promotes tumor radioresistance by targeting 15-hydroxyprostaglandin dehydrogenase (HPGD). Oncotarget, 2015, 6, 22439-22451.	1.8	29
62	Kinetic Size-Exclusion Chromatography with Mass Spectrometry Detection: An Approach for Solution-Based Label-Free Kinetic Analysis of Proteinâ€‘Small Molecule Interactions. Analytical Chemistry, 2014, 86, 10016-10020.	6.5	20
63	Reducing pH Gradients in Free-Flow Electrophoresis. Analytical Chemistry, 2014, 86, 5656-5660.	6.5	3
64	Extracting Kinetics from Affinity Capillary Electrophoresis (ACE) Data: A New Blade for the Old Tool. Analytical Chemistry, 2014, 86, 1298-1305.	6.5	27
65	Direct miRNA-hybridization assays and their potential in diagnostics. TrAC - Trends in Analytical Chemistry, 2013, 44, 121-130.	11.4	26
66	Minimizing adsorption of histidine-tagged proteins for the study of proteinâ€‘deoxyribonucleic acid interactions by kinetic capillary electrophoresis. Journal of Chromatography A, 2013, 1322, 90-96.	3.7	7
67	Improvements to Direct Quantitative Analysis of Multiple MicroRNAs Facilitating Faster Analysis. Analytical Chemistry, 2013, 85, 10062-10066.	6.5	10
68	Stable DNA Aggregation by Removal of Counterions. Analytical Chemistry, 2013, 85, 10004-10007.	6.5	11
69	Theoretical estimation of drag tag lengths for direct quantitative analysis of multiple miRNAs (DQAMmiR). Analyst, The, 2013, 138, 553-558.	3.5	9
70	Theoretical Modeling of Masking DNA Application in Aptamer-Facilitated Biomarker Discovery. Analytical Chemistry, 2013, 85, 4157-4164.	6.5	8
71	Non-uniform Velocity of Homogeneous DNA in a Uniform Electric Field: Consequence of Electric-Field-Induced Slow Dissociation of Highly Stable DNAâ€‘Counterion Complexes. Journal of the American Chemical Society, 2013, 135, 8041-8046.	13.7	16
72	Steady-State Continuous-Flow Purification by Electrophoresis. Angewandte Chemie - International Edition, 2013, 52, 7256-7260.	13.8	19

#	ARTICLE	IF	CITATIONS
73	Universal Drag Tag for Direct Quantitative Analysis of Multiple MicroRNAs. <i>Analytical Chemistry</i> , 2013, 85, 6518-6523.	6.5	40
74	Single-Cell-Kinetics Approach to Discover Functionally Distinct Subpopulations within Phenotypically Uniform Populations of Cells. <i>Analytical Chemistry</i> , 2013, 85, 2578-2581.	6.5	6
75	Kinetics of MDR Transport in Tumor-Initiating Cells. <i>PLoS ONE</i> , 2013, 8, e79222.	2.5	10
76	Two-peak approximation in kinetic capillary electrophoresis. <i>Analyst</i> , The, 2012, 137, 1649.	3.5	6
77	Ultrasensitive on-column laser-induced fluorescence in capillary electrophoresis using multiparameter confocal detection. <i>Analyst</i> , The, 2012, 137, 5538.	3.5	10
78	Pressure-Based Approach for the Analysis of Protein Adsorption in Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2012, 84, 453-458.	6.5	31
79	Peak-Shape Correction to Symmetry for Pressure-Driven Sample Injection in Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2012, 84, 149-154.	6.5	13
80	Volatile Kinetic Capillary Electrophoresis for Studies of Protein–Small Molecule Interactions. <i>Analytical Chemistry</i> , 2012, 84, 6944-6947.	6.5	14
81	Mechanistic Studies on the Application of DNA Aptamers as Inhibitors of 2-Oxoglutarate-Dependent Oxygenases. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 3546-3552.	6.4	13
82	Sequential-dissociation kinetics of non-covalent complexes of DNA with multiple proteins in separation-based approach: General theory and its application. <i>Analytica Chimica Acta</i> , 2012, 724, 111-118.	5.4	1
83	A semipermanent coating for preventing protein adsorption at physiological pH in kinetic capillary electrophoresis. <i>Electrophoresis</i> , 2012, 33, 2584-2590.	2.4	25
84	Dynamic Combinatorial Mass Spectrometry Leads to Inhibitors of a 2-Oxoglutarate-Dependent Nucleic Acid Demethylase. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 2173-2184.	6.4	49
85	Detection of a Thousand Copies of miRNA without Enrichment or Modification. <i>Analytical Chemistry</i> , 2012, 84, 5470-5474.	6.5	48
86	Correlation between Multi-Drug Resistance-Associated Membrane Transport in Clonal Cancer Cells and the Cell Cycle Phase. <i>PLoS ONE</i> , 2012, 7, e41368.	2.5	16
87	Simplified universal method for determining electrolyte temperatures in a capillary electrophoresis instrument with forced-air cooling. <i>Electrophoresis</i> , 2012, 33, 1079-1085.	2.4	16
88	Time-resolved detection of luminescence for electrophoretic methods. <i>TrAC - Trends in Analytical Chemistry</i> , 2012, 33, 23-34.	11.4	3
89	Predictive measure of quality of micromixing. <i>Chemical Communications</i> , 2011, 47, 7767.	4.1	9
90	Protein Labeling Enhances Aptamer Selection by Methods of Kinetic Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2011, 83, 6330-6335.	6.5	18

#	ARTICLE	IF	CITATIONS
91	DNA Adsorption to the Reservoir Walls Causing Irreproducibility in Studies of Protein–DNA Interactions by Methods of Kinetic Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2011, 83, 8041-8045.	6.5	15
92	Slow-Dissociation and Slow-Recombination Assumptions in Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures. <i>Analytical Chemistry</i> , 2011, 83, 7582-7585.	6.5	14
93	Slow-Equilibration Approximation in Macroscopic Approach to Studying Kinetics at Equilibrium. <i>Analytical Chemistry</i> , 2011, 83, 1381-1387.	6.5	14
94	Single-Cell-Kinetics Approach to Compare Multidrug Resistance-Associated Membrane Transport in Subpopulations of Cells. <i>Analytical Chemistry</i> , 2011, 83, 6132-6134.	6.5	12
95	Separation-Based Approach to Study Dissociation Kinetics of Noncovalent DNA–Multiple Protein Complexes. <i>Journal of the American Chemical Society</i> , 2011, 133, 12486-12492.	13.7	22
96	Label-Free Solution-Based Kinetic Study of Aptamer–Small Molecule Interactions by Kinetic Capillary Electrophoresis with UV Detection Revealing How Kinetics Control Equilibrium. <i>Analytical Chemistry</i> , 2011, 83, 8387-8390.	6.5	46
97	Method for Determination of Peak Areas in Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures. <i>Analytical Chemistry</i> , 2011, 83, 8617-8622.	6.5	21
98	Universal Method for Determining Electrolyte Temperatures in Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2011, 83, 1808-1814.	6.5	38
99	Milli–free flow electrophoresis: I. Fast prototyping of mFFE devices. <i>Journal of Separation Science</i> , 2011, 34, 556-564.	2.5	13
100	Direct Quantitative Analysis of Multiple miRNAs (DQAMmiR). <i>Angewandte Chemie - International Edition</i> , 2011, 50, 10335-10339.	13.8	65
101	Quantitative Characterization of Micromixing Based on Uniformity and Overlap. <i>Angewandte Chemie - International Edition</i> , 2011, 50, 11999-12002.	13.8	8
102	Kinetic Capillary Electrophoresis with Mass–Spectrometry Detection (KCE–MS) Facilitates Label-Free Solution-Based Kinetic Analysis of Protein–Small Molecule Binding. <i>ChemBioChem</i> , 2011, 12, 2551-2554.	2.6	21
103	DNA aptamers for as analytical tools for the quantitative analysis of DNA-dealkylating enzymes. <i>Analytical Biochemistry</i> , 2011, 414, 261-265.	2.4	26
104	Selection of aptamers for a non-DNA binding protein in the context of cell lysate. <i>Analytica Chimica Acta</i> , 2010, 681, 92-97.	5.4	14
105	Non-orthogonal micro-free flow electrophoresis: From theory to design concept. <i>Analytica Chimica Acta</i> , 2010, 674, 102-109.	5.4	8
106	Electric Field Destabilizes Noncovalent Protein–DNA Complexes. <i>Journal of the American Chemical Society</i> , 2010, 132, 13639-13641.	13.7	15
107	MASKE: Macroscopic Approach to Studying Kinetics at Equilibrium. <i>Journal of the American Chemical Society</i> , 2010, 132, 7062-7068.	13.7	28
108	Noncooled Capillary Inlet: A Source of Systematic Errors in Capillary-Electrophoresis-Based Affinity Analyses. <i>Analytical Chemistry</i> , 2010, 82, 8637-8641.	6.5	22

#	ARTICLE	IF	CITATIONS
109	Temperature Difference between the Cooled and the Noncooled Parts of an Electrolyte in Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2010, 82, 8692-8695.	6.5	26
110	Non-Orthogonal-to-the-Flow Electric Field Improves Resolution in the Orthogonal Direction: Hidden Reserves for Combining Synthesis and Purification in Continuous Flow. <i>Analytical Chemistry</i> , 2010, 82, 1183-1185.	6.5	12
111	Heat-Associated Field Distortion in Electro-Migration Techniques. <i>Analytical Chemistry</i> , 2010, 82, 8398-8401.	6.5	9
112	Making DNA Hybridization Assays in Capillary Electrophoresis Quantitative. <i>Analytical Chemistry</i> , 2010, 82, 4428-4433.	6.5	8
113	Transverse diffusion of laminar flow profiles – a generic method for mixing reactants in capillary microreactor. <i>Journal of Separation Science</i> , 2009, 32, 742-756.	2.5	55
114	The Inject-Mix-React-Separate-and-Quantitate (IMReSQ) approach to studying reactions in capillaries. <i>TrAC - Trends in Analytical Chemistry</i> , 2009, 28, 987-1010.	11.4	33
115	Kinetic capillary electrophoresis-based affinity screening of aptamer clones. <i>Analytica Chimica Acta</i> , 2009, 631, 102-107.	5.4	22
116	Direct Analysis of Enzyme-Catalyzed DNA Demethylation. <i>Analytical Chemistry</i> , 2009, 81, 5871-5875.	6.5	21
117	Selection of Smart Small-Molecule Ligands: The Proof of Principle. <i>Analytical Chemistry</i> , 2009, 81, 490-494.	6.5	64
118	Selection of aptamers for a protein target in cell lysate and their application to protein purification. <i>Nucleic Acids Research</i> , 2009, 37, e62-e62.	14.5	56
119	Mathematical Model for Mixing Reactants in a Capillary Microreactor by Transverse Diffusion of Laminar Flow Profiles. <i>Analytical Chemistry</i> , 2008, 80, 7482-7486.	6.5	35
120	Aptamer-Facilitated Biomarker Discovery (AptaBiD). <i>Journal of the American Chemical Society</i> , 2008, 130, 9137-9143.	13.7	181
121	“Inject-Mix-React-Separate-and-Quantitate” (IMReSQ) Method for Screening Enzyme Inhibitors. <i>Journal of the American Chemical Society</i> , 2008, 130, 11862-11863.	13.7	38
122	Diffusion as a Tool of Measuring Temperature inside a Capillary. <i>Analytical Chemistry</i> , 2008, 80, 6752-6757.	6.5	15
123	AID Associates with Single-Stranded DNA with High Affinity and a Long Complex Half-Life in a Sequence-Independent Manner. <i>Molecular and Cellular Biology</i> , 2007, 27, 20-30.	2.3	81
124	Smart Aptamers Facilitate Multi-Probe Affinity Analysis of Proteins with Ultra-Wide Dynamic Range of Measured Concentrations. <i>Journal of the American Chemical Society</i> , 2007, 129, 7260-7261.	13.7	53
125	Dynamic Kinetic Capillary Isoelectric Focusing: A Powerful Tool for Studying Protein~DNA Interactions. <i>Analytical Chemistry</i> , 2007, 79, 1097-1100.	6.5	25
126	Kinetic CE: Foundation for homogeneous kinetic affinity methods. <i>Electrophoresis</i> , 2007, 28, 69-88.	2.4	108

#	ARTICLE	IF	CITATIONS
127	Non-SELEX Selection of Aptamers. Journal of the American Chemical Society, 2006, 128, 1410-1411.	13.7	225
128	Identification of Base Pairs in Single-Nucleotide Polymorphisms by MutS Protein-Mediated Capillary Electrophoresis. Analytical Chemistry, 2006, 78, 2035-2038.	6.5	26
129	Plug-Plug Kinetic Capillary Electrophoresis: A Method for Direct Determination of Rate Constants of Complex Formation and Dissociation. Analytical Chemistry, 2006, 78, 4803-4810.	6.5	46
130	Reversible Photocontrol of DNA Binding by a Designed GCN4-bZIP Protein. Biochemistry, 2006, 45, 6075-6084.	2.5	94
131	Selection of Smart Aptamers by Methods of Kinetic Capillary Electrophoresis. Analytical Chemistry, 2006, 78, 3171-3178.	6.5	120
132	Non-SELEX: selection of aptamers without intermediate amplification of candidate oligonucleotides. Nature Protocols, 2006, 1, 1359-1369.	12.0	152
133	Selection of aptamers by systematic evolution of ligands by exponential enrichment: Addressing the polymerase chain reaction issue. Analytica Chimica Acta, 2006, 564, 91-96.	5.4	101
134	Cell lysis inside the capillary facilitated by transverse diffusion of laminar flow profiles (TDLFP). Analytical and Bioanalytical Chemistry, 2006, 387, 91-96.	3.7	14
135	Selection of surfactants for cell lysis in chemical cytometry to study protein-DNA interactions. Electrophoresis, 2006, 27, 1489-1494.	2.4	24
136	Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures (NECEEM): A Novel Method for Biomolecular Screening. Journal of Biomolecular Screening, 2006, 11, 115-122.	2.6	55
137	Chemical cytometry for monitoring metabolism of a Ras-mimicking substrate in single cells. Cytometry Part A: the Journal of the International Society for Analytical Cytology, 2005, 63A, 41-47.	1.5	29
138	Selection of Smart Aptamers by Equilibrium Capillary Electrophoresis of Equilibrium Mixtures (ECEEM). Journal of the American Chemical Society, 2005, 127, 11224-11225.	13.7	132
139	Transverse Diffusion of Laminar Flow Profiles To Produce Capillary Nanoreactors. Analytical Chemistry, 2005, 77, 5925-5929.	6.5	77
140	Kinetic Capillary Electrophoresis (KCE): A Conceptual Platform for Kinetic Homogeneous Affinity Methods. Journal of the American Chemical Society, 2005, 127, 17104-17110.	13.7	136
141	Calibration-Free Quantitative Analysis of mRNA. Analytical Chemistry, 2005, 77, 8027-8030.	6.5	17
142	Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures: A Universal Tool for Development of Aptamers. Journal of the American Chemical Society, 2005, 127, 3165-3171.	13.7	275
143	Thermochemistry of Protein-DNA Interaction Studied with Temperature-Controlled Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures. Analytical Chemistry, 2005, 77, 1526-1529.	6.5	67
144	Tau protein binds single-stranded DNA sequence specifically - the proof obtained in vitro with non-equilibrium capillary electrophoresis of equilibrium mixtures. FEBS Letters, 2005, 579, 1371-1375.	2.8	83

#	ARTICLE	IF	CITATIONS
145	Monitoring the three enzymatic activities involved in posttranslational modifications of Ras proteins. <i>Analytica Chimica Acta</i> , 2004, 521, 1-7.	5.4	9
146	Monitoring viral DNA release with capillary electrophoresis. <i>Analyst, The</i> , 2004, 129, 1234.	3.5	6
147	Single-Cell Analysis by Chemical Cytometry Combined with Fluorescence Microscopy. <i>Instrumentation Science and Technology</i> , 2004, 32, 31-41.	1.8	6
148	Sweeping Capillary Electrophoresis: A Non-Stopped-Flow Method for Measuring Bimolecular Rate Constant of Complex Formation between Protein and DNA. <i>Journal of the American Chemical Society</i> , 2004, 126, 7166-7167.	13.7	37
149	Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures, Mathematical Model. <i>Analytical Chemistry</i> , 2004, 76, 1507-1512.	6.5	79
150	Asymmetry between Sister Cells in a Cancer Cell Line Revealed by Chemical Cytometry. <i>Analytical Chemistry</i> , 2004, 76, 3864-3866.	6.5	16
151	Using Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures for the Determination of Temperature in Capillary Electrophoresis. <i>Analytical Chemistry</i> , 2004, 76, 7114-7117.	6.5	40
152	Single-stranded DNA-binding protein facilitates gel-free analysis of polymerase chain reaction products in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004, 1051, 171-175.	3.7	21
153	Single-stranded DNA-binding protein facilitates gel-free analysis of polymerase chain reaction products in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004, 1051, 171-175.	3.7	6
154	Single-stranded DNA-binding protein facilitates gel-free analysis of polymerase chain reaction products in capillary electrophoresis. <i>Journal of Chromatography A</i> , 2004, 1051, 171-5.	3.7	3
155	Use of Capillary Electrophoresis and Endogenous Fluorescent Substrate To Monitor Intracellular Activation of Protein Kinase A. <i>Analytical Chemistry</i> , 2003, 75, 3720-3724.	6.5	43
156	Cell Cycle-Dependent Protein Fingerprint from a Single Cancer Cell: A Image Cytometry Coupled with Single-Cell Capillary Sieving Electrophoresis. <i>Analytical Chemistry</i> , 2003, 75, 3495-3501.	6.5	74
157	Using DNA-Binding Proteins as an Analytical Tool. <i>Journal of the American Chemical Society</i> , 2003, 125, 13451-13454.	13.7	62
158	Affinity Analysis of a Protein-Aptamer Complex Using Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures. <i>Analytical Chemistry</i> , 2003, 75, 1382-1386.	6.5	135
159	Non-equilibrium capillary electrophoresis of equilibrium mixtures—appreciation of kinetics in capillary electrophoresis. <i>Analyst, The</i> , 2003, 128, 571-575.	3.5	70
160	Nonequilibrium Capillary Electrophoresis of Equilibrium Mixtures A Single Experiment Reveals Equilibrium and Kinetic Parameters of Protein-DNA Interactions. <i>Journal of the American Chemical Society</i> , 2002, 124, 13674-13675.	13.7	178
161	Measuring the activity of farnesyltransferase by capillary electrophoresis with laser-induced fluorescence detection. <i>Electrophoresis</i> , 2002, 23, 3398-3403.	2.4	27
162	Heterogeneity of protein labeling with a fluorogenic reagent, 3-(2-furoyl)quinoline-2-carboxaldehyde. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 780, 283-287.	2.3	23

#	ARTICLE	IF	CITATIONS
163	Single-cell analysis using capillary electrophoresis: Influence of surface support properties on cell injection into the capillary. <i>Electrophoresis</i> , 2000, 21, 767-773.	2.4	59
164	Metabolic Cytometry: Monitoring Oligosaccharide Biosynthesis in Single Cells by Capillary Electrophoresis. <i>Analytical Biochemistry</i> , 2000, 283, 133-135.	2.4	28
165	Methyl- β -cyclodextrin modified micellar electrokinetic capillary chromatography with laser-induced fluorescence for separation and detection of phospholipids. <i>Journal of Chromatography A</i> , 2000, 894, 129-134.	3.7	35
166	Single-cell analysis avoids sample processing bias. <i>Biomedical Applications</i> , 2000, 741, 31-35.	1.7	35
167	One-Dimensional Protein Analysis of an HT29 Human Colon Adenocarcinoma Cell. <i>Analytical Chemistry</i> , 2000, 72, 318-322.	6.5	92
168	Instrumentation for Chemical Cytometry. <i>Analytical Chemistry</i> , 2000, 72, 872-877.	6.5	119
169	Capillary Electrophoresis for the Analysis of Biopolymers. <i>Analytical Chemistry</i> , 2000, 72, 111-128.	6.5	116
170	Correlating cell cycle with metabolism in single cells: Combination of image and metabolic cytometry. , 1999, 37, 14-20.		85
171	Computer simulation of damped oscillations during peroxidase-catalyzed oxidation of indole-3-acetic acid. <i>Biophysical Chemistry</i> , 1998, 72, 285-295.	2.8	2
172	MECHANISTIC QUANTITATIVE STRUCTURE-ACTIVITY RELATIONSHIP MODEL FOR THE PHOTOINDUCED TOXICITY OF POLYCYCLIC AROMATIC HYDROCARBONS: II. AN EMPIRICAL MODEL FOR THE TOXICITY OF 16 POLYCYCLIC AROMATIC HYDROCARBONS TO THE DUCKWEED LEMNA GIBBA L. G-3. <i>Environmental Toxicology and Chemistry</i> , 1997, 16, 2296.	4.3	45
173	MECHANISTIC QUANTITATIVE STRUCTURE-ACTIVITY RELATIONSHIP MODEL FOR THE PHOTOINDUCED TOXICITY OF POLYCYCLIC AROMATIC HYDROCARBONS: I. PHYSICAL MODEL BASED ON CHEMICAL KINETICS IN A TWO-COMPARTMENT SYSTEM. <i>Environmental Toxicology and Chemistry</i> , 1997, 16, 2283.	4.3	51
174	Optically Pumped Chemiluminescence of Indole-3-Acetic Acid. <i>Photochemistry and Photobiology</i> , 1996, 63, 621-627.	2.5	3
175	Detailed Mechanism of Phenol-Inhibited Peroxidase-Catalyzed Oxidation of Indole-3-Acetic Acid at Neutral pH. <i>Photochemistry and Photobiology</i> , 1996, 63, 735-741.	2.5	4
176	Evidence for a free radical chain mechanism in the reaction between peroxidase and indole-3-acetic acid at neutral pH. <i>Biophysical Chemistry</i> , 1996, 58, 325-334.	2.8	20
177	Detailed Model of the Peroxidase-Catalyzed Oxidation of Indole-3-Acetic Acid at Neutral pH. <i>The Journal of Physical Chemistry</i> , 1996, 100, 913-920.	2.9	25
178	Accelerating Effect of Umbelliferone on Peroxidase-Catalyzed Oxidation of Indole-3-acetic Acid at Neutral pH. <i>The Journal of Physical Chemistry</i> , 1996, 100, 19719-19727.	2.9	7
179	Inhibition of enzymatic indole-3-acetic acid oxidation by phenols. <i>Phytochemistry</i> , 1994, 36, 263-267.	2.9	14
180	Peroxidase-catalyzed co-oxidation of indole-3-acetic acid and xanthene dyes in the absence of hydrogen peroxide. <i>FEBS Letters</i> , 1993, 324, 6-8.	2.8	20

#	ARTICLE	IF	CITATIONS
181	Kinetic Capillary Electrophoresis for Selection, Characterization, and Analytical Utilization of Aptamers. , 0, , 181-212.		0
182	Aptamer-facilitated Protein Isolation from Cells. Protocol Exchange, 0, , .	0.3	2