

Yoshiyuki Kimura

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8747576/publications.pdf>

Version: 2024-02-01

102
papers

4,611
citations

81839

39
h-index

110317

64
g-index

102
all docs

102
docs citations

102
times ranked

5206
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-Term Oral Administration of Piceatannol (3,5,3',4'-Tetrahydroxystilbene) Attenuates Colon Tumor Growth Induced by Azoxymethane Plus Dextran Sulfate Sodium in C57BL/6J Mice. <i>Nutrition and Cancer</i> , 2022, 74, 2184-2195.	0.9	3
2	Two hydroxyflavanones isolated from <i>Scutellaria baicalensis</i> roots prevent colitis-associated colon cancer in C57BL/6J mice by inhibiting programmed cell death-1, interleukin 10, and thymocyte selection-associated high mobility group box proteins TOX/TOX2. <i>Phytomedicine</i> , 2022, 100, 154076.	2.3	2
3	Dihydroxystilbenes prevent azoxymethane/dextran sulfate sodium-induced colon cancer by inhibiting colon cytokines, a chemokine, and programmed cell death-1 in C57BL/6J mice. <i>European Journal of Pharmacology</i> , 2020, 886, 173445.	1.7	10
4	Xanthoangelol Isolated from <i>Angelica keiskei</i> Roots Prevents Dextran Sulfate Sodium-Treated Colitis in Mice. <i>Natural Products Journal</i> , 2020, 10, 655-663.	0.1	1
5	Preventive Effects of <i>Mallotus japonicus</i> Cortex Extracts on Dextran Sulfate Sodium-Induced Ulcerative Colitis in C57 BL/6J Mice. <i>Natural Products Journal</i> , 2020, 10, 177-185.	0.1	1
6	Effects of kampo medicine keishikashakuyakuto on large intestine disease in mice. <i>Traditional & Kampo Medicine</i> , 2019, 6, 165-172.	0.2	2
7	Effects of Neostigmine and Sugammadex for Reversal of Neuromuscular Blockade on QT Dispersion Under Propofol Anesthesia: A Randomized Controlled Trial. <i>Cardiology and Therapy</i> , 2018, 7, 163-172.	1.1	9
8	Development of standard classification tool for chronic pain and its clinical application. <i>Pain Research</i> , 2018, 33, 257-268.	0.1	0
9	Effects of a High-Fat or High-Sucrose Diet on Ultraviolet B Irradiation-Induced Carcinogenesis and Tumor Growth in Melanin-Possessing Hairless Mice. <i>Nutrition and Cancer</i> , 2016, 68, 791-803.	0.9	2
10	Resveratrol Prevents Tumor Growth and Metastasis by Inhibiting Lymphangiogenesis and M2 Macrophage Activation and Differentiation in Tumor-associated Macrophages. <i>Nutrition and Cancer</i> , 2016, 68, 667-678.	0.9	58
11	Effects of <i>Eleutherococcus senticosus</i> Cortex on Recovery from the Forced Swimming Test and Fatty Acid β -Oxidation in the Liver and Skeletal Muscle of mice. <i>Natural Products Journal</i> , 2016, 6, 49-55.	0.1	6
12	Antitumor and Antimetastatic Activity of Synthetic Hydroxystilbenes Through Inhibition of Lymphangiogenesis and M2 Macrophage Differentiation of Tumor-associated Macrophages. <i>Anticancer Research</i> , 2016, 36, 137-48.	0.5	18
13	Effects of <i>Agaricus Blazei</i> Extract Plus Lactoferrin or Lactoferrin Alone on Tumor Growth and UFT-Induced Adverse Reactions in Sarcoma 180- or Highly Metastatic Osteosarcoma LM8-Bearing Mice. <i>Natural Products Journal</i> , 2015, 5, 57-69.	0.1	0
14	Antitumor and antimetastatic actions of xanthoangelol and 4-hydroxyderricin isolated from <i>Angelica keiskei</i> roots through the inhibited activation and differentiation of M2 macrophages. <i>Phytomedicine</i> , 2015, 22, 759-767.	2.3	27
15	Antitumor and antimetastatic actions of dihydroxycoumarins (esculetin or fraxetin) through the inhibition of M2 macrophage differentiation in tumor-associated macrophages and/or G1 arrest in tumor cells. <i>European Journal of Pharmacology</i> , 2015, 746, 115-125.	1.7	76
16	Whey Peptides Prevent Chronic Ultraviolet B Radiation-Induced Skin Aging in Melanin-Possessing Male Hairless Mice. <i>Journal of Nutrition</i> , 2014, 144, 27-32.	1.3	21
17	Anti-tumor effects of various furocoumarins isolated from the roots, seeds and fruits of <i>Angelica</i> and <i>Cnidium</i> species under ultraviolet A irradiation. <i>Journal of Natural Medicines</i> , 2014, 68, 83-94.	1.1	47
18	Effects of the extracts and an active compound curcumenone isolated from <i>Curcuma zedoaria</i> rhizomes on alcohol-induced drunkenness in mice. <i>FÄ-toterapÄ-Äç</i> , 2013, 84, 163-169.	1.1	13

#	ARTICLE	IF	CITATIONS
19	Anti-tumor and anti-metastatic actions of wogonin isolated from <i>Scutellaria baicalensis</i> roots through anti-lymphangiogenesis. <i>Phytomedicine</i> , 2013, 20, 328-336.	2.3	39
20	<i>In vitro</i> and <i>In vivo</i> Antiproliferative Effect of a Combination of Ultraviolet-A and Alkoxy Furocoumarins Isolated from Umbelliferae Medicinal Plants, in Melanoma Cells. <i>Photochemistry and Photobiology</i> , 2013, 89, 1216-1225.	1.3	16
21	$\langle \text{http://www.w3.org/1998/Math/MathML} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \text{mathvariant="bold"} \rangle \text{R} \langle \text{mml:mi} \rangle \langle \text{mml:mi} \text{mathvariant="bold"} \rangle \text{b} \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mn} \text{mathvariant="bold"} \rangle 1 \langle \text{mml:mn} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:msub} \rangle \langle \text{mml:math} \rangle$ on Skin Changes. <i>Journal of Biomedicine and Biotechnology</i> , 2012, 2012, 1-11.	3.0	22
22	Metabolites of 3'-O-acetylhamaudol Isolated from <i>Angelica japonica</i> Roots, and their Antitumor Actions. <i>Natural Products Journal</i> , 2012, 2, 20-30.	0.1	2
23	Effects of an <i>Atractylodes lancea</i> rhizome extract and a volatile component β -eudesmol on gastrointestinal motility in mice. <i>Journal of Ethnopharmacology</i> , 2012, 141, 530-536.	2.0	61
24	Effects of Various Ginseng Saponins on 5-Hydroxytryptamine Release and Aggregation in Human Platelets. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 40, 838-843.	1.2	67
25	Effects of Flavonoids Isolated from <i>Scutellariae Radix</i> on the Production of Tissue-type Plasminogen Activator and Plasminogen Activator Inhibitor-1 Induced by Thrombin and Thrombin Receptor Agonist Peptide in Cultured Human Umbilical Vein Endothelial Cells. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 49, 816-822.	1.2	51
26	Effects of various flavonoids isolated from <i>Scutellaria baicalensis</i> roots on skin damage in acute UVB-irradiated hairless mice. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 63, 1613-1623.	1.2	11
27	Effects of baicalein and wogonin isolated from <i>Scutellaria baicalensis</i> roots on skin damage in acute UVB-irradiated hairless mice. <i>European Journal of Pharmacology</i> , 2011, 661, 124-132.	1.7	53
28	Effects of <i>Swertia japonica</i> extract and its main compound swertiamarin on gastric emptying and gastrointestinal motility in mice. <i>FÄ-toterapÄ-Äç</i> , 2011, 82, 827-833.	1.1	31
29	Antitumor or Wound Healing Actions of Natural Products through Inhibiting or Enhancing Angiogenesis. , 2011, , 265-298.		0
30	Chronic intake of a high-cholesterol diet resulted in hepatic steatosis, focal nodular hyperplasia and fibrosis in non-obese mice. <i>British Journal of Nutrition</i> , 2010, 103, 378-385.	1.2	18
31	Antitumour Activity and Side Effects of Combined Treatment with Chitosan and Cisplatin in Sarcoma 180-Bearing Mice. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 52, 883-890.	1.2	11
32	Antitumour activity and adverse reactions of combined treatment with chitosan and doxorubicin in tumour-bearing mice. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 53, 1373-1378.	1.2	19
33	Low molecular weight chitosan inhibits obesity induced by feeding a high-fat diet long-term in mice. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 58, 201-207.	1.2	116
34	Effects of water-soluble low-molecular-weight β -1, 3-D-glucan (branch β -1, 6) isolated from <i>Aureobasidium pullulans</i> 1A1 strain black yeast on restraint stress in mice. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 1137-1144.	1.2	29
35	Protective effects of water-soluble low-molecular-weight β -(1,3-1,6)D-glucan purified from <i>Aureobasidium pullulans</i> GM-NH-1A1 against UFT toxicity in mice. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 61, 795-800.	1.2	7
36	Enhancing effects of a chromone glycoside, eucryphin, isolated from <i>Astilbe</i> rhizomes on burn wound repair and its mechanism. <i>Phytomedicine</i> , 2010, 17, 820-829.	2.3	27

#	ARTICLE	IF	CITATIONS
37	Effects of olive leaf extract and its main component oleuropein on acute ultraviolet B irradiation-induced skin changes in C57BL/6J mice. <i>Phytotherapy Research</i> , 2010, 24, 995-1003.	2.8	42
38	French Maritime Pine Bark (<i>Pinus maritima</i> Lam.) Extract (Flavangenol) Prevents Chronic UVB Radiation-Induced Skin Damage and Carcinogenesis in Melanin-Possessing Hairless Mice. <i>Photochemistry and Photobiology</i> , 2010, 86, 955-963.	1.3	17
39	Effects of Naturally Occurring Stilbene Glucosides from Medicinal Plants and Wine, on Tumour Growth and Lung Metastasis in Lewis Lung Carcinoma-Bearing Mice. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 52, 1287-1295.	1.2	78
40	Effects of a turmeric extract (<i>Curcuma longa</i>) on chronic ultraviolet B irradiation-induced skin damage in melanin-possessing hairless mice. <i>Phytomedicine</i> , 2009, 16, 1137-1143.	2.3	68
41	Effects of ginseng saponins isolated from red ginseng on ultraviolet B-induced skin aging in hairless mice. <i>European Journal of Pharmacology</i> , 2009, 602, 148-156.	1.7	73
42	Effects of the nonsugar fraction of brown sugar on chronic ultraviolet B irradiation-induced photoaging in melanin-possessing hairless mice. <i>Journal of Natural Medicines</i> , 2009, 63, 130-136.	1.1	16
43	Olive Leaf Extract and Its Main Component Oleuropein Prevent Chronic Ultraviolet B Radiation-Induced Skin Damage and Carcinogenesis in Hairless Mice. <i>Journal of Nutrition</i> , 2009, 139, 2079-2086.	1.3	93
44	Antitumor actions of a chromone glucoside cnidimoside A isolated from <i>Cnidium japonicum</i> . <i>Journal of Natural Medicines</i> , 2008, 62, 308-313.	1.1	7
45	Effects of Red Ginseng extract on ultraviolet B-irradiated skin change in C57BL mice. <i>Phytotherapy Research</i> , 2008, 22, 1423-1427.	2.8	33
46	Antitumor and antimetastatic actions of anthrone-glucoside, cassialoin isolated from <i>Cassia garrettiana</i> heartwood in colon 26-bearing mice. <i>Cancer Science</i> , 2008, 99, 2336-2348.	1.7	41
47	Antitumor activities of synthetic and natural stilbenes through antiangiogenic action. <i>Cancer Science</i> , 2008, 99, 2083-2096.	1.7	50
48	Facilitating action of asiaticoside at low doses on burn wound repair and its mechanism. <i>European Journal of Pharmacology</i> , 2008, 584, 415-423.	1.7	92
49	Effects of ginsenoside Rb1 at low doses on histamine, substance P, and monocyte chemoattractant protein 1 in the burn wound areas during the process of acute burn wound repair. <i>Journal of Ethnopharmacology</i> , 2008, 117, 278-284.	2.0	15
50	Anti-tumor actions of major component 3-O-acetylhamaudol of <i>Angelica japonica</i> roots through dual actions, anti-angiogenesis and intestinal intraepithelial lymphocyte activation. <i>Cancer Letters</i> , 2008, 265, 84-97.	3.2	20
51	Antitumor and antimetastatic actions of various natural products. <i>Studies in Natural Products Chemistry</i> , 2008, , 35-76.	0.8	23
52	Effects of <i>Astilbe thunbergii</i> rhizomes on wound healing. <i>Journal of Ethnopharmacology</i> , 2007, 109, 72-77.	2.0	30
53	Inhibitory effects of water-soluble low-molecular-weight β -D-(1,3,6)-d-glucan purified from <i>Aureobasidium pullulans</i> GM-NH-1A1 strain on food allergic reactions in mice. <i>International Immunopharmacology</i> , 2007, 7, 963-972.	1.7	50
54	High-Fat, High-Sucrose, and High-Cholesterol Diets Accelerate Tumor Growth and Metastasis in Tumor-Bearing Mice. <i>Nutrition and Cancer</i> , 2007, 59, 207-216.	0.9	43

#	ARTICLE	IF	CITATIONS
55	Chronic Intake of High-Fat and High-Sucrose Diets Differentially Affects Glucose Intolerance in Mice. <i>Journal of Nutrition</i> , 2006, 136, 582-587.	1.3	154
56	Reduction of fat storage in mice fed a high-fat diet long term by treatment with saponins prepared from <i>Kochia scoparia</i> fruit. <i>Phytotherapy Research</i> , 2006, 20, 877-882.	2.8	38
57	Effects of ginseng saponins isolated from Red Ginseng roots on burn wound healing in mice. <i>British Journal of Pharmacology</i> , 2006, 148, 860-870.	2.7	106
58	Antitumor and antimetastatic actions of eicosapentaenoic acid ethylester and its by-products formed during accelerated stability testing. <i>Cancer Science</i> , 2005, 96, 441-450.	1.7	15
59	Antitumor and Vascular Physiological Effects of Natural Products. <i>Studies in Natural Products Chemistry</i> , 2005, 30, 55-78.	0.8	8
60	New anticancer agents: in vitro and in vivo evaluation of the antitumor and antimetastatic actions of various compounds isolated from medicinal plants. <i>In Vivo</i> , 2005, 19, 37-60.	0.6	36
61	Antitumor and Antimetastatic Activities of 4-Hydroxyderricin Isolated from <i>Angelica keiskei</i> Roots. <i>Planta Medica</i> , 2004, 70, 211-219.	0.7	73
62	Isolation of an anti-angiogenic substance from <i>Agaricus blazei</i> Murill: Its antitumor and antimetastatic actions. <i>Cancer Science</i> , 2004, 95, 758-764.	1.7	81
63	Effects of various <i>Eleutherococcus senticosus</i> cortex on swimming time, natural killer activity and corticosterone level in forced swimming stressed mice. <i>Journal of Ethnopharmacology</i> , 2004, 95, 447-453.	2.0	79
64	Antitumor Effects of Various Low-Molecular-Weight Chitosans Are Due to Increased Natural Killer Activity of Intestinal Intraepithelial Lymphocytes in Sarcoma 180-Bearing Mice. <i>Journal of Nutrition</i> , 2004, 134, 945-950.	1.3	155
65	Antitumor and antimetastatic activities of <i>Angelica keiskei</i> roots, part 1: Isolation of an active substance, xanthoangelol. <i>International Journal of Cancer</i> , 2003, 106, 429-437.	2.3	98
66	Anti-obesity action of <i>Salix matsudana</i> leaves (Part 1). Anti-obesity action by polyphenols of <i>Salix matsudana</i> in high fat-diet treated rodent animals. <i>Phytotherapy Research</i> , 2003, 17, 1188-1194.	2.8	72
67	Anti-obesity action of <i>Salix matsudana</i> leaves (Part 2). Isolation of anti-obesity effectors from polyphenol fractions of <i>Salix matsudana</i> . <i>Phytotherapy Research</i> , 2003, 17, 1195-1198.	2.8	57
68	Prevention of Cancer Chemotherapy Drug-Induced Adverse Reaction, Antitumor and Antimetastatic Activities by Natural Products. <i>Studies in Natural Products Chemistry</i> , 2003, , 559-586.	0.8	4
69	Biochemical and pharmacological studies of natural products isolated from various medicinal plants and foodstuffs. <i>Studies in Natural Products Chemistry</i> , 2002, , 393-442.	0.8	0
70	Carp Oil or Oleic Acid, but Not Linoleic Acid or Linolenic Acid, Inhibits Tumor Growth and Metastasis in Lewis Lung Carcinoma-Bearing Mice. <i>Journal of Nutrition</i> , 2002, 132, 2069-2075.	1.3	40
71	Antitumor and antimetastatic effects on liver of triterpenoid fractions of <i>Ganoderma lucidum</i> : mechanism of action and isolation of an active substance. <i>Anticancer Research</i> , 2002, 22, 3309-18.	0.5	108
72	Resveratrol Isolated from <i>Polygonum cuspidatum</i> Root Prevents Tumor Growth and Metastasis to Lung and Tumor-Induced Neovascularization in Lewis Lung Carcinoma-Bearing Mice. <i>Journal of Nutrition</i> , 2001, 131, 1844-1849.	1.3	262

#	ARTICLE	IF	CITATIONS
73	Isolation of an Antitumor Compound from <i>Agaricus blazei</i> Murill and Its Mechanism of Action. <i>Journal of Nutrition</i> , 2001, 131, 1409-1413.	1.3	235
74	Effects of carp and tuna oils on 5-fluorouracil-induced antitumor activity and side effects in sarcoma 180-bearing mice. <i>Lipids</i> , 2001, 36, 353-359.	0.7	17
75	Artery Relaxation by Chalcones Isolated from the Roots of <i>Angelica keiskei</i> . <i>Planta Medica</i> , 2001, 67, 230-235.	0.7	57
76	Effects of Baicalein Isolated from <i>Scutellaria baicalensis</i> Radix on Adhesion Molecule Expression Induced by Thrombin and Thrombin Receptor Agonist Peptide in Cultured Human Umbilical Vein Endothelial Cells. <i>Planta Medica</i> , 2001, 67, 331-334.	0.7	36
77	Prevention by Chitosan of Myelotoxicity, Gastrointestinal Toxicity and Immunocompetent Organic Toxicity Induced by 5-Fluorouracil without Loss of Antitumor Activity in Mice. <i>Japanese Journal of Cancer Research</i> , 1999, 90, 765-774.	1.7	41
78	Prevention by carp extract of myelotoxicity and gastrointestinal toxicity induced by 5-fluorouracil without loss of antitumor activity in mice. <i>Journal of Ethnopharmacology</i> , 1999, 68, 39-45.	2.0	7
79	Norepinephrine-Augmenting Lipolytic Effectors from <i>Astilbetherbergii</i> Rhizomes. <i>Journal of Natural Products</i> , 1998, 61, 1006-1011.	1.5	34
80	Histamine-Release Effectors from <i>Angelica dahurica</i> var. <i>dahurica</i> Root. <i>Journal of Natural Products</i> , 1997, 60, 249-251.	1.5	46
81	Effects of Flavonoids Isolated from <i>Scutellariae</i> Radix on Fibrinolytic System Induced by Trypsin in Human Umbilical Vein Endothelial Cells. <i>Journal of Natural Products</i> , 1997, 60, 598-601.	1.5	39
82	Effects of baicalein isolated from <i>Scutellaria baicalensis</i> on interleukin 1 β - and tumor necrosis factor α -induced adhesion molecule expression in cultured human umbilical vein endothelial cells. <i>Journal of Ethnopharmacology</i> , 1997, 57, 63-67.	2.0	41
83	Effects of baicalein isolated from roots of <i>Scutellaria baicalensis</i> Georgi on interleukin 1 β - and tumour necrosis factor α -induced tissue-type plasminogen activator and plasminogen activator inhibitor-1 production in cultured human umbilical vein endothelial cells. <i>Phytotherapy Research</i> , 1997, 11, 363-367.	2.8	11
84	Effects of stilbenes isolated from medicinal plants on arachidonate metabolism and degranulation in human polymorphonuclear leukocytes. <i>Journal of Ethnopharmacology</i> , 1995, 45, 131-139.	2.0	90
85	Effects of chalcones isolated from licorice roots on leukotriene biosynthesis in human polymorphonuclear neutrophils. <i>Phytotherapy Research</i> , 1988, 2, 140-145.	2.8	28
86	Studies on the Activities of Tannins and Related Compounds, X. Effects of Caffeetannins and Related Compounds on Arachidonate Metabolism in Human Polymorphonuclear Leukocytes. <i>Journal of Natural Products</i> , 1987, 50, 392-399.	1.5	74
87	Effects of baicalein on leukotriene C4 biosynthesis in human lymphocytes. <i>Phytotherapy Research</i> , 1987, 1, 48-49.	2.8	11
88	Effects of baicalein on leukotriene C4 biosynthesis in human leukocyte.. <i>Chemical and Pharmaceutical Bulletin</i> , 1986, 34, 2279-2281.	0.6	12
89	Studies on <i>Scutellariae</i> Radix; XIII.1. Effects of Various Flavonoids on Arachidonate Metabolism in Leukocytes. <i>Planta Medica</i> , 1985, 51, 132-136.	0.7	28
90	Effects of Non-Sugar Fraction in Black Sugar on Lipid and Carbohydrate Metabolism; Part I. <i>Planta Medica</i> , 1984, 50, 465-468.	0.7	16

#	ARTICLE	IF	CITATIONS
91	Studies on Scutellariae Radix; IX New Component Inhibiting Lipid Peroxidation in Rat Liver. <i>Planta Medica</i> , 1984, 50, 290-295.	0.7	35
92	Effects of Non-Sugar Fraction in Black Sugar on Lipid and Carbohydrate Metabolism; Part II New Compounds Inhibiting Elevation of Plasma Insulin. <i>Planta Medica</i> , 1984, 50, 469-473.	0.7	14
93	Studies on Scutellariae Radix. VII. Anti-arthritic and anti-inflammatory actions of methanolic extract and flavonoid components from Scutellariae Radix.. <i>Chemical and Pharmaceutical Bulletin</i> , 1984, 32, 2724-2729.	0.6	149
94	New Constitutents of Roots of <i>Polygonum cuspidatum</i> . <i>Planta Medica</i> , 1983, 48, 164-168.	0.7	69
95	Effects of Stilbene Components of Roots of <i>Polygonum</i> ssp. on Liver Injury in Peroxidized Oil-fed Rats. <i>Planta Medica</i> , 1983, 49, 51-54.	0.7	102
96	Studies on scutellariae radix. VI. Effects of flavanone compounds on lipid peroxidation in rat liver.. <i>Chemical and Pharmaceutical Bulletin</i> , 1982, 30, 1792-1795.	0.6	39
97	Effects of geniposide isolated from <i>Gardenia jasminoides</i> on metabolic alterations in high sugar diet-fed rats.. <i>Chemical and Pharmaceutical Bulletin</i> , 1982, 30, 4444-4447.	0.6	26
98	Effects of stilbene components of the roots of <i>Polygonum cuspidatum</i> Sieb. et Zucc. on lipid metabolism.. <i>Chemical and Pharmaceutical Bulletin</i> , 1982, 30, 1766-1770.	0.6	233
99	Studies on scutellariae radix. III. Effects on lipid metabolism in serum, liver and fat cells of rats.. <i>Chemical and Pharmaceutical Bulletin</i> , 1981, 29, 2308-2312.	0.6	42
100	Chemical studies of <i>Angelica japonica</i> A. Gray. I. On the constituents of the ethyl acetate extract of the root.. <i>Chemical and Pharmaceutical Bulletin</i> , 1981, 29, 2565-2570.	0.6	25
101	Clinical Observations on the Sudden Deafness. <i>Audiology Japan</i> , 1970, 13, 126-129.	0.1	1
102	Effects of <i>Perilla frutescens</i> var. <i>crispa</i> herb extract, the essential oil perillaldehyde, and the caffeetannin rosmarinic acid on gastric emptying and gastrointestinal motility in mice. <i>Traditional & Kampo Medicine</i> , 0, , .	0.2	0