Minyong Li

List of Publications by Citations

Source: https://exaly.com/author-pdf/8749219/minyong-li-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

216 papers

4,877 citations

39 h-index 58 g-index

242 ext. papers

5,532 ext. citations

avg, IF

5.61 L-index

#	Paper	IF	Citations
216	Carbohydrate recognition by boronolectins, small molecules, and lectins. <i>Medicinal Research Reviews</i> , 2010 , 30, 171-257	14.4	237
215	Inhibitors and antagonists of bacterial quorum sensing. <i>Medicinal Research Reviews</i> , 2009 , 29, 65-124	14.4	158
214	Cage the firefly luciferin! - a strategy for developing bioluminescent probes. <i>Chemical Society Reviews</i> , 2013 , 42, 662-76	58.5	143
213	Inside-out Ca(2+) signalling prompted by STIM1 conformational switch. <i>Nature Communications</i> , 2015 , 6, 7826	17.4	119
212	Selecting aptamers for a glycoprotein through the incorporation of the boronic acid moiety. Journal of the American Chemical Society, 2008, 130, 12636-8	16.4	107
211	Pyrogallol and its analogs can antagonize bacterial quorum sensing in Vibrio harveyi. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 1567-72	2.9	82
210	1,2,3-triazole bound Au(I) (TA-Au) as chemoselective catalysts in promoting asymmetric synthesis of substituted allenes. <i>Organic Letters</i> , 2011 , 13, 2618-21	6.2	78
209	Discovery and structural characterization of a small molecule 14-3-3 protein-protein interaction inhibitor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 16	52 12: -8	77
208	Bioluminescent probe for hydrogen peroxide imaging in vitro and in vivo. <i>Analytical Chemistry</i> , 2014 , 86, 9800-6	7.8	75
207	How to improve docking accuracy of AutoDock4.2: a case study using different electrostatic potentials. <i>Journal of Chemical Information and Modeling</i> , 2013 , 53, 188-200	6.1	70
206	Bioluminescence Probe for Detecting Hydrogen Sulfide in Vivo. <i>Analytical Chemistry</i> , 2016 , 88, 592-5	7.8	69
205	Expression and regulation of a novel identified TNFAIP8 family is associated with diabetic nephropathy. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010 , 1802, 1078-86	6.9	69
204	N-2-aryl-1,2,3-triazoles: a novel class of UV/blue-light-emitting fluorophores with tunable optical properties. <i>Chemistry - A European Journal</i> , 2011 , 17, 5011-8	4.8	65
203	Store-operated CRAC channel inhibitors: opportunities and challenges. <i>Future Medicinal Chemistry</i> , 2016 , 8, 817-32	4.1	65
202	Intermolecular Homopropargyl Alcohol Addition to Alkyne and a Sequential 1,6-Enyne Cycloisomerization with Triazole-Gold Catalyst. <i>Journal of the American Chemical Society</i> , 2016 , 138, 39	94 ⁻⁶ 74	61
201	Real-Time Bioluminescence Imaging of Nitroreductase in Mouse Model. <i>Analytical Chemistry</i> , 2016 , 88, 5610-4	7.8	60
200	Rational Design of a Fluorescent Hydrogen Peroxide Probe Based on the Umbelliferone Fluorophore. <i>Tetrahedron Letters</i> , 2008 , 49, 3045-3048	2	59

(2016-2007)

199	Design and synthesis of boronic-acid-labeled thymidine triphosphate for incorporation into DNA. <i>Nucleic Acids Research</i> , 2007 , 35, 1222-9	20.1	55	
198	Coumarin-based fluorescent probes for H2S detection. <i>Journal of Fluorescence</i> , 2013 , 23, 181-6	2.4	54	
197	Synthesis, evaluation, and computational studies of naphthalimide-based long-wavelength fluorescent boronic Acid reporters. <i>Chemistry - A European Journal</i> , 2008 , 14, 2795-804	4.8	54	
196	Design, synthesis and preliminary activity assay of 1,2,3,4-tetrahydroisoquinoline-3-carboxylic acid derivatives as novel Histone deacetylases (HDACs) inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2010 , 18, 1761-72	3.4	53	
195	Structure-based discovery and experimental verification of novel AI-2 quorum sensing inhibitors against Vibrio harveyi. <i>ChemMedChem</i> , 2008 , 3, 1242-9	3.7	53	
194	A Fluorescent Hydrogen Peroxide Probe Based on a 'Click' Modified Coumarin Fluorophore. Tetrahedron Letters, 2010 , 51, 1152-1154	2	52	
193	A novel structure-based virtual screening model for the hERG channel blockers. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 355, 889-94	3.4	52	
192	Design, synthesis and biological activity of thiazolidine-4-carboxylic acid derivatives as novel influenza neuraminidase inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 2342-8	3.4	50	
191	A highly sensitive and rapidly responding fluorescent probe based on a rhodol fluorophore for imaging endogenous hypochlorite in living mice. <i>Journal of Materials Chemistry B</i> , 2018 , 6, 725-731	7.3	49	
190	The first low microM SecA inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2010 , 18, 1617-25	3.4	47	
189	Quorum sensing inhibitors: a patent review. Expert Opinion on Therapeutic Patents, 2013, 23, 867-94	6.8	46	
188	A comparison of different electrostatic potentials on prediction accuracy in CoMFA and CoMSIA studies. <i>European Journal of Medicinal Chemistry</i> , 2010 , 45, 1544-51	6.8	46	
187	The pharmacophore hypotheses of I(Kr) potassium channel blockers: novel class III antiarrhythmic agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004 , 14, 4771-7	2.9	45	
186	Cell and in vivo imaging of fluoride ion with highly selective bioluminescent probes. <i>Analytical Chemistry</i> , 2015 , 87, 9110-3	7.8	44	
185	Synthesis and evaluation of new antagonists of bacterial quorum sensing in Vibrio harveyi. <i>ChemMedChem</i> , 2009 , 4, 1457-68	3.7	44	
184	Aptamer-based carbohydrate recognition. Current Pharmaceutical Design, 2010, 16, 2269-78	3.3	44	
183	Toward fluorescent probes for G-protein-coupled receptors (GPCRs). <i>Journal of Medicinal Chemistry</i> , 2014 , 57, 8187-203	8.3	43	
182	Lighting up bioluminescence with coelenterazine: strategies and applications. <i>Photochemical and Photobiological Sciences</i> , 2016 , 15, 466-80	4.2	42	

181	Discovery of bioluminogenic probes for aminopeptidase N imaging. <i>Analytical Chemistry</i> , 2014 , 86, 2747	'- 5.8	42
180	Discovery of the first SecA inhibitors using structure-based virtual screening. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 368, 839-45	3.4	42
179	cybLuc: An Effective Aminoluciferin Derivative for Deep Bioluminescence Imaging. <i>Analytical Chemistry</i> , 2017 , 89, 4808-4816	7.8	40
178	Identification of boronic acids as antagonists of bacterial quorum sensing in Vibrio harveyi. Biochemical and Biophysical Research Communications, 2008, 369, 590-4	3.4	40
177	The first ratiometric fluorescent probes for aminopeptidase N cell imaging. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 378-82	3.9	39
176	Homology modeling and examination of the effect of the D92E mutation on the H5N1 nonstructural protein NS1 effector domain. <i>Journal of Molecular Modeling</i> , 2007 , 13, 1237-44	2	39
175	Design strategy for photoinduced electron transfer-based small-molecule fluorescent probes of biomacromolecules. <i>Analyst, The</i> , 2014 , 139, 2641-9	5	38
174	Computational studies of H5N1 hemagglutinin binding with SA-alpha-2, 3-Gal and SA-alpha-2, 6-Gal. <i>Biochemical and Biophysical Research Communications</i> , 2006 , 347, 662-8	3.4	38
173	A benzothiazole-based fluorescent probe for thiol bioimaging. <i>Tetrahedron Letters</i> , 2012 , 53, 2332-2335	52	36
172	Enhancing the Sensitivity of Pharmacophore-Based Virtual Screening by Incorporating Customized ZBG Features: A Case Study Using Histone Deacetylase 8. <i>Journal of Chemical Information and Modeling</i> , 2015 , 55, 861-71	6.1	35
171	Naphthalimide-based fluorescent off/on probes for the detection of thiols. <i>Tetrahedron</i> , 2012 , 68, 5363	- <u>5.3</u> 67	35
170	Synthesis and characterization of bis-N-2-aryl triazole as a fluorophore. <i>Journal of Organic Chemistry</i> , 2015 , 80, 3664-9	4.2	34
169	FFA4 receptor (GPR120): A hot target for the development of anti-diabetic therapies. <i>European Journal of Pharmacology</i> , 2015 , 763, 160-8	5.3	33
168	Design, synthesis, and structure-activity relationship, molecular modeling, and NMR studies of a series of phenyl alkyl ketones as highly potent and selective phosphodiesterase-4 inhibitors. <i>Journal of Medicinal Chemistry</i> , 2008 , 51, 7673-88	8.3	33
167	Biodegradable Polymer Nanoparticles for Photodynamic Therapy by Bioluminescence Resonance Energy Transfer. <i>Biomacromolecules</i> , 2018 , 19, 201-208	6.9	33
166	Pharmacophore identification of alpha(1A)-adrenoceptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005 , 15, 657-64	2.9	31
165	Identification of the first fluorescent alpha-amidoboronic acids that change fluorescent properties upon sugar binding. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 1596-9	2.9	30
164	A unique quinolineboronic acid-based supramolecular structure that relies on double intermolecular BN bonds for self-assembly in solid state and in solution. <i>Tetrahedron</i> , 2007 , 63, 3287-32	924	30

(2016-2008)

163	Computer-based de novo design, synthesis, and evaluation of boronic acid-based artificial receptors for selective recognition of dopamine. <i>ChemBioChem</i> , 2008 , 9, 1431-8	3.8	30	
162	Quantitative kinetic investigation of triazole-gold(I) complex catalyzed [3,3]-rearrangement of propargyl ester. <i>Chemical Communications</i> , 2014 , 50, 2158-60	5.8	29	
161	A novel pH BffBnlfluorescent probe for lysosome imaging. RSC Advances, 2013, 3, 13412	3.7	29	
160	Chemical validation of phosphodiesterase C as a chemotherapeutic target in Trypanosoma cruzi, the etiological agent of Chagas' disease. <i>Antimicrobial Agents and Chemotherapy</i> , 2010 , 54, 3738-45	5.9	29	
159	TET1-Mediated Oxidation of 5-Formylcytosine (5fC) to 5-Carboxycytosine (5caC) in RNA. <i>ChemBioChem</i> , 2017 , 18, 72-76	3.8	28	
158	A novel hydrazino-substituted naphthalimide-based fluorogenic probe for tert-butoxy radicals. <i>Chemical Communications</i> , 2013 , 49, 6295-7	5.8	28	
157	Potential targets and their relevant inhibitors in anti-influenza fields. <i>Current Medicinal Chemistry</i> , 2009 , 16, 3716-39	4.3	28	
156	The effect of different electrostatic potentials on docking accuracy: a case study using DOCK5.4. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 3509-12	2.9	28	
155	Store-Operated Calcium Entry Mediated by ORAI and STIM. Comprehensive Physiology, 2018, 8, 981-10	02 _{7.7}	28	
154	Facile synthesis of fluorescent active triazapentalenes through gold-catalyzed triazole-alkyne cyclization. <i>Chemical Communications</i> , 2014 , 50, 7303-5	5.8	27	
153	Fluorescein analogues inhibit SecA ATPase: the first sub-micromolar inhibitor of bacterial protein translocation. <i>ChemMedChem</i> , 2012 , 7, 571-7	3.7	27	
152	Recent progresses on AI-2 bacterial quorum sensing inhibitors. <i>Current Medicinal Chemistry</i> , 2012 , 19, 174-86	4.3	27	
151	Molecular mechanism of ERK dephosphorylation by striatal-enriched protein tyrosine phosphatase. Journal of Neurochemistry, 2014 , 128, 315-329	6	26	
150	Small molecule inhibitors of histone acetyltransferase Tip60. <i>Bioorganic Chemistry</i> , 2011 , 39, 53-8	5.1	26	
149	Carbohydrate biomarkers for future disease detection and treatment. <i>Science China Chemistry</i> , 2010 , 53, 3-20	7.9	26	
148	Synthesis and carbohydrate binding studies of fluorescent alpha-amidoboronic acids and the corresponding bisboronic acids. <i>Bioorganic and Medicinal Chemistry</i> , 2010 , 18, 1449-55	3.4	26	
147	Pharmacophore-based design, synthesis, biological evaluation, and 3D-QSAR studies of aryl-piperazines as alpha(1)-adrenoceptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005 , 15, 3216-9	2.9	26	
146	Discovery of the First Environment-Sensitive Near-Infrared (NIR) Fluorogenic Ligand for #-Adrenergic Receptors Imaging in Vivo. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 2151-62	8.3	25	

145	How to generate reliable and predictive CoMFA models. Current Medicinal Chemistry, 2011, 18, 923-30	4.3	25
144	Environment-Sensitive Fluorescent Probe for the Human Ether-a-go-go-Related Gene Potassium Channel. <i>Analytical Chemistry</i> , 2016 , 88, 1511-5	7.8	24
143	Global anti-synchronization of masterBlave chaotic modified ChuaB circuits coupled by linear feedback control. <i>Mathematical and Computer Modelling</i> , 2010 , 52, 567-573		24
142	Computational studies of the binding site of alpha1A-adrenoceptor antagonists. <i>Journal of Molecular Modeling</i> , 2008 , 14, 957-66	2	24
141	Bioluminescent Probe for Tumor Hypoxia Detection via CYP450 Reductase in Living Animals. <i>Analytical Chemistry</i> , 2017 , 89, 12488-12493	7.8	22
140	Novel AI-2 quorum sensing inhibitors in Vibrio harveyi identified through structure-based virtual screening. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 6413-7	2.9	22
139	Fluoride protects boronic acids in the copper(I)-mediated click reaction. <i>Chemical Communications</i> , 2009 , 5251-3	5.8	22
138	Characterization of binding site of closed-state KCNQ1 potassium channel by homology modeling, molecular docking, and pharmacophore identification. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 332, 677-87	3.4	22
137	Synthesis and characterization of N-2-aryl-1,2,3-triazole based iridium complexes as photocatalysts with tunable photoredox potential. <i>Organic Chemistry Frontiers</i> , 2015 , 2, 141-144	5.2	21
136	Bioluminescent Probe for Detecting Mercury(II) in Living Mice. <i>Analytical Chemistry</i> , 2016 , 88, 7462-5	7.8	21
135	Strategies in the design of small-molecule fluorescent probes for peptidases. <i>Medicinal Research Reviews</i> , 2014 , 34, 1217-41	14.4	21
134	Fluorogenic probe for the human Ether-a-Go-Go-Related Gene potassium channel imaging. <i>Analytical Chemistry</i> , 2015 , 87, 2550-4	7.8	21
133	Metal-dependent protein phosphatase A functions as an extracellular signal-regulated kinase phosphatase. <i>FEBS Journal</i> , 2013 , 280, 2700-11	5.7	21
132	Advances and perspectives in cell-specific aptamers. Current Pharmaceutical Design, 2011, 17, 80-91	3.3	21
131	Inhibition of quorum sensing in Vibrio harveyi by boronic acids. <i>Chemical Biology and Drug Design</i> , 2009 , 74, 51-6	2.9	21
130	Modeling the binding modes of Kv1.5 potassium channel and blockers. <i>Journal of Molecular Graphics and Modelling</i> , 2008 , 27, 178-87	2.8	21
129	Bioluminescent probe for detecting endogenous hypochlorite in living mice. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 645-651	3.9	20
128	A new boronic acid based fluorescent reporter for catechol. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 7179-82	2.9	20

(2018-2015)

127	Discovery of Quinazoline-Based Fluorescent Probes to 4 -Adrenergic Receptors. <i>ACS Medicinal Chemistry Letters</i> , 2015 , 6, 502-6	4.3	19	
126	Discovery of a novel histone deacetylase 8 inhibitor by virtual screening. <i>Medicinal Chemistry Research</i> , 2012 , 21, 152-156	2.2	19	
125	The first ratiometric fluorescent probe for aminopeptidase N. Analytical Methods, 2012, 4, 2661	3.2	19	
124	Self-organizing molecular field analysis on alpha(1a)-adrenoceptor dihydropyridine antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2003 , 11, 3945-51	3.4	19	
123	Engineered Split-TET2 Enzyme for Inducible Epigenetic Remodeling. <i>Journal of the American Chemical Society</i> , 2017 , 139, 4659-4662	16.4	18	
122	In Vivo Bioluminescence Imaging of Cobalt Accumulation in a Mouse Model. <i>Analytical Chemistry</i> , 2018 , 90, 4946-4950	7.8	18	
121	A novel coelenterate luciferin-based luminescent probe for selective and sensitive detection of thiophenols. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 10267-10274	3.9	17	
120	Design, synthesis and preliminary biological evaluation of indole-3-carboxylic acid-based skeleton of Bcl-2/Mcl-1 dual inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2017 , 25, 1939-1948	3.4	16	
119	Bioluminescence Imaging of Selenocysteine in Vivo with a Highly Sensitive Probe. <i>ACS Sensors</i> , 2019 , 4, 3147-3155	9.2	16	
118	The medicinal potential of influenza virus surface proteins: hemagglutinin and neuraminidase. <i>Current Medicinal Chemistry</i> , 2011 , 18, 1050-66	4.3	16	
117	Rational design, synthesis, biologic evaluation, and structure-activity relationship studies of novel 1-indanone alpha(1)-adrenoceptor antagonists. <i>Chemical Biology and Drug Design</i> , 2007 , 70, 461-4	2.9	16	
116	Discovery of Small-Molecule Inhibitors of the HSP90-Calcineurin-NFAT Pathway against Glioblastoma. <i>Cell Chemical Biology</i> , 2019 , 26, 352-365.e7	8.2	15	
115	Optogenetic Control of Voltage-Gated Calcium Channels. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 7019-7022	16.4	15	
114	Alkaloids and flavonoids as [1])-adrenergic receptor antagonists. <i>Current Medicinal Chemistry</i> , 2011 , 18, 4923-32	4.3	15	
113	Optical Control of CRAC Channels Using Photoswitchable Azopyrazoles. <i>Journal of the American Chemical Society</i> , 2020 , 142, 9460-9470	16.4	14	
112	Bioluminescent Probe for Monitoring Endogenous Fibroblast Activation Protein-Alpha. <i>Analytical Chemistry</i> , 2019 , 91, 14873-14878	7.8	14	
111	The interactions between hERG potassium channel and blockers. <i>Current Topics in Medicinal Chemistry</i> , 2009 , 9, 330-8	3	14	
110	Bioluminescence probe for Eglutamyl transpeptidase detection in vivo. <i>Bioorganic and Medicinal Chemistry</i> , 2018 , 26, 134-140	3.4	14	

109	A fluorescent probe for imaging p53-MDM2 protein-protein interaction. <i>Chemical Biology and Drug Design</i> , 2015 , 85, 411-7	2.9	13
108	Synthesis and biological evaluation of a series of aryl triazoles as firefly luciferase inhibitors. <i>MedChemComm</i> , 2015 , 6, 418-424	5	13
107	First small-molecule PROTACs for G protein-coupled receptors: inducing -adrenergic receptor degradation. <i>Acta Pharmaceutica Sinica B</i> , 2020 , 10, 1669-1679	15.5	13
106	Bioluminescent Probe for Detection of Starvation-Induced Pantetheinase Upregulation. <i>Analytical Chemistry</i> , 2018 , 90, 9545-9550	7.8	13
105	3D-QSAR study on a series of Bcl-2 protein inhibitors using comparative molecular field analysis. <i>Protein and Peptide Letters</i> , 2011 , 18, 440-9	1.9	13
104	A new phenothiazine structural scaffold as inhibitors of bacterial quorum sensing in Vibrio harveyi. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 382, 153-6	3.4	13
103	Strategies for atrial fibrillation therapy: focusing on IKur potassium channel. <i>Expert Opinion on Therapeutic Patents</i> , 2007 , 17, 1443-1456	6.8	13
102	Prolonged bioluminescence imaging in living cells and mice using novel pro-substrates for Renilla luciferase. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 10238-10244	3.9	12
101	Modeling the excitation wavelengths (lambda(ex)) of boronic acids. <i>Journal of Molecular Modeling</i> , 2008 , 14, 441-9	2	12
100	Luminescence of coelenterazine derivatives with C-8 extended electronic conjugation. <i>Chinese Chemical Letters</i> , 2016 , 27, 550-554	8.1	12
99	Discovery of the First Environment-Sensitive Fluorescent Probe for GPR120 (FFA4) Imaging. <i>ACS Medicinal Chemistry Letters</i> , 2017 , 8, 428-432	4.3	11
98	In vivo bioluminescence imaging of labile iron pools in a murine model of sepsis with a highly selective probe. <i>Talanta</i> , 2019 , 203, 29-33	6.2	11
97	Discovery of Turn-On Fluorescent Probes for Detecting Bcl-2 Protein. <i>Analytical Chemistry</i> , 2019 , 91, 5722-5728	7.8	11
96	A novel NBD-based pH BnBffffluorescent probe equipped with the N-phenylpiperazine group for lysosome imaging. <i>RSC Advances</i> , 2016 , 6, 102773-102777	3.7	11
95	A coelenterazine-type bioluminescent probe for nitroreductase imaging. <i>Organic and Biomolecular Chemistry</i> , 2017 , 16, 146-151	3.9	11
94	Inhibiting Firefly Bioluminescence by Chalcones. <i>Analytical Chemistry</i> , 2017 , 89, 6099-6105	7.8	10
93	Visualization of mercury(ii) accumulation in vivo using bioluminescence imaging with a highly selective probe. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 2388-2392	3.9	10
92	Astemizole Derivatives as Fluorescent Probes for hERG Potassium Channel Imaging. <i>ACS Medicinal Chemistry Letters</i> , 2016 , 7, 245-9	4.3	10

(2010-2017)

91	New bioluminescent coelenterazine derivatives with various C-6 substitutions. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 7008-7018	3.9	10
90	Novel aminopeptidase N (APN/CD13) inhibitors derived from 3-phenylalanyl-N'-substituted-2,6-piperidinedione. <i>Bioorganic and Medicinal Chemistry</i> , 2010 , 18, 5981-7	7 3.4	10
89	Pharmacophore hybridisation and nanoscale assembly to discover self-delivering lysosomotropic new-chemical entities for cancer therapy. <i>Nature Communications</i> , 2020 , 11, 4615	17.4	10
88	Discovery of Fluorescence Polarization Probe for the ELISA-Based Antagonist Screening of Adrenergic Receptors. <i>ACS Medicinal Chemistry Letters</i> , 2016 , 7, 967-971	4.3	9
87	A bestatin-based fluorescent probe for aminopeptidase N cell imaging. <i>Chinese Chemical Letters</i> , 2015 , 26, 513-516	8.1	9
86	Novel antileukemic agents derived from tamibarotene and nitric oxide donors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 7025-9	2.9	9
85	Modeling the interactions between alpha(1)-adrenergic receptors and their antagonists. <i>Current Computer-Aided Drug Design</i> , 2010 , 6, 165-78	1.4	9
84	Pharmacophore Mapping for Kv1.5 Potassium Channel Blockers. <i>QSAR and Combinatorial Science</i> , 2009 , 28, 59-71		9
83	Molecular hybridization, synthesis, and biological evaluation of novel chroman I(Kr) and I(Ks) dual blockers. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 1477-80	2.9	9
82	Discovery of a Turn-On Fluorescent Probe for Myeloid Cell Leukemia-1 Protein. <i>Analytical Chemistry</i> , 2017 , 89, 11173-11177	7.8	8
81	Environment-sensitive turn-on fluorescent probes for p53-MDM2 protein-protein interaction. <i>MedChemComm</i> , 2017 , 8, 1668-1672	5	8
80	LYP3, a new bestatin derivative for aminopeptidase N inhibition. <i>Medicinal Chemistry</i> , 2011 , 7, 32-6	1.8	8
79	The first pharmacophore model for potent NF-kappaB inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 5665-9	2.9	8
78	Novel bioluminescent coelenterazine derivatives with imidazopyrazinone C-6 extended substitution for Renilla luciferase. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 5272-81	3.9	8
77	Discovery of a series of 2-phenylnaphthalenes as firefly luciferase inhibitors. RSC Advances, 2015, 5, 634	45 ₅ 0 7 63	4 5 7
76	Discovery of Environment-Sensitive Fluorescent Agonists for <code>\Paralleq Adrenergic Receptors</code> . <i>Analytical Chemistry</i> , 2019 , 91, 12173-12180	7.8	7
75	Homology modeling, molecular dynamic simulation and docking studies of cyclin dependent kinase 1. <i>Journal of Molecular Modeling</i> , 2011 , 17, 219-26	2	7
74	Structure-based virtual screening and electrophysiological evaluation of new chemotypes of K(v)1.5 channel blockers. <i>ChemMedChem</i> , 2010 , 5, 1353-8	3.7	7

73	Zebrafish neuro-behavioral profiles altered by acesulfame (ACE) within the range of "no observed effect concentrations (NOECs)". <i>Chemosphere</i> , 2020 , 243, 125431	8.4	7
72	A specific and selective chemiluminescent probe for Pd2+ detection. <i>Chinese Chemical Letters</i> , 2019 , 30, 63-66	8.1	7
71	Quenching the firefly bioluminescence by various ions. <i>Photochemical and Photobiological Sciences</i> , 2016 , 15, 244-9	4.2	6
70	Novel photoactivatable substrates for Renilla luciferase imaging in vitro and in vivo. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 4789-4792	3.9	6
69	Revisiting the homology modeling of G-protein coupled receptors: 1 -adrenoceptor as an example. <i>Molecular BioSystems</i> , 2012 , 8, 1686-93		6
68	Update on the slow delayed rectifier potassium current (I(Ks)): role in modulating cardiac function. <i>Current Medicinal Chemistry</i> , 2012 , 19, 1405-20	4.3	6
67	Heterocyclic N-Oxides as Small-Molecule Fluorogenic Scaffolds: Rational Design and Applications of Their "On-Off" Fluorescence. <i>Analytical Chemistry</i> , 2020 , 92, 12282-12289	7.8	6
66	Visualization of ∄-adrenergic receptors with phenylpiperazine-based fluorescent probes. <i>Science China Chemistry</i> , 2016 , 59, 624-628	7.9	5
65	Design, synthesis and biological evaluation of naphthalimide-based fluorescent probes for #-adrenergic receptors. <i>Drug Discoveries and Therapeutics</i> , 2014 , 8, 11-7	5	5
64	Design of OFF/ON fluorescent thiol probes based on coumarin fluorophore. <i>Science China Chemistry</i> , 2012 , 55, 1776-1780	7.9	5
63	Boronate can be the fluorogenic switch for the detection of hydrogen peroxide. <i>Current Medicinal Chemistry</i> , 2012 , 19, 3622-34	4.3	5
62	In silico binding characteristics between human histamine H1 receptor and antagonists. <i>Journal of Molecular Modeling</i> , 2010 , 16, 1529-37	2	5
61	Pharmacophore-guided design, synthesis and evaluation of quinazoline-arylpiperazines as new <code>#-adrenoceptor</code> antagonists. <i>Chinese Chemical Letters</i> , 2007 , 18, 41-44	8.1	5
60	A unique quinolineboronic acid-based supramolecular structure that relies on double intermolecular B-N bonds for self-assembly in solid state and in solution. <i>Tetrahedron</i> , 2007 , 63, 3287-3	2 92	5
59	Biological applications of a turn-on bioluminescent probe for monitoring sulfite oxidase deficiency in vivo. <i>European Journal of Medicinal Chemistry</i> , 2020 , 200, 112476	6.8	5
58	A bioluminescent strategy for imaging palladium in living cells and animals with chemoselective probes based on luciferin-luciferase system. <i>Talanta</i> , 2019 , 194, 925-929	6.2	5
57	Identification of AI-2 Quorum Sensing Inhibitors in Vibrio harveyi Through Structure-Based Virtual Screening. <i>Methods in Molecular Biology</i> , 2018 , 1673, 353-362	1.4	5
56	Development of photocontrolled BRD4 PROTACs for tongue squamous cell carcinoma (TSCC). <i>European Journal of Medicinal Chemistry</i> , 2021 , 222, 113608	6.8	5

(2018-2015)

55	BioLeT: A new design strategy for functional bioluminogenic probes. <i>Chinese Chemical Letters</i> , 2015 , 26, 919-921	8.1	4
54	Discovery of Turn-On Fluorescent Probes for Detecting PDEIProtein in Living Cells and Tumor Slices. <i>Analytical Chemistry</i> , 2020 , 92, 9516-9522	7.8	4
53	Environment-sensitive fluorescent inhibitors of histone deacetylase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020 , 30, 127128	2.9	4
52	Discovery of Small-Molecule Sulfonamide Fluorescent Probes for GPR120. <i>Analytical Chemistry</i> , 2019 , 91, 15235-15239	7.8	4
51	A fast and simple approach to the quantitative evaluation of fibrinogen coagulation. <i>Biotechnology Letters</i> , 2014 , 36, 337-40	3	4
50	Bifunctional fluorescent probes for hydrogen peroxide and diols based on a 1,8-naphthalimide fluorophore. <i>Science China Chemistry</i> , 2013 , 56, 1440-1445	7.9	4
49	Lighting up GPCRs with a fluorescent multiprobe dubbed "Snifit". <i>ChemBioChem</i> , 2013 , 14, 184-6	3.8	4
48	SecAAA trimer is fully functional as SecAA dimer in the membrane: existence of higher oligomers?. <i>Biochemical and Biophysical Research Communications</i> , 2014 , 447, 250-4	3.4	4
47	QSAR studies of aminopeptidase N/CD13 (APN) inhibitors with the scaffold 3-phenylpropane-1,2-diamine and molecular docking. <i>Medicinal Chemistry Research</i> , 2012 , 21, 1000-101.	5 ^{2.2}	4
46	Diagnostic Techniques for COVID-19: A Mini-review of Early Diagnostic Methods. <i>Journal of Analysis and Testing</i> , 2021 , 5, 1-13	3.2	4
45	Discovery of Nonpeptide, Environmentally Sensitive Fluorescent Probes for Imaging p53-MDM2 Interactions in Living Cell Lines and Tissue Slice. <i>Analytical Chemistry</i> , 2020 , 92, 2642-2648	7.8	4
44	Astemizole-based turn-on fluorescent probes for imaging hERG potassium channel. <i>MedChemComm</i> , 2019 , 10, 513-516	5	4
43	Aminoluciferin 4-hydroxyphenyl amide enables bioluminescence detection of endogenous tyrosinase. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 9197-9203	3.9	4
42	Polarity-based fluorescence probes: properties and applications. <i>RSC Medicinal Chemistry</i> , 2021 , 12, 182	! 6_{.1}8 3	84
41	Novel intramolecular photoinduced electron transfer-based probe for the Human Ether-a-go-go-Related Gene (hERG) potassium channel. <i>Analyst, The</i> , 2015 , 140, 8101-8	5	3
40	Bioluminescence imaging of exogenous & endogenous cysteine in vivo with a highly selective probe. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020 , 30, 126968	2.9	3
39	Novel NanoLuc-type substrates with various C-6 substitutions. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020 , 30, 127085	2.9	3
38	Optical probes, theranostics and optogenetics shed light on zebrafish (Danio rerio). <i>Analytical Methods</i> , 2018 , 10, 818-831	3.2	3

37	Discovery of naphthalimide conjugates as fluorescent probes for 4-adrenoceptors. <i>Chinese Chemical Letters</i> , 2016 , 27, 185-189	8.1	3
36	Design, synthesis and biological evaluation of 4-chromanone derivatives as IKr inhibitors. <i>Drug Discoveries and Therapeutics</i> , 2014 , 8, 76-83	5	3
35	Discovering the binding modes of natural products with histone deacetylase 1. <i>Medicinal Chemistry</i> , 2013 , 9, 126-32	1.8	3
34	Synthesis and activity evaluation of a new bestatin derivative LYP2 as an aminopeptidase N inhibitor. <i>Anti-Cancer Drugs</i> , 2011 , 22, 99-103	2.4	3
33	Design, synthesis and preliminary activity evaluation of novel L-lysine derivatives as aminopeptidase N/CD13 inhibitors. <i>Protein and Peptide Letters</i> , 2010 , 17, 847-53	1.9	3
32	Drug discoveries towards Kv1.5 potassium channel. Current Topics in Medicinal Chemistry, 2009, 9, 339-4	173	3
31	Discovery of New Substrates for LuxAB Bacterial Bioluminescence. <i>Chemical Biology and Drug Design</i> , 2016 , 88, 197-208	2.9	3
30	Discovery of a Pair of Diastereomers as Potent HDACs Inhibitors: Determination of Absolute Configuration, Biological Activity Comparison and Computational Study. <i>RSC Advances</i> , 2013 , 3,	3.7	2
29	Recent advances in the boric acid/boronate-based fluorescent probes for detection of hydrogen peroxide. <i>Scientia Sinica Chimica</i> , 2012 , 42, 1683-1693	1.6	2
28	Bacteria-Based Live Vehicle for Bioluminescence Imaging. <i>Analytical Chemistry</i> , 2021 , 93, 15687-15695	7.8	2
27	Improved antiproliferative activities of a new series of 1,3,4-thiadiazole derivatives against human leukemia and breast cancer cell lines. <i>Chemical Research in Chinese Universities</i> , 2016 , 32, 768-774	2.2	2
26	Novel caged luciferin derivatives can prolong bioluminescence imaging and <i>RSC Advances</i> , 2018 , 8, 19596-19599	3.7	2
25	Bright chemiluminescent dioxetane probes for the detection of gaseous transmitter HS. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021 , 46, 128148	2.9	2
24	Aggregation-Induced Emission: Lighting Up hERG Potassium Channel. <i>Frontiers in Chemistry</i> , 2019 , 7, 54	5	1
23	Bioluminogenic Imaging of AminopeptidaseN In Vitro and In Vivo. <i>Methods in Molecular Biology</i> , 2016 , 1461, 91-9	1.4	1
22	The first inhibitor-based fluorescent imaging probe for aminopeptidase N. <i>Drug Discoveries and Therapeutics</i> , 2013 ,	5	1
21	Alignment-independent QSAR analysis of SecA inhibitors. <i>Protein and Peptide Letters</i> , 2013 , 20, 802-7	1.9	1
20	Multiple rapid-responsive probes towards hypochlorite detection based on dioxetane luminophore derivatives. <i>Journal of Pharmaceutical Analysis</i> , 2021 ,	14	1

(2022-2020)

19	Analogues with Modifications of C-2, C-6, and C-8 Substituents. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	1
18	Au-24 as a Potential Thioredoxin Reductase Inhibitor in Hepatocellular Carcinoma Cells <i>Pharmacological Research</i> , 2022 , 177, 106113	10.2	O
17	Photoinduced Electron Transfer-Based Fluorescent Agonists for ⊞Adrenergic Receptors Imaging. <i>Analytical Chemistry</i> , 2021 , 93, 6034-6042	7.8	О
16	Novel furimazine derivatives for nanoluciferase bioluminescence with various C-6 and C-8 substituents. <i>Organic and Biomolecular Chemistry</i> , 2021 , 19, 7930-7936	3.9	O
15	Phenotyping Aquatic Neurotoxicity Induced by the Artificial Sweetener Saccharin at Sublethal Concentration Levels. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 2041-2050	5.7	O
14	InnenrEktitelbild: Optogenetic Control of Voltage-Gated Calcium Channels (Angew. Chem. 24/2018). <i>Angewandte Chemie</i> , 2018 , 130, 7375-7375	3.6	O
13	A bioluminescent probe for in vivo imaging of pyroglutamate aminopeptidase in a mouse model of inflammation. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021 , 43, 128049	2.9	О
12	Optogenetic Control of Voltage-Gated Calcium Channels. <i>Angewandte Chemie</i> , 2018 , 130, 7137-7140	3.6	
11	Inside Back Cover: Fluorescein Analogues Inhibit SecA ATPase: The First Sub-micromolar Inhibitor of Bacterial Protein Translocation (ChemMedChem 4/2012). <i>ChemMedChem</i> , 2012 , 7, 744-744	3.7	
10	Density functional theory based quantitative structure-property relationship studies on coumarin-based prodrugs. <i>BioScience Trends</i> , 2012 , 6, 234-40	9.9	
9	CONVENIENT AND RAPID PREPARATION OF INDENE DIMERS FROM INDENES OR INDANOLS. Organic Preparations and Procedures International, 2006 , 38, 490-494	1.1	
8	Fluorescent Ligand-Based Discovery of Small-Molecule Sulfonamide Agonists for GPR120 <i>Frontiers in Chemistry</i> , 2022 , 10, 816014	5	
7	Visualization-Based Discovery of Vanin-1 Inhibitors for Colitis Frontiers in Chemistry, 2021, 9, 809495	5	
6	Discovery of small-molecule fluorescent probes for C-Met <i>European Journal of Medicinal Chemistry</i> , 2022 , 230, 114114	6.8	
5	Application of a cybLuc Aminoluciferin for Deep Tissue Bioluminescence Imaging in Rodent Models. <i>Methods in Molecular Biology</i> , 2020 , 2081, 219-228	1.4	
4	Discovery of the Environment-Sensitive Near-Infrared (NIR) Fluorogenic Ligand for ⊞Adrenergic	1.4	
	Receptors Imaging In Vivo. <i>Methods in Molecular Biology</i> , 2021 , 2274, 181-192		
3	Application of Point Cloud Data in the Construction and Management of Interior Design. <i>IOP Conference Series: Earth and Environmental Science</i> , 2018 , 192, 012070	0.3	

Synthetic Coelenterazine Derivatives and Their Application for Bioluminescence Imaging. *Methods in Molecular Biology*, **2022**, 17-36

1.4