Zhikun Li

List of Publications by Citations

Source: https://exaly.com/author-pdf/875084/zhikun-li-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

19 207 8 14 g-index

24 302 4.3 avg, IF L-index

#	Paper	IF	Citations
19	LncRNA B4GALT1-AS1 recruits HuR to promote osteosarcoma cells stemness and migration via enhancing YAP transcriptional activity. <i>Cell Proliferation</i> , 2018 , 51, e12504	7.9	42
18	miR-29 Family Inhibits Resistance to Methotrexate and Promotes Cell Apoptosis by Targeting COL3A1 and MCL1 in Osteosarcoma. <i>Medical Science Monitor</i> , 2018 , 24, 8812-8821	3.2	39
17	Glycyrrhizin Suppresses RANKL-Induced Osteoclastogenesis and Oxidative Stress Through Inhibiting NF- B and MAPK and Activating AMPK/Nrf2. <i>Calcified Tissue International</i> , 2018 , 103, 324-337	3.9	32
16	Hypoxia changes chemotaxis behaviour of mesenchymal stem cells via HIF-1 ignalling. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 1899-1907	5.6	20
15	MicroRNA-23a-3p improves traumatic brain injury through modulating the neurological apoptosis and inflammation response in mice. <i>Cell Cycle</i> , 2020 , 19, 24-38	4.7	12
14	Deacylcynaropicrin Inhibits RANKL-Induced Osteoclastogenesis by Inhibiting NF- B and MAPK and Promoting M2 Polarization of Macrophages. <i>Frontiers in Pharmacology</i> , 2019 , 10, 599	5.6	10
13	Correlations between the sagittal plane parameters of the spine and pelvis and lumbar disc degeneration. <i>Journal of Orthopaedic Surgery and Research</i> , 2018 , 13, 137	2.8	10
12	miR-16-5p Suppresses Progression and Invasion of Osteosarcoma Targeting at Smad3. <i>Frontiers in Pharmacology</i> , 2020 , 11, 1324	5.6	10
11	Knockdown of HuR represses osteosarcoma cells migration, invasion and stemness through inhibition of YAP activation and increases susceptibility to chemotherapeutic agents. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 102, 587-593	7.5	8
10	Role of the HIF-1/SDF-1/CXCR4 signaling axis in accelerated fracture healing after craniocerebral injury. <i>Molecular Medicine Reports</i> , 2020 , 22, 2767-2774	2.9	6
9	Correlation analysis between the magnetic resonance imaging characteristics of osteoporotic vertebral compression fractures and the efficacy of percutaneous vertebroplasty: a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 114	2.8	4
8	The radiographic parameter risk factors of rapid curve progression in Lenke 5 and 6 adolescent idiopathic scoliosis: A retrospective study. <i>Medicine (United States)</i> , 2017 , 96, e9425	1.8	4
7	Quantitative gait analysis for laser cue in Parkinson Wdisease patients with freezing of gait. <i>Annals of Translational Medicine</i> , 2019 , 7, 324	3.2	4
6	Iron-Chelating Agent Can Maintain Bone Homeostasis Disrupted by Iron Overload by Upregulating Wnt/Beta-Catenin Signaling. <i>BioMed Research International</i> , 2020 , 2020, 8256261	3	2
5	An analysis of clinical risk factors for adolescent scoliosis caused by spinal cord abnormalities in China: proposal for a selective whole-spine MRI examination scheme. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 187	2.8	1
4	Revision surgery after pregnancy in a patient with congenital kyphoscoliosis: A case report. <i>Medicine (United States)</i> , 2016 , 95, e5624	1.8	1
3	TMED3/RPS15A Axis promotes the development and progression of osteosarcoma. <i>Cancer Cell International</i> , 2021 , 21, 630	6.4	1

LIST OF PUBLICATIONS

The Correlation Between the Diffusion Coefficient of Bone Cement and Efficacy in Percutaneous Vertebroplasty. *Orthopedics*, **2021**, 44, e95-e100

1.5 1

IRF7 inhibits the Warburg effect via transcriptional suppression of PKM2 in osteosarcoma.. *International Journal of Biological Sciences*, **2022**, 18, 30-42

11.2 O