

Andrzej Kotela

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8752138/publications.pdf>

Version: 2024-02-01

14
papers

174
citations

1307594

7
h-index

1125743

13
g-index

17
all docs

17
docs citations

17
times ranked

278
citing authors

#	ARTICLE	IF	CITATIONS
1	METHODOLOGY FOR TESTING A JOINT CARTILAGE. <i>Tribologia</i> , 2021, 294, 29-38.	0.2	0
2	Revision Hip Arthroplasty in Patient with Acetabulum Migration into Subperitoneal Space – A Case Report. <i>Medicina (Lithuania)</i> , 2021, 57, 30.	2.0	1
3	Comparative Analysis of the Occurrence and Role of CX3CL1 (Fractalkine) and Its Receptor CX3CR1 in Hemophilic Arthropathy and Osteoarthritis. <i>Journal of Immunology Research</i> , 2020, 2020, 1-12.	2.2	7
4	Printed Graphene Layer as a Base for Cell Electrostimulation – Preliminary Results. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7865.	4.1	10
5	Prehospital management of accidental hypothermia. <i>Emergency Medical Service</i> , 2020, 7, 306-312.	0.1	0
6	Increased serum levels of progranulin (PGRN) in patients with haemophilic arthropathy. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2019, 46, 373-379.	1.9	2
7	Cytokines in the pathogenesis of hemophilic arthropathy. <i>Cytokine and Growth Factor Reviews</i> , 2018, 39, 71-91.	7.2	30
8	The Use of Type I Collagen Cross-Linked C-Telopeptide (CTX-1) as a Biomarker Associated with the Formation of Periprosthetic Ossifications Following Total Hip Joint Arthroplasty. <i>Annals of Clinical and Laboratory Science</i> , 2018, 48, 183-190.	0.2	4
9	Graphene Nanolayers as a New Method for Bacterial Biofilm Prevention: Preliminary Results. <i>Journal of AOAC INTERNATIONAL</i> , 2017, 100, 900-904.	1.5	30
10	Perioperative Physiotherapy for Total Ankle Replacement in Patients with Inherited Bleeding Disorders: Outline of an Algorithm. <i>Medical Science Monitor</i> , 2017, 23, 498-504.	1.1	6
11	Revision Knee Arthroplasty in Patients with Inherited Bleeding Disorders: A Single-Center Experience. <i>Medical Science Monitor</i> , 2017, 23, 129-137.	1.1	7
12	Blood Vessel Matrix Seeded with Cells: A Better Alternative for Abdominal Wall Reconstruction – A Long-Term Study. <i>BioMed Research International</i> , 2015, 2015, 1-8.	1.9	11
13	Patient-Specific CT-Based Instrumentation versus Conventional Instrumentation in Total Knee Arthroplasty: A Prospective Randomized Controlled Study on Clinical Outcomes and In-Hospital Data. <i>BioMed Research International</i> , 2015, 2015, 1-8.	1.9	24
14	Patient-specific computed tomography based instrumentation in total knee arthroplasty: a prospective randomized controlled study. <i>International Orthopaedics</i> , 2014, 38, 2099-2107.	1.9	38