

Sren Overgaard

List of Publications by Citations

Source: <https://exaly.com/author-pdf/875312/soren-overgaard-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

272
papers

6,542
citations

46
h-index

67
g-index

284
ext. papers

7,620
ext. citations

3.5
avg, IF

6
L-index

#	Paper	IF	Citations
272	Increasing risk of prosthetic joint infection after total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012 , 83, 449-58	4.3	191
271	Hip fracture patients at risk of second hip fracture: a nationwide population-based cohort study of 169,145 cases during 1977-2001. <i>Journal of Bone and Mineral Research</i> , 2009 , 24, 1299-307	6.3	186
270	The Nordic Arthroplasty Register Association: a unique collaboration between 3 national hip arthroplasty registries with 280,201 THRs. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2009 , 80, 393-401	4.3	150
269	Patient-reported outcome measures in arthroplasty registries Report of the Patient-Reported Outcome Measures Working Group of the International Society of Arthroplasty Registries Part II. Recommendations for selection, administration, and analysis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87 Suppl 1, 9-23	4.3	149
268	Periprosthetic femoral fracture within two years after total hip replacement: analysis of 437,629 operations in the nordic arthroplasty register association database. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014 , 96, e167	5.6	127
267	Failure rate of cemented and uncemented total hip replacements: register study of combined Nordic database of four nations. <i>BMJ, The</i> , 2014 , 348, f7592	5.9	123
266	Registration in the danish hip arthroplasty registry: completeness of total hip arthroplasties and positive predictive value of registered diagnosis and postoperative complications. <i>Acta Orthopaedica</i> , 2004 , 75, 434-41		117
265	Risk factors for revision due to infection after primary total hip arthroplasty. A population-based study of 80,756 primary procedures in the Danish Hip Arthroplasty Registry. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010 , 81, 542-7	4.3	102
264	Patient-related predictors of implant failure after primary total hip replacement in the initial, short- and long-terms. A nationwide Danish follow-up study including 36,984 patients. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2006 , 88, 1303-8		99
263	The "true" incidence of surgically treated deep prosthetic joint infection after 32,896 primary total hip arthroplasties: a prospective cohort study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 326-34	4.3	98
262	Titanium-alloy enhances bone-pedicle screw fixation: mechanical and histomorphometrical results of titanium-alloy versus stainless steel. <i>European Spine Journal</i> , 2000 , 9, 97-103	2.7	96
261	Transforming growth factor-beta 1 enhances bone healing to unloaded tricalcium phosphate coated implants: an experimental study in dogs. <i>Journal of Orthopaedic Research</i> , 1996 , 14, 343-50	3.8	92
260	Resorption of hydroxyapatite and fluorapatite ceramic coatings on weight-bearing implants: a quantitative and morphological study in dogs. <i>Journal of Biomedical Materials Research Part B</i> , 1998 , 39, 141-52		91
259	Platelet rich plasma and fresh frozen bone allograft as enhancement of implant fixation. An experimental study in dogs. <i>Journal of Orthopaedic Research</i> , 2004 , 22, 653-8	3.8	90
258	Minimal clinically important improvement (MCII) and patient-acceptable symptom state (PASS) in total hip arthroplasty (THA) patients 1 year postoperatively. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014 , 85, 39-48	4.3	86
257	Patient-reported outcome measures in arthroplasty registries. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87 Suppl 1, 3-8	4.3	86
256	Increased Mortality After Prosthetic Joint Infection in Primary THA. <i>Clinical Orthopaedics and Related Research</i> , 2017 , 475, 2623-2631	2.2	85

255	Total hip arthroplasty in Denmark: incidence of primary operations and revisions during 1996-2002 and estimated future demands. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005 , 76, 182-93	4.3	85
254	Transforming growth factor-beta stimulates bone ongrowth. Hydroxyapatite-coated implants studied in dogs. <i>Acta Orthopaedica</i> , 1996 , 67, 611-6		80
253	Countrywise results of total hip replacement. An analysis of 438,733 hips based on the Nordic Arthroplasty Register Association database. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014 , 85, 107-16	4.3	78
252	Sensitivity and specificity of CT- and MRI-scanning in evaluation of occult fracture of the proximal femur. <i>Injury</i> , 2015 , 46, 1557-61	2.5	71
251	Efficiency of systematic sampling in histomorphometric bone research illustrated by hydroxyapatite-coated implants: optimizing the stereological vertical-section design. <i>Journal of Orthopaedic Research</i> , 2000 , 18, 313-21	3.8	67
250	Quality of data entry using single entry, double entry and automated forms processing--an example based on a study of patient-reported outcomes. <i>PLoS ONE</i> , 2012 , 7, e35087	3.7	66
249	Postoperative effects of neuromuscular exercise prior to hip or knee arthroplasty: a randomised controlled trial. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1130-7	2.4	64
248	Short- and long-term mortality following primary total hip replacement for osteoarthritis: a Danish nationwide epidemiological study. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2011 , 93, 172-7		64
247	Predictors of revision, prosthetic joint infection and mortality following total hip or total knee arthroplasty in patients with rheumatoid arthritis: a nationwide cohort study using Danish healthcare registers. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 281-288	2.4	62
246	Sealing effect of hydroxyapatite coating on peri-implant migration of particles. An experimental study in dogs. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2001 , 83, 441-7		62
245	Orthopaedic registries with patient-reported outcome measures. <i>EFORT Open Reviews</i> , 2019 , 4, 357-367	5.5	61
244	Estimation of volume referent bone turnover in the otic capsule after sequential point labeling. <i>Annals of Otology, Rhinology and Laryngology</i> , 2000 , 109, 33-9	2.1	60
243	Royaumont Revisited. <i>British Journal for the History of Philosophy</i> , 2010 , 18, 899-924	0.5	59
242	Role of different loading conditions on resorption of hydroxyapatite coating evaluated by histomorphometric and stereological methods. <i>Journal of Orthopaedic Research</i> , 1996 , 14, 888-94	3.8	59
241	Osteogenic protein 1 device stimulates bone healing to hydroxyapaptite-coated and titanium implants. <i>Journal of Arthroplasty</i> , 2000 , 15, 339-46	4.4	56
240	Recovery in mechanical muscle strength following resurfacing vs standard total hip arthroplasty - a randomised clinical trial. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 1108-16	6.2	55
239	Osteogenic protein 1 device increases bone formation and bone graft resorption around cementless implants. <i>Acta Orthopaedica</i> , 2002 , 73, 31-9		55
238	Effect of Combination of Paracetamol (Acetaminophen) and Ibuprofen vs Either Alone on Patient-Controlled Morphine Consumption in the First 24 Hours After Total Hip Arthroplasty: The PANSOID Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2019 , 321, 562-571	27.4	54

237	Immediate efficacy of neuromuscular exercise in patients with severe osteoarthritis of the hip or knee: a secondary analysis from a randomized controlled trial. <i>Journal of Rheumatology</i> , 2014 , 41, 1385-94 ¹	4.1	54
236	A Scandinavian experience of register collaboration: the Nordic Arthroplasty Register Association (NARA). <i>Journal of Bone and Joint Surgery - Series A</i> , 2011 , 93 Suppl 3, 13-9	5.6	53
235	Improved bone anchorage of hydroxyapatite coated implants compared with tricalcium-phosphate coated implants in trabecular bone in dogs. <i>Biomaterials</i> , 1999 , 20, 803-8	15.6	53
234	Revision total hip arthroplasty using a modular tapered stem with distal fixation: good short-term results in 125 revisions. <i>Journal of Arthroplasty</i> , 2010 , 25, 348-54	4.4	52
233	Improved fixation of porous-coated versus grit-blasted surface texture of hydroxyapatite-coated implants in dogs. <i>Acta Orthopaedica</i> , 1997 , 68, 337-43		49
232	Implant survival of the most common cemented total hip devices from the Nordic Arthroplasty Register Association database. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87, 546-553	4.3	49
231	Porous-coated versus grit-blasted surface texture of hydroxyapatite-coated implants during controlled micromotion: mechanical and histomorphometric results. <i>Journal of Arthroplasty</i> , 1998 , 13, 449-58	4.4	48
230	Cirrhosis patients have increased risk of complications after hip or knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 108-13	4.3	47
229	Transforming growth factor-beta1 adsorbed to tricalciumphosphate coated implants increases peri-implant bone remodeling. <i>Biomaterials</i> , 2001 , 22, 189-93	15.6	47
228	Hydroxyapatite coating does not improve uncemented stem survival after total hip arthroplasty!. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 18-25	4.3	46
227	Association between fixation technique and revision risk in total hip arthroplasty patients younger than 55 years of age. Results from the Nordic Arthroplasty Register Association. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, 659-67	6.2	46
226	The influence of crystallinity of the hydroxyapatite coating on the fixation of implants. Mechanical and histomorphometric results. <i>Journal of Bone and Joint Surgery: British Volume</i> , 1999 , 81, 725-31		46
225	Glucocorticoid induced osteopenia in cancellous bone of sheep: validation of large animal model for spine fusion and biomaterial research. <i>Spine</i> , 2010 , 35, 363-70	3.3	44
224	No effect of Osteoset, a bone graft substitute, on bone healing in humans: a prospective randomized double-blind study. <i>Acta Orthopaedica</i> , 2002 , 73, 575-8		44
223	Gait Deviation Index, Gait Profile Score and Gait Variable Score in children with spastic cerebral palsy: Intra-rater reliability and agreement across two repeated sessions. <i>Gait and Posture</i> , 2015 , 42, 133-7	2.6	41
222	Patient-reported outcome after total hip arthroplasty: comparison between lateral and posterior approach. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017 , 88, 239-247	4.3	40
221	Increased risk of revision in patients with non-traumatic femoral head necrosis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014 , 85, 11-7	4.3	40
220	No effect of platelet-rich plasma with frozen or processed bone allograft around noncemented implants. <i>International Orthopaedics</i> , 2005 , 29, 67-72	3.8	40

219	Effect of hydroxyapatite coating on risk of revision after primary total hip arthroplasty in younger patients: findings from the Danish Hip Arthroplasty Registry. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2007 , 78, 622-8	4.3	39
218	Preoperative progressive explosive-type resistance training is feasible and effective in patients with hip osteoarthritis scheduled for total hip arthroplasty--a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 91-8	6.2	38
217	Low revision rate after total hip arthroplasty in patients with pediatric hip diseases. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012 , 83, 436-41	4.3	38
216	Sealing effect of hydroxyapatite coating: a 12-month study in canines. <i>Acta Orthopaedica</i> , 2000 , 71, 563-73		38
215	Resorption of hydroxyapatite and fluorapatite coatings in man. An experimental study in trabecular bone. <i>Journal of Bone and Joint Surgery: British Volume</i> , 1997 , 79, 654-9		38
214	Reduced Revision Risk for Dual-Mobility Cup in Total Hip Replacement Due to Hip Fracture: A Matched-Pair Analysis of 9,040 Cases from the Nordic Arthroplasty Register Association (NARA). <i>Journal of Bone and Joint Surgery - Series A</i> , 2019 , 101, 1278-1285	5.6	38
213	Survival of primary total hip arthroplasty in rheumatoid arthritis patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010 , 81, 60-5	4.3	37
212	Closed suction drainage after hip arthroplasty. Prospective study of bacterial contamination in 81 cases. <i>Acta Orthopaedica</i> , 1993 , 64, 417-20		37
211	Lower reoperation rate for cemented hemiarthroplasty than for uncemented hemiarthroplasty and internal fixation following femoral neck fracture: 12- to 19-year follow-up of patients aged 75 years or more. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013 , 84, 254-9	4.3	36
210	Incidence of hip and knee replacement in patients with rheumatoid arthritis following the introduction of biological DMARDs: an interrupted time-series analysis using nationwide Danish healthcare registers. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 684-689	2.4	35
209	Polyethylene particles stimulate monocyte chemotactic and activating factor production in synovial mononuclear cells in vivo. An immunohistochemical study in rabbits. <i>Acta Orthopaedica</i> , 1995 , 66, 303-7		35
208	Hip fractures in the non-elderly-Who, why and whither?. <i>Injury</i> , 2018 , 49, 1445-1450	2.5	35
207	Effects of Teriparatide Compared with Risedronate on Recovery After Pertrochanteric Hip Fracture: Results of a Randomized, Active-Controlled, Double-Blind Clinical Trial at 26 Weeks. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016 , 98, 1868-1878	5.6	33
206	Feasibility of 4 patient-reported outcome measures in a registry setting. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2012 , 83, 321-7	4.3	33
205	Superior sealing effect of hydroxyapatite in porous-coated implants. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005 , 76, 375-385	4.3	33
204	Particle migration and gap healing around trabecular metal implants. <i>International Orthopaedics</i> , 2005 , 29, 368-74	3.8	32
203	The Danish Hip Arthroplasty Register. <i>Clinical Epidemiology</i> , 2016 , 8, 509-514	5.9	32
202	Lifetime Risk of Primary Total Hip Replacement Surgery for Osteoarthritis From 2003 to 2013: A Multinational Analysis Using National Registry Data. <i>Arthritis Care and Research</i> , 2017 , 69, 1659-1667	4.7	31

201	Comparison of the risk of revision in cementless total hip arthroplasty with ceramic-on-ceramic and metal-on-polyethylene bearings. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 477-84	4.3	31
200	Agreement and reliability of functional performance and muscle power in patients with advanced osteoarthritis of the hip or knee. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2012 , 91, 401-10	2.6	31
199	Effect of osteogenic protein 1/collagen composite combined with impacted allograft around hydroxyapatite-coated titanium alloy implants is moderate. <i>Journal of Biomedical Materials Research Part B</i> , 2001 , 55, 89-95		31
198	The interactive turn in social cognition research: A critique. <i>Philosophical Psychology</i> , 2015 , 28, 160-183	1.1	30
197	Calcium phosphate coatings for fixation of bone implants: Evaluated mechanically and histologically by stereological methods. <i>Acta Orthopaedica</i> , 2000 , 71, 1-74		30
196	Partridge Cerclene system for femoral fractures in osteoporotic bones with ipsilateral hemi/total arthroplasty. <i>Journal of Arthroplasty</i> , 1990 , 5, 123-6	4.4	30
195	Increased risk of revision for infection in rheumatoid arthritis patients with total hip replacements. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 469-76	4.3	29
194	Dual Mobility Cups: Effect on Risk of Revision of Primary Total Hip Arthroplasty Due to Osteoarthritis: A Matched Population-Based Study Using the Nordic Arthroplasty Register Association Database. <i>Journal of Bone and Joint Surgery - Series A</i> , 2019 , 101, 169-176	5.6	28
193	Patient education with or without manual therapy compared to a control group in patients with osteoarthritis of the hip. A proof-of-principle three-arm parallel group randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1494-503	6.2	28
192	Volume-referent bone turnover estimated from the interlabel area fraction after sequential labeling. <i>Bone</i> , 1998 , 22, 677-82	4.7	28
191	Bone compaction enhances implant fixation in a canine gap model. <i>Journal of Orthopaedic Research</i> , 2005 , 23, 824-30	3.8	28
190	Supervised neuromuscular exercise prior to hip and knee replacement: 12-month clinical effect and cost-utility analysis alongside a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2017 , 18, 5	2.8	27
189	The effects of hydroxyapatite coating and bone allograft on fixation of loaded experimental primary and revision implants. <i>Acta Orthopaedica</i> , 2003 , 74, 239-247		27
188	Bone compaction enhances fixation of weightbearing titanium implants. <i>Clinical Orthopaedics and Related Research</i> , 2005 , 138-44	2.2	26
187	Three-dimensional microarchitecture of adolescent cancellous bone. <i>Bone</i> , 2012 , 51, 953-60	4.7	25
186	Factors influencing health-related quality of life after total hip replacement--a comparison of data from the Swedish and Danish hip arthroplasty registers. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 316	2.8	25
185	One-year incidence of prosthetic joint infection in total hip arthroplasty: a cohort study with linkage of the Danish Hip Arthroplasty Register and Danish Microbiology Databases. <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 685-693	6.2	24
184	The Verbal Rating Scale Is Reliable for Assessment of Postoperative Pain in Hip Fracture Patients. <i>Pain Research and Treatment</i> , 2015 , 2015, 676212	1.9	24

183	The need for total hip arthroplasty in Perthes disease: a long-term study. <i>Clinical Orthopaedics and Related Research</i> , 2011 , 469, 1134-40	2.2	24
182	Changes in bone mineral density of the acetabulum, femoral neck and femoral shaft, after hip resurfacing and total hip replacement: two-year results from a randomised study. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012 , 94, 1036-44		24
181	The Problem of Other Minds: Wittgenstein's Phenomenological Perspective. <i>Phenomenology and the Cognitive Sciences</i> , 2006 , 5, 53-73	1.5	24
180	A reversal phase arrest uncoupling the bone formation and resorption contributes to the bone loss in glucocorticoid treated ovariectomised aged sheep. <i>Bone</i> , 2015 , 75, 32-9	4.7	23
179	Need for bilateral arthroplasty for coxarthrosis. 1,477 replacements in 1,199 patients followed for 0-14 years. <i>Acta Orthopaedica</i> , 1996 , 67, 421-3		23
178	Effect of Teriparatide or Risedronate in Elderly Patients With a Recent Pertrochanteric Hip Fracture: Final Results of a 78-Week Randomized Clinical Trial. <i>Journal of Bone and Mineral Research</i> , 2017 , 32, 1040-1051	6.3	22
177	The uncemented bipolar hemiarthroplasty for displaced femoral neck fractures. 6-year follow-up of 171 cases. <i>Acta Orthopaedica</i> , 1991 , 62, 115-20		22
176	The Gait Deviation Index Is Associated with Hip Muscle Strength and Patient-Reported Outcome in Patients with Severe Hip Osteoarthritis-A Cross-Sectional Study. <i>PLoS ONE</i> , 2016 , 11, e0153177	3.7	22
175	Mechanical strength of ceramic scaffolds reinforced with biopolymers is comparable to that of human bone. <i>Journal of Materials Science: Materials in Medicine</i> , 2011 , 22, 1111-8	4.5	21
174	Osteogenic protein-1 increases the fixation of implants grafted with morcellised bone allograft and ProOsteon bone substitute: an experimental study in dogs. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007 , 89, 121-6		21
173	Increased risk of revision of cementless stemmed total hip arthroplasty with metal-on-metal bearings. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015 , 86, 491-7	4.3	20
172	Does hydroxyapatite coating of uncemented cups improve long-term survival? An analysis of 28,605 primary total hip arthroplasty procedures from the Nordic Arthroplasty Register Association (NARA). <i>Osteoarthritis and Cartilage</i> , 2017 , 25, 1980-1987	6.2	20
171	Effectiveness and safety of different duration of thromboprophylaxis in 16,865 hip replacement patients--a real-world, prospective observational study. <i>Thrombosis Research</i> , 2015 , 135, 322-8	8.2	20
170	Rethinking Other Minds: Wittgenstein and Levinas on Expression. <i>Inquiry (United Kingdom)</i> , 2005 , 48, 249-274	0.5	20
169	Internal fixation of femoral shaft fractures in children and adolescents: a ten- to twenty-one-year follow-up of 52 fractures. <i>Journal of Pediatric Orthopaedics Part B</i> , 1996 , 5, 195-9	1.4	20
168	Hip arthroplasty in Jutland, Denmark. Age and sex-specific incidences of primary operations. <i>Acta Orthopaedica</i> , 1992 , 63, 536-8		20
167	No Increase in Survival for 36-mm versus 32-mm Femoral Heads in Metal-on-polyethylene THA: A Registry Study. <i>Clinical Orthopaedics and Related Research</i> , 2018 , 476, 2367-2378	2.2	20
166	Mindreading as social expertise. <i>Synthese</i> , 2014 , 191, 817-840	0.8	19

165	Similar range of motion and function after resurfacing large-head or standard total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013 , 84, 246-53	4.3	19
164	Reproducibility of range of motion and muscle strength measurements in patients with hip osteoarthritis - an inter-rater study. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 242	2.8	19
163	Do Rerevision Rates Differ After First-time Revision of Primary THA With a Cemented and Cementless Femoral Component?. <i>Clinical Orthopaedics and Related Research</i> , 2015 , 473, 3391-8	2.2	18
162	Bone compaction enhances fixation of weight-bearing hydroxyapatite-coated implants. <i>Journal of Arthroplasty</i> , 2006 , 21, 263-70	4.4	18
161	Low validity of the Sensewear Pro3 activity monitor compared to indirect calorimetry during simulated free living in patients with osteoarthritis of the hip. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 43	2.8	17
160	Iodine-impregnated incision drape and bacterial recolonization in simulated total knee arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87, 380-5	4.3	17
159	Pain distribution in primary care patients with hip osteoarthritis. <i>Family Practice</i> , 2016 , 33, 601-606	1.9	16
158	Heritability of clubfoot: a twin study. <i>Journal of Children's Orthopaedics</i> , 2014 , 8, 37-41	2.1	16
157	Efficacy of a small cell-binding peptide coated hydroxyapatite substitute on bone formation and implant fixation in sheep. <i>Journal of Biomedical Materials Research - Part A</i> , 2015 , 103, 1357-65	5.4	16
156	Outcome of 881 total hip arthroplasties in 747 patients 21 years or younger: data from the Nordic Arthroplasty Register Association (NARA) 1995-2016. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019 , 90, 331-337	4.3	15
155	The efficacy of modified direct lateral versus posterior approach on gait function and hip muscle strength after primary total hip arthroplasty at 12months follow-up. An explorative randomised controlled trial. <i>Clinical Biomechanics</i> , 2016 , 39, 91-99	2.2	15
154	The effects of bone marrow aspirate, bone graft, and collagen composites on fixation of titanium implants. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2012 , 100, 759-66	3.5	14
153	Low bone mineral density is not related to failure in femoral neck fracture patients treated with internal fixation. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014 , 85, 60-5	4.3	14
152	Metal ion levels and lymphocyte counts: ASR hip resurfacing prosthesis vs. standard THA: 2-year results from a randomized study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2013 , 84, 130-7	4.3	14
151	The effects of hydroxyapatite coating and bone allograft on fixation of loaded experimental primary and revision implants. <i>Acta Orthopaedica</i> , 2003 , 74, 239-47		14
150	An automated perfusion bioreactor for the streamlined production of engineered osteogenic grafts. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2016 , 104, 532-7	3.5	14
149	How to do things with brackets: the epoch explained. <i>Continental Philosophy Review</i> , 2015 , 48, 179-195	0.6	13
148	Effects of supervised exercise compared to non-supervised exercise early after total hip replacement on patient-reported function, pain, health-related quality of life and performance-based function - a systematic review and meta-analysis of randomized controlled trials. <i>Clinical Rehabilitation</i> , 2019 , 33, 13-23	3.3	13

147	The efficacy of tourniquet assisted total knee arthroplasty on patient-reported and performance-based physical function: a randomized controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 110	2.8	13
146	The effects of a novel-reinforced bone substitute and Colloss [®] E on bone defect healing in sheep. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2012 , 100, 1826-35	3.5	13
145	Outcome in design-specific comparisons between highly crosslinked and conventional polyethylene in total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017 , 88, 363-369	4.3	12
144	Quantitating the effect of prosthesis design on femoral remodeling using high-resolution region-free densitometric analysis (DXA-RFA). <i>Journal of Orthopaedic Research</i> , 2017 , 35, 2203-2210	3.8	12
143	Impact of hip arthroplasty registers on orthopaedic practice and perspectives for the future. <i>EFORT Open Reviews</i> , 2019 , 4, 368-376	5.5	12
142	The use of the Gait Deviation Index for the evaluation of participants following total hip arthroplasty: An explorative randomized trial. <i>Gait and Posture</i> , 2015 , 42, 36-41	2.6	12
141	The interface between periacetabular osteotomy, hip arthroscopy and total hip arthroplasty in the young adult hip. <i>EFORT Open Reviews</i> , 2018 , 3, 408-417	5.5	12
140	Bone mineral density of the femoral neck in resurfacing hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010 , 81, 318-23	4.3	12
139	Heidegger on Embodiment. <i>Journal of the British Society for Phenomenology</i> , 2004 , 35, 116-131	0.3	12
138	Epoch and Solipsistic Reduction. <i>Husserl Studies</i> , 2002 , 18, 209-222	0.4	12
137	The trochanteric gamma nail versus the dynamic hip screw: a prospective randomised study. One-year follow-up of 146 intertrochanteric fractures. <i>HIP International</i> , 2006 , 16, 293-8	1.7	12
136	Introduction of national guidelines for restrictive blood transfusion threshold for hip fracture patients--a consecutive cohort study based on complete follow-up in national databases. <i>Journal of Orthopaedic Surgery and Research</i> , 2018 , 13, 116	2.8	12
135	Reverse hybrid total hip arthroplasty. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017 , 88, 248-254	4.3	11
134	MoM total hip replacements in Europe: a NORE report. <i>EFORT Open Reviews</i> , 2019 , 4, 423-429	5.5	11
133	Reduced ability to detect surface-related biofilm bacteria after antibiotic exposure under in vitro conditions. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87, 644-650	4.3	11
132	The use of instrumented gait analysis for individually tailored interdisciplinary interventions in children with cerebral palsy: a randomised controlled trial protocol. <i>BMC Pediatrics</i> , 2015 , 15, 202	2.6	11
131	Local anesthetic wound infiltration for pain management after periacetabular osteotomy. A randomized, placebo-controlled, double-blind clinical trial with 53 patients. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014 , 85, 141-6	4.3	11
130	Long-term follow-up of a patient cohort with Legg-Calvé-Perthes disease. <i>Journal of Pediatric Orthopaedics Part B</i> , 2011 , 20, 273-7	1.4	11

129	Local anaesthetic wound infiltration after internal fixation of femoral neck fractures: a randomized, double-blind clinical trial in 33 patients. <i>HIP International</i> , 2011 , 21, 251-9	1.7	11
128	"True" Cumulative Incidence of and Risk Factors for Hip Dislocation within 2 Years After Primary Total Hip Arthroplasty Due to Osteoarthritis: A Nationwide Population-Based Study from the Danish Hip Arthroplasty Register. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021 , 103, 295-302	5.6	11
127	Comparison of synthetic bone graft ABM/P-15 and allograft on uninstrumented posterior lumbar spine fusion in sheep. <i>Journal of Orthopaedic Surgery and Research</i> , 2019 , 14, 2	2.8	10
126	Sex differences in risk and heritability estimates on primary knee osteoarthritis leading to total knee arthroplasty: a nationwide population based follow up study in Danish twins. <i>Arthritis Research and Therapy</i> , 2016 , 18, 46	5.7	10
125	Interaction and social cognition: A comment on Auvray et al.'s perceptual crossing paradigm. <i>New Ideas in Psychology</i> , 2012 , 30, 296-299	2.5	10
124	The effect of posterior and lateral approach on patient-reported outcome measures and physical function in patients with osteoarthritis, undergoing total hip replacement: a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 354	2.8	10
123	Prevalence of hip osteoarthritis in chiropractic practice in Denmark: a descriptive cross-sectional and prospective study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2012 , 35, 263-71	1.3	10
122	The unobservability thesis. <i>Synthese</i> , 2017 , 194, 743-760	0.8	9
121	Gait analysis for individually tailored interdisciplinary interventions in children with cerebral palsy: a randomized controlled trial. <i>Developmental Medicine and Child Neurology</i> , 2019 , 61, 1189-1195	3.3	9
120	The what, when and how of orthopaedic registers: an introduction into register-based research. <i>EFORT Open Reviews</i> , 2019 , 4, 337-343	5.5	9
119	The efficacy of poly-d,l-lactic acid- and hyaluronic acid-coated bone substitutes on implant fixation in sheep. <i>Journal of Orthopaedic Translation</i> , 2017 , 8, 12-19	4.2	9
118	Probability and heritability estimates on primary osteoarthritis of the hip leading to total hip arthroplasty: a nationwide population based follow-up study in Danish twins. <i>Arthritis Research and Therapy</i> , 2015 , 17, 336	5.7	9
117	Effects of P-15 Peptide Coated Hydroxyapatite on Tibial Defect Repair In Vivo in Normal and Osteoporotic Rats. <i>BioMed Research International</i> , 2015 , 2015, 253858	3	9
116	McNeill on Embodied Perception Theory. <i>Philosophical Quarterly</i> , 2014 , 64, 135-143	0.3	9
115	Blood flow and microdialysis in the human femoral head. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2007 , 78, 56-62	4.3	9
114	Heidegger's Early Critique of Husserl. <i>International Journal of Philosophical Studies</i> , 2003 , 11, 157-175	0.3	9
113	Postoperative 30-day complications after cemented/hybrid versus cementless total hip arthroplasty in osteoarthritis patients > 70 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020 , 91, 286-292	4.3	9
112	The benefits of collaboration: the Nordic Arthroplasty Register Association. <i>EFORT Open Reviews</i> , 2019 , 4, 391-400	5.5	8

111	Effects of a perfusion bioreactor activated novel bone substitute in spine fusion in sheep. <i>European Spine Journal</i> , 2012 , 21, 1740-7	2.7	8
110	Non-surgical treatment of hip osteoarthritis. Hip school, with or without the addition of manual therapy, in comparison to a minimal control intervention: protocol for a three-armed randomized clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 88	2.8	8
109	Radiographic changes in the hip joint in children suffering from Perthes disease. <i>Journal of Pediatric Orthopaedics Part B</i> , 2012 , 21, 220-5	1.4	8
108	Early micromovement of the Articular Surface Replacement (ASR) femoral component: two-year radiostereometry results. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2012 , 94, 1344-50		8
107	Regional variation in incidence of primary total hip arthroplasties and revisions in Denmark, 1996-2002. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2005 , 76, 815-22	4.3	8
106	The influence of surface porosity on gap-healing around intra-articular implants in the presence of migrating particles. <i>Biomaterials</i> , 2005 , 26, 4728-36	15.6	8
105	Postoperative computed tomography three months after lumbar disc surgery. A prospective single-blind study. <i>Spine</i> , 1991 , 16, 620-2	3.3	8
104	Quantifying Gait Quality in Patients with Large-Head and Conventional Total Hip Arthroplasty--A Prospective Cohort Study. <i>Journal of Arthroplasty</i> , 2015 , 30, 2343-8.e1	4.4	7
103	Patient anxiety and concern as predictors for the perceived quality of treatment and patient reported outcome (PRO) in orthopaedic surgery. <i>BMC Health Services Research</i> , 2012 , 12, 244	2.9	7
102	Social perception and "spectator theories" of other minds. <i>Behavioral and Brain Sciences</i> , 2013 , 36, 434-50.9		7
101	Microdialysis in the femoral head of the minipig and in a blood cloth of human blood. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011 , 82, 241-5	4.3	7
100	Constrained liners for recurrent dislocations in total hip arthroplasty. <i>HIP International</i> , 2007 , 17, 78-81	1.7	7
99	Randomized double blind clinical trial of ABM/P-15 versus allograft in noninstrumented lumbar fusion surgery. <i>Spine Journal</i> , 2020 , 20, 677-684	4	7
98	Bone Formation by Sheep Stem Cells in an Ectopic Mouse Model: Comparison of Adipose and Bone Marrow Derived Cells and Identification of Donor-Derived Bone by Antibody Staining. <i>Stem Cells International</i> , 2016 , 2016, 3846971	5	7
97	Risk of medical complications following total hip or knee arthroplasty in patients with rheumatoid arthritis: A register-based cohort study from Denmark. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 30-35	5.3	7
96	Optimizing Osteogenic Differentiation of Ovine Adipose-Derived Stem Cells by Osteogenic Induction Medium and FGFb, BMP2, or NELL1 In Vitro. <i>Stem Cells International</i> , 2018 , 2018, 9781393	5	7
95	Perioperative Tranexamic Acid Treatment and Risk of Cardiovascular Events or Death After Total Hip Arthroplasty: A Population-Based Cohort Study from National Danish Databases. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018 , 100, 1742-1749	5.6	7
94	Poor relation between biomechanical and clinical studies for the proximal femoral locking compression plate. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2017 , 88, 427-433	4.3	6

93	PANSAID-PARacetamol and NSAID in combination: detailed statistical analysis plan for a randomised, blinded, parallel, four-group multicentre clinical trial. <i>Trials</i> , 2017 , 18, 465	2.8	6
92	Assessment of activated porous granules on implant fixation and early bone formation in sheep. <i>Journal of Orthopaedic Translation</i> , 2016 , 5, 38-47	4.2	6
91	Optimizing combination of vascular endothelial growth factor and mesenchymal stem cells on ectopic bone formation in SCID mice. <i>Journal of Biomedical Materials Research - Part A</i> , 2017 , 105, 3326-3332	5.4	6
90	Agreement and precision of periprosthetic bone density measurements in micro-CT, single and dual energy CT. <i>Journal of Orthopaedic Research</i> , 2017 , 35, 1470-1477	3.8	6
89	The effects of glucocorticoid on microarchitecture, collagen, mineral and mechanical properties of sheep femur cortical bone. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2012 , 6, 443-50	4.4	6
88	HOW TO ANALYZE IMMEDIATE EXPERIENCE:. <i>Metaphilosophy</i> , 2008 , 39, 282-304	0.3	6
87	Calcium phosphate coatings for fixation of bone implants. Evaluated mechanically and histologically by stereological methods. <i>Acta Orthopaedica</i> , 2001 , 71, 1-74		6
86	Vitamin E-doped total hip arthroplasty liners show similar head penetration to highly cross-linked polyethylene at five years: a multi-arm randomized controlled trial. <i>Bone and Joint Journal</i> , 2020 , 102-B, 1303-1310	5.6	6
85	Collection and Reporting of Patient-reported Outcome Measures in Arthroplasty Registries: Multinational Survey and Recommendations. <i>Clinical Orthopaedics and Related Research</i> , 2021 , 479, 2151-2166	2.2	6
84	Local Anesthetic Wound Infiltration after Osteosynthesis of Extracapsular Hip Fracture Does Not Reduce Pain or Opioid Requirements: A Randomized, Placebo-Controlled, Double-Blind Clinical Trial in 49 Patients. <i>Pain Research and Management</i> , 2018 , 2018, 6398424	2.6	6
83	Deminerlized bone matrix and human cancellous bone enhance fixation of porous-coated titanium implants in sheep. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2016 , 10, 245-51	4.4	5
82	Non-surgical interventions for excessive anterior pelvic tilt in symptomatic and non-symptomatic adults: a systematic review. <i>EFORT Open Reviews</i> , 2020 , 5, 37-45	5.5	5
81	Effects of substitute coated with hyaluronic acid or poly-lactic acid on implant fixation: Experimental study in ovariectomized and glucocorticoid-treated sheep. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2018 , 12, e1122-e1130	4.4	5
80	Cancellous and Cortical Bone Microarchitectures of Femoral Neck in Rheumatoid Arthritis and Osteoarthritis Compared with Donor Controls. <i>Calcified Tissue International</i> , 2016 , 98, 456-64	3.9	5
79	The effect of education and supervised exercise vs. education alone on the time to total hip replacement in patients with severe hip osteoarthritis. A randomized clinical trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 21	2.8	5
78	MPR realignment increases accuracy when measuring femoral neck anteversion angle. <i>Skeletal Radiology</i> , 2013 , 42, 1119-25	2.7	5
77	Other minds embodied. <i>Continental Philosophy Review</i> , 2017 , 50, 65-80	0.6	5
76	Nordic Orthopaedic Research Society: Copenhagen, October 26-28, 1995. <i>Acta Orthopaedica</i> , 1996 , 67, 54-63		5

75	The reliability of staging and grading of bladder tumours. Impact of misinformation on the pathologist's diagnosis. <i>Scandinavian Journal of Urology and Nephrology</i> , 1993 , 27, 349-53		5
74	Differences in patient characteristics and external validity of randomized clinical trials on pain management following total hip and knee arthroplasty: a systematic review. <i>Regional Anesthesia and Pain Medicine</i> , 2020 , 45, 709-715	3.4	5
73	Reduction in Upper Limb Joint Surgery Among Rheumatoid Arthritis Patients: An Interrupted Time-Series Analysis Using Danish Health Care Registers. <i>Arthritis Care and Research</i> , 2020 , 72, 274-282	4.7	5
72	Total hip arthroplasties in the Dutch Arthroplasty Register (LROI) and the Nordic Arthroplasty Register Association (NARA): comparison of patient and procedure characteristics in 475,685 cases. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 15-22	4.3	5
71	The impact of socioeconomic status on the utilization of total hip arthroplasty during 1995-2017: 104,055 THA cases and 520,275 population controls from national databases in Denmark. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 29-35	4.3	5
70	Enactivism and the Perception of Others's Emotions. <i>Midwest Studies in Philosophy</i> , 2017 , 41, 105-129	0.3	4
69	Collagen-hydroxyapatite composite substitute and bone marrow nuclear cells on posterolateral spine fusion in sheep. <i>Journal of Biomaterials Applications</i> , 2019 , 34, 365-374	2.9	4
68	Cirrhosis is a risk factor for total hip arthroplasty for avascular necrosis. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87, 231-4	4.3	4
67	Radiographic cup position following posterior and lateral approach to total hip arthroplasty. An explorative randomized controlled trial. <i>PLoS ONE</i> , 2018 , 13, e0191401	3.7	4
66	Intra- and inter-observer agreement and reliability of bone mineral density measurements around acetabular cup: a porcine ex-vivo study using single- and dual-energy computed tomography. <i>Acta Radiologica Open</i> , 2017 , 6, 2058460117719746	1.2	4
65	Motivating Disjunctivism. <i>Husserl Studies</i> , 2013 , 29, 51-63	0.4	4
64	ON THE LOOKS OF THINGS. <i>Pacific Philosophical Quarterly</i> , 2010 , 91, 260-284	0.9	4
63	Incisional cellulitis after total hip arthroplasty--a case report. <i>Acta Orthopaedica</i> , 2003 , 74, 622-3		4
62	DEX-2-TKA-DEXamethasone twice for pain treatment after Total Knee Arthroplasty: A protocol for a randomized, blinded, three-group multicentre clinical trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 267-275	1.9	4
61	Impact of socioeconomic status on the 90- and 365-day rate of revision and mortality after primary total hip arthroplasty: a cohort study based on 103,901 patients with osteoarthritis from national databases in Denmark. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 581-588	4.3	4
60	A Single Positive Tissue Culture Increases the Risk of Rerevision of Clinically Aseptic THA: A National Register Study. <i>Clinical Orthopaedics and Related Research</i> , 2019 , 477, 1372-1381	2.2	4
59	Similar early mortality risk after cemented compared with cementless total hip arthroplasty for primary osteoarthritis: data from 188,606 surgeries in the Nordic Arthroplasty Register Association database. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 47-53	4.3	4
58	Mortality and revision risk after femoral neck fracture: comparison of internal fixation for undisplaced fracture with arthroplasty for displaced fracture: a population-based study from Danish National Registries. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 163-169	4.3	4

57	Microcalorimetric detection of staphylococcal biofilm growth on various prosthetic biomaterials after exposure to daptomycin. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 2809-2816	3.8	4
56	Perceptual Error, Conjunctivism, and Husserl. <i>Husserl Studies</i> , 2018 , 34, 25-45	0.4	3
55	Ordinary experience and the epoch—Husserl and Heidegger versus Rosen (and Cavell). <i>Continental Philosophy Review</i> , 2010 , 43, 307-330	0.6	3
54	Effect of dexamethasone as an analgesic adjuvant to multimodal pain treatment after total knee arthroplasty: randomised clinical trial.. <i>BMJ, The</i> , 2022 , 376, e067325	5.9	3
53	Frailty and osteoporosis in patients with hip fractures under the age of 60—a prospective cohort of 218 individuals.. <i>Osteoporosis International</i> , 2022 , 1	5.3	3
52	The role of acetabulum geometry and femoral head-neck ratio in the development of osteoarthritis in young men. <i>HIP International</i> , 2007 , 17, 131-6	1.7	3
51	Consciousness, belief, and the group mind hypothesis. <i>Synthese</i> , 2021 , 198, 1597-1621	0.8	3
50	Validation of registration of pharmacological treatment in the Danish Hip and Knee Arthroplasty Registers. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021 , 128, 455-462	3.1	3
49	Elevation of Inflammatory Cytokines and Proteins after Intra-Articular Ankle Fracture: A Cross-Sectional Study of 47 Ankle Fracture Patients. <i>Mediators of Inflammation</i> , 2021 , 2021, 8897440	4.3	3
48	Comparisons of Efficacy between Autograft and Allograft on Defect Repair in Normal and Osteoporotic Rats. <i>BioMed Research International</i> , 2020 , 2020, 9358989	3	2
47	Homogeneity in prediction of survival probabilities for subcategories of hipprosthesis data: the Nordic Arthroplasty Register Association, 2000-2013. <i>Clinical Epidemiology</i> , 2019 , 11, 519-524	5.9	2
46	Validation of Navigation Ultrasound for Clavicular Length Measurement. <i>Ultrasound in Medicine and Biology</i> , 2017 , 43, 1722-1728	3.5	2
45	3D perfusion bioreactor-activated porous granules on implant fixation and early bone formation in sheep. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2017 , 105, 2465-2476	3.5	2
44	Disjunctivism and the urgency of scepticism. <i>Philosophical Explorations</i> , 2011 , 14, 5-21	0.8	2
43	The ethical residue of language in Levinas and early Wittgenstein. <i>Philosophy and Social Criticism</i> , 2007 , 33, 223-249	0.4	2
42	Light microscopic identification and semiquantification of polyethylene particles in methylmethacrylate and paraffin-embedded experimental bone implant specimens. <i>Journal of Microscopy</i> , 2005 , 218, 225-32	1.9	2
41	External fixation of distal radial fractures: 3 or 5 weeks of external fixation. <i>International Orthopaedics</i> , 2000 , 24, 224-6	3.8	2
40	Risk of mortality and reoperation in hip fracture patients undergoing cemented versus uncemented hemiarthroplasty : a population-based study from Danish National Registries.. <i>Bone and Joint Journal</i> , 2022 , 104-B, 127-133	5.6	2

39	The association between socioeconomic status and the 30- and 90-day risk of infection after total hip arthroplasty : a registry-based cohort study of 103,901 patients with osteoarthritis.. <i>Bone and Joint Journal</i> , 2022 , 104-B, 221-226	5.6	2
38	No Increased Risk for Primary Osteoarthritis in Liver Cirrhosis - A Danish Nationwide Cohort Study. <i>PLoS ONE</i> , 2016 , 11, e0167134	3.7	2
37	Is tranexamic acid use in patients with a hip fracture safe?. <i>Bone and Joint Journal</i> , 2021 , 103-B, 449-455	5.6	2
36	Risk factors for new chronic opioid use after hip fracture surgery: a Danish nationwide cohort study from 2005 to 2016 using the Danish multidisciplinary hip fracture registry. <i>BMJ Open</i> , 2021 , 11, e039238 ³		2
35	Elevation of Pro-Inflammatory Cytokine Levels Following Intra-Articular Fractures-A Systematic Review. <i>Cells</i> , 2021 , 10,	7.9	2
34	3-D microarchitectural properties and rod- and plate-like trabecular morphometric properties of femur head cancellous bones in patients with rheumatoid arthritis, osteoarthritis, and osteoporosis. <i>Journal of Orthopaedic Translation</i> , 2021 , 28, 159-168	4.2	2
33	Association of acute inflammatory cytokines, fracture malreduction, and functional outcome 12 months after intra-articular ankle fracture-a prospective cohort study of 46 patients with ankle fractures. <i>Journal of Orthopaedic Surgery and Research</i> , 2021 , 16, 338	2.8	2
32	Do different types of bearings and noise from total hip arthroplasty influence hip-related pain, function, and quality of life postoperatively?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016 , 87, 567-574	4.3	2
31	Is there a reduction in risk of revision when 36-mm heads instead of 32 mm are used in total hip arthroplasty for patients with proximal femur fractures?. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2020 , 91, 401-407	4.3	2
30	Patient-reported outcome of hip resurfacing arthroplasty and standard total hip replacement after short-term follow-up. <i>Danish Medical Bulletin</i> , 2011 , 58, A4310		2
29	DEX-2-TKA - DEXamethasone twice for pain treatment after Total Knee Arthroplasty: Detailed statistical analysis plan for a randomized, blinded, three-group multicentre clinical trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 839-846	1.9	1
28	Reframing the issue of direct social perception: Comment on "Seeing mental states: An experimental strategy for measuring the observability of other minds" by Cristina Becchio et al. <i>Physics of Life Reviews</i> , 2018 , 24, 96-98	2.1	1
27	Threshold values of ankle dorsiflexion and gross motor function in 60 children with cerebral palsy. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018 , 89, 437-442	4.3	1
26	Mental health and quality of life in shoulder pain patients and hip pain patients assessed by patient reported outcome. <i>International Journal of Orthopaedic and Trauma Nursing</i> , 2014 , 18, 81-88	1.1	1
25	Evaluating of bone healing around porous coated titanium implant and potential systematic bias on the traditional sampling method. <i>Journal of Biomechanics</i> , 2013 , 46, 1415-9	2.9	1
24	Heidegger's Concept of Truth Revisited. <i>Sats</i> , 2002 , 3,	0.3	1
23	Calcium Phosphate Coatings for Implant Fixation 2004 , 35-51		1
22	Effectiveness of instrumented gait analysis in interdisciplinary interventions on parents' perception of family-centered service and on gross motor function in children with cerebral palsy: a randomized controlled trial. <i>BMC Pediatrics</i> , 2020 , 20, 411	2.6	1

21	Vascular Endothelial Growth Factor and Mesenchymal Stem Cells Revealed Similar Bone Formation to Allograft in a Sheep Model. <i>BioMed Research International</i> , 2021 , 2021, 6676609	3	1
20	Drug-related challenges following primary total hip and knee arthroplasty. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021 , 129, 139-147	3.1	1
19	Patient-reported outcome after hip dislocation in primary total hip arthroplasty is virtually unknown: a systematic literature review. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2018 , 89, 595-596	4.3	1
18	Development of a diagnostic algorithm identifying cases of dislocation after primary total hip arthroplasty-based on 31,762 patients from the Danish Hip Arthroplasty Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 137-142	4.3	1
17	Test-retest reliability of Common Mental Disorders Questionnaire (CMDQ) in patients with total hip replacement (THR). <i>BMC Psychology</i> , 2014 , 2, 32	2.8	0
16	Total hip arthroplasty versus progressive resistance training in patients with severe hip osteoarthritis: protocol for a multicentre, parallel-group, randomised controlled superiority trial. <i>BMJ Open</i> , 2021 , 11, e051392	3	0
15	Evaluation of the Oxford Hip Score: Does it still have content validity? Interviews of total hip arthroplasty patients. <i>Health and Quality of Life Outcomes</i> , 2021 , 19, 237	3	0
14	Benefits and harm of paracetamol and ibuprofen in combination for post-operative pain: Pre-planned subgroup analyses of the multicenter, randomized PANSAID trial. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 245-253	1.9	0
13	Low evidence for implementation of well-documented implants regarding risk of early revision: a systematic review on total hip arthroplasty. <i>EFORT Open Reviews</i> , 2021 , 6, 3-8	5.5	0
12	Hip dysplasia is not uncommon but frequently overlooked: a cross-sectional study based on radiographic examination of 1,870 adults. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2021 , 92, 575-580	4.3	0
11	Participants with mild, moderate, or severe pain following total hip arthroplasty. A sub-study of the PANSAID trial on paracetamol and ibuprofen for postoperative pain treatment. <i>Scandinavian Journal of Pain</i> , 2021 , 21, 384-392	1.9	0
10	Acetabular retroversion does not affect outcome in primary hip arthroscopy for femoroacetabular impingement.. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022 , 1	5.5	0
9	Seeing-as, seeing-o, and seeing-that. <i>Philosophical Studies</i> ,1	0.9	0
8	The PANSAID randomized clinical trial: A pre-planned 1-year follow-up regarding harm. <i>Acta Anaesthesiologica Scandinavica</i> , 2020 , 64, 910-912	1.9	
7	Survival and revision causes of hip resurfacing arthroplasty and the Mitch proximal epiphyseal replacement: results from the Danish Hip Arthroplasty Register. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019 , 90, 523-529	4.3	
6	Percutaneous endoscopic management of bilateral transitional cell papillomas of the renal pelvis. Case report. <i>Scandinavian Journal of Urology and Nephrology</i> , 1990 , 24, 157-8		
5	The future of TTOM. <i>Behavioral and Brain Sciences</i> , 2020 , 43, e111	0.9	
4	Evidence for Medical Treatment for Tertiary Prophylaxis of Osteoporosis 2013 , 3-13		

3	The Vertical-Horizontal Illusion. <i>Erkenntnis</i> ,1	0.5
2	Degenerations in Global Morphometry of Cancellous Bone in Rheumatoid Arthritis, Osteoarthritis and Osteoporosis of Femoral Heads are Similar but More Severe than in Ageing Controls. <i>Calcified Tissue International</i> , 2021 , 1	3.9
1	Association of perioperative thromboprophylaxis on revision rate due to infection and aseptic loosening in primary total hip arthroplasty - new evidence from the Nordic Arthroplasty Registry Association (NARA).. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022 , 93, 417-423	4.3