

Hong-Jeng Yu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8754511/publications.pdf>

Version: 2024-02-01

146
papers

3,032
citations

147566

31
h-index

223531

46
g-index

151
all docs

151
docs citations

151
times ranked

3294
citing authors

#	ARTICLE	IF	CITATIONS
1	Importance of Urodynamic Study before Radical Hysterectomy for Cervical Cancer. <i>Gynecologic Oncology</i> , 2001, 81, 270-272.	0.6	103
2	Stopping smoking might reduce tumour recurrence in nonmuscle-invasive bladder cancer. <i>BJU International</i> , 2007, 100, 281-286.	1.3	97
3	EFFECTS OF DIABETES ON FEMALE VOIDING BEHAVIOR. <i>Journal of Urology</i> , 2004, 172, 989-992.	0.2	91
4	Substance P via NK ₁ receptor facilitates hyperactive bladder afferent signaling via action of ROS. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 284, F840-F851.	1.3	89
5	Impact of nocturia on symptom-specific quality of life among community-dwelling adults aged 40 years and older. <i>Urology</i> , 2006, 67, 713-718.	0.5	76
6	Metabolic Syndrome Components Worsen Lower Urinary Tract Symptoms in Women with Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1143-1150.	1.8	75
7	Investigation of Urodynamic Characteristics and Bladder Sensory Function in the Early Stages of Diabetic Bladder Dysfunction in Women With Type 2 Diabetes. <i>Journal of Urology</i> , 2009, 181, 198-203.	0.2	74
8	Determining the Appropriate Length of a Double-Pigtail Ureteral Stent by Both Stent Configurations and Related Symptoms. <i>Journal of Endourology</i> , 2008, 22, 1427-1432.	1.1	70
9	Major Complications and Associated Risk Factors of Transrectal Ultrasound Guided Prostate Needle Biopsy: A Retrospective Study of 1875 Cases in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2007, 106, 929-934.	0.8	64
10	Hypoxia preconditioning attenuates bladder overdistension-induced oxidative injury by up-regulation of Bcl-2 in the rat. <i>Journal of Physiology</i> , 2004, 554, 815-828.	1.3	60
11	Sympathetic vesicovascular reflex induced by acute urinary retention evokes proinflammatory and proapoptotic injury in rat liver. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, F1005-F1014.	1.3	59
12	Noninferiority of silodosin to tamsulosin in treating patients with lower urinary tract symptoms (LUTS) associated with benign prostatic hyperplasia (BPH). <i>BJU International</i> , 2011, 108, 1843-1848.	1.3	58
13	Bladder Dysfunction in Rats With Metabolic Syndrome Induced by Long-Term Fructose Feeding. <i>Journal of Urology</i> , 2008, 179, 2470-2476.	0.2	57
14	Quality of life impact and treatment seeking of Chinese women with urinary incontinence. <i>Quality of Life Research</i> , 2003, 12, 327-333.	1.5	55
15	The effectiveness of tamsulosin in treating women with voiding difficulty. <i>International Journal of Urology</i> , 2008, 15, 981-985.	0.5	54
16	Overactive Bladder Syndrome among Community-Dwelling Adults in Taiwan: Prevalence, Correlates, Perception, and Treatment Seeking. <i>Urologia Internationalis</i> , 2006, 77, 327-333.	0.6	53
17	CKD as a Risk Factor for Bladder Recurrence After Nephroureterectomy for Upper Urinary Tract Urothelial Carcinoma. <i>American Journal of Kidney Diseases</i> , 2007, 50, 743-753.	2.1	52
18	Perception of nocturia and medical consulting behavior among community-dwelling women. <i>International Urogynecology Journal</i> , 2007, 18, 431-436.	0.7	52

#	ARTICLE	IF	CITATIONS
19	Osteoblast-derived WISP-1 increases VCAM-1 expression and enhances prostate cancer metastasis by down-regulating miR-126. <i>Oncotarget</i> , 2014, 5, 7589-7598.	0.8	49
20	Comparison of Overall Sexual Function, Sexual Intercourse/Activity, Sexual Satisfaction, and Sexual Desire During the Three Trimesters of Pregnancy and Assessment of Their Determinants. <i>Journal of Sexual Medicine</i> , 2011, 8, 2859-2867.	0.3	46
21	Unrecognized Voiding Difficulty in Female Type 2 Diabetic Patients in the Diabetes Clinic: A prospective case-control study. <i>Diabetes Care</i> , 2004, 27, 988-989.	4.3	42
22	Appropriate cut-off value for follicle-stimulating hormone in azoospermia to predict spermatogenesis. <i>Reproductive Biology and Endocrinology</i> , 2010, 8, 108.	1.4	41
23	Type 2 diabetes but not metabolic syndrome is associated with an increased risk of lower urinary tract symptoms and erectile dysfunction in men aged ≥ 45 years. <i>BJU International</i> , 2010, 105, 1136-1140.	1.3	40
24	Clinicopathological Characteristics and Survival Outcome of Arsenic Related Bladder Cancer in Taiwan. <i>Journal of Urology</i> , 2009, 181, 547-553.	0.2	37
25	A cocktail regimen of intravesical mitomycin-C, doxorubicin, and cisplatin (MDP) for non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012, 30, 421-427.	0.8	37
26	Pathophysiological Studies of Overactive Bladder and Bladder Motor Dysfunction in a Rat Model of Metabolic Syndrome. <i>Journal of Urology</i> , 2011, 186, 318-325.	0.2	36
27	Characterization of membranous and cytoplasmic EGFR expression in human normal renal cortex and renal cell carcinoma. <i>Journal of Biomedical Science</i> , 2009, 16, 82.	2.6	34
28	Significant association between serum dihydrotestosterone level and prostate volume among Taiwanese men aged 40-79 years. <i>Aging Male</i> , 2012, 15, 28-33.	0.9	33
29	Differences in toxicity and outcome associated with circadian variations between patients undergoing daytime and evening radiotherapy for prostate adenocarcinoma. <i>Chronobiology International</i> , 2016, 33, 210-219.	0.9	33
30	Prognostic Significance of p53 and X-ray Repair Cross-complementing Group 1 Polymorphisms on Prostate-Specific Antigen Recurrence in Prostate Cancer Post-Radical Prostatectomy. <i>Clinical Cancer Research</i> , 2007, 13, 6632-6638.	3.2	31
31	Expression of Stathmin in Localized Upper Urinary Tract Urothelial Carcinoma: Correlations With Prognosis. <i>Urology</i> , 2009, 74, 1264-1269.	0.5	31
32	Prediabetes Is Associated with an Increased Risk of Testosterone Deficiency, Independent of Obesity and Metabolic Syndrome. <i>PLoS ONE</i> , 2013, 8, e74173.	1.1	31
33	Malignant Ureteral Obstruction: Functional Duration of Metallic versus Polymeric Ureteral Stents. <i>PLoS ONE</i> , 2015, 10, e0135566.	1.1	31
34	Long-Term Outcome of Hand-Assisted Laparoscopic Radical Nephroureterectomy for Upper-Tract Urothelial Carcinoma: Comparison with Open Surgery. <i>Journal of Endourology</i> , 2007, 21, 595-599.	1.1	30
35	The Prevalence and the Risk Factors of Testosterone Deficiency in Newly Diagnosed and Previously Known Type 2 Diabetic Men. <i>Journal of Sexual Medicine</i> , 2015, 12, 389-397.	0.3	30
36	Serum Testosterone Levels Significantly Correlate With Nocturia in Men Aged 40-79 Years. <i>Urology</i> , 2011, 78, 631-635.	0.5	29

#	ARTICLE	IF	CITATIONS
37	Anti-angiogenic effects and mechanism of prazosin. <i>Prostate</i> , 2011, 71, 976-984.	1.2	28
38	Urodynamic findings in female diabetic patients with and without overactive bladder symptoms. <i>Neurourology and Urodynamics</i> , 2010, 29, 424-427.	0.8	27
39	Erectile dysfunction, loss of libido and low sexual frequency increase the risk of cardiovascular disease in men with low testosterone. <i>Aging Male</i> , 2016, 19, 96-101.	0.9	27
40	Renal Schwannoma: Case Report and Literature Review. <i>Urology</i> , 2008, 72, 716.e3-716.e6.	0.5	26
41	Choosing the Ideal Length of a Double-Pigtail Ureteral Stent according to Body Height: Study Based on a Chinese Population. <i>Urologia Internationalis</i> , 2009, 83, 70-74.	0.6	26
42	Laparoendoscopic single-site totally extraperitoneal adult inguinal hernia repair: initial 100 patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011, 25, 3579-3583.	1.3	26
43	A comparative study of multiport versus laparoendoscopic single-site adrenalectomy for benign adrenal tumors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012, 26, 1135-1139.	1.3	26
44	Metallic Ureteral Stents in Malignant Ureteral Obstruction: Clinical Factors Predicting Stent Failure. <i>Journal of Endourology</i> , 2014, 28, 729-734.	1.1	25
45	Long-Term Follow-up of Hand-Assisted Laparoscopic Radical Nephrectomy for Organ-Confined Renal Cell Carcinoma. <i>Urology</i> , 2007, 69, 652-655.	0.5	24
46	Low serum sex hormone-binding globulin: Marker of inflammation?. <i>Clinica Chimica Acta</i> , 2012, 413, 803-807.	0.5	24
47	Solifenacin and Tolterodine are Equally Effective in the Treatment of Overactive Bladder Symptoms. <i>Journal of the Formosan Medical Association</i> , 2010, 109, 702-708.	0.8	23
48	Penile Veins Are the Principal Component in Erectile Rigidity: A Study of Penile Venous Stripping on Defrosted Human Cadavers. <i>Journal of Andrology</i> , 2012, 33, 1176-1185.	2.0	23
49	Effect of Age and Outlet Resistance on Rabbit Urinary Bladder Emptying. <i>Journal of Urology</i> , 1997, 158, 924-930.	0.2	22
50	High incidence of and risk factors for metachronous bilateral upper tract urothelial carcinoma in Taiwan. <i>International Journal of Urology</i> , 2006, 13, 864-869.	0.5	22
51	Laparoscopic partial cystectomy for various bladder pathologies. <i>BJU International</i> , 2007, 100, 382-385.	1.3	22
52	Finasteride upregulates expression of androgen receptor in hyperplastic prostate and LNCaP cells: Implications for chemoprevention of prostate cancer. <i>Prostate</i> , 2011, 71, 1115-1121.	1.2	22
53	The usefulness of prostate-specific antigen (PSA) density in patients with intermediate serum PSA level in a country with low incidence of prostate cancer. <i>Urology</i> , 1998, 51, 125-130.	0.5	21
54	Reduction in renal haemodynamics by exaggerated vesicovascular reflex in rats with acute urinary retention. <i>Journal of Physiology</i> , 2000, 526, 397-408.	1.3	21

#	ARTICLE	IF	CITATIONS
55	Therapeutic inhibition of the PKC/ERK/ICAM-1/IL-33 signaling, apoptosis, and autophagy formation in substance P-induced hyperactive bladder in rats. <i>Neurourology and Urodynamics</i> , 2017, 36, 297-307.	0.8	21
56	Laparoscopic simultaneous bilateral partial and total adrenalectomy: a longer follow-up. <i>BJU International</i> , 2009, 104, 1269-1273.	1.3	20
57	CCN3 promotes epithelial-mesenchymal transition in prostate cancer via FAK/Akt/HIF-1 α -induced twist expression. <i>Oncotarget</i> , 2017, 8, 74506-74518.	0.8	20
58	Age-related differential susceptibility to calcium channel blocker and low calcium medium in rat detrusor muscle: Response to field stimulation. , 1996, 15, 563-576.		19
59	Clinical Experience with Ultrasound-Based Real-Time Tracking Lithotripsy in the Single Renal Stone Treatment. <i>Journal of Endourology</i> , 2009, 23, 1811-1815.	1.1	19
60	Contractile responses and calcium mobilization induced by muscarinic agonists in the rat urinary bladder: Effects of age. <i>General Pharmacology</i> , 1997, 28, 623-628.	0.7	18
61	Voiding dysfunction in women with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2004, 50, 166-172.	6.7	18
62	Intermediate Follow-up of Hand-Assisted Retroperitoneoscopic Nephroureterectomy for Management of Upper Urinary Tract Urothelial Carcinoma: Comparison with Open Nephroureterectomy. <i>Urology</i> , 2007, 69, 1030-1034.	0.5	18
63	Characteristics of Female Non-Muscle-Invasive Bladder Cancer in Taiwan: Association with Upper Tract Urothelial Carcinoma and End-Stage Renal Disease. <i>Urology</i> , 2008, 71, 1155-1160.	0.5	18
64	SECULAR TREND AND AGE-PERIOD-COHORT ANALYSIS OF PROSTATE CANCER MORTALITY IN TAIWAN. <i>Journal of Urology</i> , 1997, 158, 1845-1848.	0.2	17
65	Testosterone suppresses uropathogenic <i>Escherichia coli</i> invasion and colonization within prostate cells and inhibits inflammatory responses through JAK/STAT-1 signaling pathway. <i>PLoS ONE</i> , 2017, 12, e0180244.	1.1	17
66	Intermediate-Term Oncological Outcomes of Hand-Assisted Laparoscopic Versus Open Bilateral Nephroureterectomy for Dialysis and Kidney Transplant Patients with Upper Urinary Tract Urothelial Carcinoma. <i>Journal of Endourology</i> , 2009, 23, 1139-1144.	1.1	16
67	Feasibility and safety of total extraperitoneal inguinal hernia repair after previous lower abdominal surgery: a case-control study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011, 25, 3353-3356.	1.3	16
68	Management of Ischemic Penile Gangrene: Prompt Partial Penectomy and Other Treatment Options. <i>Journal of Sexual Medicine</i> , 2008, 5, 2725-2733.	0.3	15
69	Lymphovascular invasion predicts poor outcome of urothelial carcinoma of renal pelvis after nephroureterectomy. <i>BJU International</i> , 2009, 103, 1047-1051.	1.3	15
70	Laparoendoscopic Single-Site (LESS) Nephroureterectomy and En Bloc Resection of Bladder Cuff With a Novel Extravesical Endoloop Technique. <i>Surgical Innovation</i> , 2010, 17, 361-365.	0.4	14
71	Testosterone and sex hormone-binding globulin have significant association with metabolic syndrome in Taiwanese men. <i>Aging Male</i> , 2012, 15, 1-6.	0.9	14
72	Down-regulation of PKC η in renal cell carcinoma and its clinicopathological implications. <i>Journal of Biomedical Science</i> , 2012, 19, 39.	2.6	14

#	ARTICLE	IF	CITATIONS
73	Alterations in peripheral purinergic and muscarinic signaling of rat bladder after long-term fructose-induced metabolic syndrome. <i>European Journal of Nutrition</i> , 2013, 52, 347-359.	1.8	14
74	Clear cell carcinoma of female urethral diverticulum—A case report. <i>Journal of the Formosan Medical Association</i> , 2013, 112, 489-491.	0.8	14
75	Primary Mucinous Adenocarcinoma of Renal Pelvis with Carcinoembryonic Antigen Production. <i>Urology</i> , 2008, 71, 984.e7-984.e8.	0.5	13
76	Novel Inanimate Training Model for Urethrovesical Anastomosis in Laparoscopic Radical Prostatectomy. <i>Asian Journal of Surgery</i> , 2010, 33, 188-192.	0.2	13
77	Prevalence and associated factors of nocturia among adult residents of the Matsu area of Taiwan. <i>Journal of the Formosan Medical Association</i> , 2005, 104, 444-7.	0.8	13
78	Clinical outcome of Taiwanese men with clinically localized prostate cancer post-radical prostatectomy: a comparison with other ethnic groups. <i>Aging Male</i> , 2010, 13, 10-17.	0.9	12
79	An Alternative Access Technique Under Direct Vision for Preperitoneoscopic Pelvic Surgery: Easier for the Beginners. <i>Annals of Surgical Oncology</i> , 2008, 15, 2589-2593.	0.7	11
80	Radical Cystectomy in the Treatment of Bladder Cancer: Oncological Outcome and Survival Predictors. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 872-878.	0.8	11
81	Hyposensitivity of C-fiber Afferents at the Distal Extremities as an Indicator of Early Stages Diabetic Bladder Dysfunction in Type 2 Diabetic Women. <i>PLoS ONE</i> , 2014, 9, e86463.	1.1	11
82	Surgical Management in Enterovesical Fistula in Crohn Disease at a Single Medical Center. <i>International Surgery</i> , 2014, 99, 120-125.	0.0	11
83	Laparoendoscopic single-site (LESS) retroperitoneal partial adrenalectomy using a custom-made single-access platform and standard laparoscopic instruments: Technical considerations and surgical outcomes. <i>Asian Journal of Surgery</i> , 2015, 38, 6-12.	0.2	11
84	Testosterone regulates the intracellular bacterial community formation of uropathogenic <i>Escherichia coli</i> in prostate cells via STAT3. <i>International Journal of Medical Microbiology</i> , 2020, 310, 151450.	1.5	11
85	Chronic kidney disease affects the stone-free rate after extracorporeal shock wave lithotripsy for proximal ureteric stones. <i>BJU International</i> , 2010, 105, 1162-1167.	1.3	10
86	Quinolone Prophylaxis in Transrectal Ultrasound Guided Prostate Biopsy: An Eight-Year Single Center Experience. <i>Scientific World Journal</i> , The, 2013, 2013, 1-6.	0.8	10
87	Testosterone Threshold for Increased Cardiovascular Risk in Middle-Aged and Elderly Men: A Locally Weighted Regression Analysis. <i>Journal of Sexual Medicine</i> , 2016, 13, 1872-1880.	0.3	10
88	Balloon occlusion and hypothermic perfusion of the renal artery in laparoscopic partial nephrectomy. <i>International Journal of Urology</i> , 2008, 15, 967-970.	0.5	9
89	The Role of Chloride Channels in Rat Corpus Cavernosum: In Vivo Study. <i>Journal of Sexual Medicine</i> , 2009, 6, 708-716.	0.3	9
90	Lower Urinary Tract Symptoms and Urinary Flow Rates in Female Patients with Hyperthyroidism. <i>Urology</i> , 2011, 77, 50-54.	0.5	9

#	ARTICLE	IF	CITATIONS
91	Multifactorial causes of irritating bladder symptoms in patients with Sjögren's syndrome. <i>Neurourology and Urodynamics</i> , 2011, 30, 97-101.	0.8	9
92	Associations between lower urinary tract dysfunction and glycemic control in women with type 2 diabetes: A cross-sectional study. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 415-419.	1.2	9
93	Long-Term Outcome of Hand-Assisted Laparoscopic Nephroureterectomy for Pathologic T3 Upper Urinary Tract Urothelial Carcinoma. <i>Journal of Endourology</i> , 2009, 23, 75-80.	1.1	8
94	High incidence of urinary tract malignancy among patients with haematuria following kidney transplantation in Taiwan. <i>Transplant International</i> , 2009, 22, 403-407.	0.8	8
95	Laparoscopic resection of gastric gastrointestinal stromal tumors presenting as left adrenal tumors. <i>World Journal of Gastroenterology</i> , 2012, 18, 96.	1.4	8
96	Comparison of 6- and 12-Core Prostate Biopsy in Taiwanese Men: Impact of Total Prostate-Specific Antigen, Prostate-Specific Antigen Density and Prostate Volume on Prostate Cancer Detection. <i>Urologia Internationalis</i> , 2009, 82, 270-275.	0.6	7
97	Radiotherapy plus Chemotherapy in Muscle-Invasive Bladder Cancer. <i>New England Journal of Medicine</i> , 2012, 367, 379-381.	13.9	7
98	Enhanced uropathogenic <i>Escherichia coli</i> -induced infection in uroepithelial cells by sugar through TLR-4 and JAK/STAT1 signaling pathways. <i>Journal of Microbiology, Immunology and Infection</i> , 2021, 54, 193-205.	1.5	7
99	Diagnosis of bilateral aldosterone-producing adenomas. <i>Kidney International</i> , 2007, 72, 228.	2.6	6
100	Comparison Between Hand-assisted Laparoscopic and Retroperitoneoscopic Nephroureterectomy for the Management of Upper Urinary Tract Urothelial Carcinoma: Analysis of an Intermediate Follow-up Period. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2008, 18, 49-53.	0.4	6
101	Reliability and Validity of the Taiwan Chinese Version of the EORTC QLQ-PR25 in Assessing Quality of Life of Prostate Cancer Patients. <i>Urological Science</i> , 2010, 21, 118-125.	0.2	6
102	Laparoscopic Radical Prostatectomy Monotherapy, a More Aggressive Yet Less Invasive Option, Is Oncologically Effective in Selected Men with High-Risk Prostate Cancer Having Only One D'Amico Risk Factor: Experience from an Asian Tertiary Referral Center. <i>Journal of Endourology</i> , 2014, 28, 165-171.	1.1	6
103	Results of a randomized, double-blind, placebo-controlled study of mirabegron in a Taiwanese population with overactive bladder and comparison with other clinical trials. <i>Urological Science</i> , 2015, 26, 41-48.	0.2	6
104	Scrotal Mass with Bladder Outlet Obstruction. <i>Urology</i> , 2008, 72, 66-67.	0.5	5
105	Laparoscopic Management of Potentially Malignant or Complex Adrenal Cysts Abiding by the Principles of Surgical Oncology. <i>Journal of Endourology</i> , 2009, 23, 107-114.	1.1	5
106	Diagnostic Value of Finger-guided Prostate Nodule Biopsy Combined With Systemic Random Biopsy. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 713-718.	0.8	5
107	Intrathoracic kidney with right Bochdalek's hernia. <i>Kidney International</i> , 2010, 77, 166.	2.6	5
108	The Activation of Peripheral 5-HT1A Receptors Can Inhibit Seminal Vesicle Contraction: An In Vivo Animal Study. <i>Urology</i> , 2011, 78, 376-379.	0.5	5

#	ARTICLE	IF	CITATIONS
109	Bladder Migration of Hem-o-Lok Clips After Laparoscopic Radical Nephroureterectomy and Bladder Cuff Excision. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2011, 21, e130-e131.	0.4	5
110	Retroperitoneoscopic laparo-endoscopic single-site radical nephrectomy (RLESS-RN): initial experience with a homemade port. <i>World Journal of Surgical Oncology</i> , 2011, 9, 138.	0.8	5
111	Oncologic Outcomes of Asian Men with Clinically Localized Prostate Cancer after Extraperitoneal Laparoscopic Radical Prostatectomy: A Single-Institution Experience. <i>Prostate Cancer</i> , 2011, 2011, 1-7.	0.4	5
112	Perirenal Venous Aneurysm Presenting as Retroperitoneal Tumor Treated Successfully by Laparoscopic Excision. <i>Journal of Endourology</i> , 2007, 21, 1329-1332.	1.1	4
113	Laparo-endoscopic single-site (LESS) bilateral nephroureterectomy for patients with end-stage renal disease. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2013, 22, 61-64.	0.6	4
114	Transurethral RollerLoop vapor resection of prostate for treatment of symptomatic benign prostatic hyperplasia: A 2-year follow-up study. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006, 40, 409-415.	1.4	3
115	Metastatic Hepatocellular Carcinoma in the Urinary Bladder with Radiation-induced Hemorrhagic Cystitis. <i>Journal of the Formosan Medical Association</i> , 2007, 106, 861-863.	0.8	3
116	Urothelial Carcinoma in Kidney Transplant Recipients: Conversion From Calcineurin Inhibitor to Proliferation Signal Inhibitor?. <i>American Journal of Kidney Diseases</i> , 2008, 52, 630.	2.1	3
117	Bilateral Renal Infarction. <i>Urology</i> , 2009, 73, 273-274.	0.5	3
118	Urethro-subcutaneous fistula and bilateral abscesses of the thighs. <i>International Journal of Infectious Diseases</i> , 2009, 13, e523-e524.	1.5	3
119	Black urine. <i>Internal Medicine Journal</i> , 2011, 41, 642-643.	0.5	3
120	Ketoconazole in Taiwanese castration-resistant prostate cancer patients: Evaluation of response rates, durations, and predictors. <i>Urological Science</i> , 2012, 23, 48-51.	0.2	3
121	The Case of Acute heart failure with elevated cardiac enzymes. <i>Kidney International</i> , 2007, 72, 521-523.	2.6	2
122	CLINICAL SIGNIFICANCE OF LYMPHOVASCULAR INVASION IN UPPER URINARY TRACT UROTHELIAL CANCER. <i>BJU International</i> , 2008, 102, 1749-1750.	1.3	2
123	Re: Ching-Chia Li, Tu-Hao Chang, Wen-Jeng Wu, et al. Significant Predictive Factors for Prognosis of Primary Upper Urinary Tract Cancer after Radical Nephroureterectomy in Taiwanese Patients. <i>Eur Urol</i> 2008;54:1127-35. <i>European Urology</i> , 2009, 55, e69-e70.	0.9	2
124	Re: Keqin Z, et al. Clinical Significance of Intravesical Prostatic Protrusion in Patients With Benign Prostatic Enlargement (<i>Urology</i> 2007;70:1096-1099). <i>Urology</i> , 2009, 73, 216.	0.5	2
125	Re: Ho et al.: Primary Mucinous Adenocarcinoma of Renal Pelvis With Carcinoembryonic Antigen Production. (<i>Urology</i> 2008;71:e7-e8). <i>Urology</i> , 2009, 74, 475.	0.5	2
126	An unusual cause of pyonephrosis and intra-peritoneal abscess: ureteral urothelial carcinoma. <i>International Journal of Infectious Diseases</i> , 2009, 13, e39-e40.	1.5	2

#	ARTICLE	IF	CITATIONS
127	Retrieval of a Misplaced Double-J Ureteral Stent in the Renal Pelvis. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2009, 19, e24-e25.	0.4	2
128	Pneumopelvis, pneumoureter and pneumobladder. QJM - Monthly Journal of the Association of Physicians, 2012, 105, 199-200.	0.2	2
129	End-stage renal failure from asymptomatic bilateral ureteric stones. Kidney International, 2007, 72, 1416.	2.6	1
130	THE ROLE OF LYMPH NODE DISSECTION IN THE TREATMENT OF UPPER URINARY TRACT CANCER: A MULTICENTRAL INSTITUTIONAL STUDY. BJU International, 2008, 102, 639-640.	1.3	1
131	Prediction of Postsurgical Pain from Hand-Assisted Laparoscopic Nephroureterectomy. Tzu Chi Medical Journal, 2008, 20, 130-135.	0.4	1
132	Bilateral seminal vesicle abscesses. International Journal of Infectious Diseases, 2009, 13, e37-e38.	1.5	1
133	Novel Treatments for Men with Lower Urinary Tract Symptoms Suggestive of Benign Prostate Hyperplasia. Journal of the Formosan Medical Association, 2009, 108, 349-352.	0.8	1
134	Emphysematous cystitis. International Journal of Infectious Diseases, 2010, 14, e269-e270.	1.5	1
135	Association between Schizophrenia and Urinary Calculi: A Population-Based Case-Control Study. PLoS ONE, 2013, 8, e56942.	1.1	1
136	Massive hydronephrosis. Kidney International, 2007, 72, 132.	2.6	0
137	Re: Marco Roscigno, Cesare Cozzarini, Roberto Bertini, et al. Prognostic Value of Lymph Node Dissection in Patients with Muscle-Invasive Transitional Cell Carcinoma of the Upper Urinary Tract. Eur Urol 2008;53:794-802. European Urology, 2008, 54, 953-954.	0.9	0
138	Response to "Diagnosis of aldosterone producing adenomas". Kidney International, 2008, 73, 363-364.	2.6	0
139	Re: Sigurdur Gudjonsson, Björn L. Isfoss, Kerstin Hansson, et al. The Value of the UroVysion® Assay for Surveillance of Non-Muscle-Invasive Bladder Cancer. Eur Urol 2008;54:402-8. European Urology, 2009, 55, e29.	0.9	0
140	ILIAC ARTERY ANEURYSM MISTAKEN FOR DISTENDED BLADDER. Journal of the American Geriatrics Society, 2009, 57, 2350-2351.	1.3	0
141	Emphysematous cystitis. International Journal of Infectious Diseases, 2010, 14, e363-e364.	1.5	0
142	An Unusual Presentation of Prostate Adenocarcinoma Metastatic to the Oral Cavity. Urological Science, 2011, 22, 83-85.	0.2	0
143	Long-term oncologic outcomes of hand-assisted retroperitoneoscopic radical nephrectomy to treat clinically localized renal cell carcinoma. Journal of the Formosan Medical Association, 2012, 111, 41-45.	0.8	0
144	Re: Gianluca Giannarini, Thomas M. Kessler, Frédéric D. Birkhäuser, George N. Thalmann, Urs E. Studer. Antegrade Perfusion With Bacillus Calmette-Guérin in Patients With Non-Muscle-Invasive Urothelial Carcinoma of the Upper Urinary Tract: Who May Benefit? Eur Urol 2011;60:955-60. European Urology, 2012, 61, e21.	0.9	0

#	ARTICLE	IF	CITATIONS
145	Association between Metabolic Syndrome and Lower Urinary Tract Symptoms: Evidences from Epidemiological Studies. LUTS: Lower Urinary Tract Symptoms, 2012, 4, 8-10.	0.6	0
146	Intravesical Xylocaine and Heparin in the Treatment of Interstitial Cystitis. Japanese Journal of Urology, 1995, 86, 156.	0.0	0