

Hong-Jeng Yu

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8754511/hong-jeng-yu-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147
papers

2,472
citations

28
h-index

41
g-index

151
ext. papers

2,773
ext. citations

4
avg, IF

4.54
L-index

#	Paper	IF	Citations
147	Importance of urodynamic study before radical hysterectomy for cervical cancer. <i>Gynecologic Oncology</i> , 2001 , 81, 270-2	4.9	97
146	Stopping smoking might reduce tumour recurrence in nonmuscle-invasive bladder cancer. <i>BJU International</i> , 2007 , 100, 281-6; discussion 286	5.6	76
145	Substance P via NK1 receptor facilitates hyperactive bladder afferent signaling via action of ROS. <i>American Journal of Physiology - Renal Physiology</i> , 2003 , 284, F840-51	4.3	72
144	Effects of diabetes on female voiding behavior. <i>Journal of Urology</i> , 2004 , 172, 989-92	2.5	72
143	Impact of nocturia on symptom-specific quality of life among community-dwelling adults aged 40 years and older. <i>Urology</i> , 2006 , 67, 713-8	1.6	71
142	Metabolic syndrome components worsen lower urinary tract symptoms in women with type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 1143-50	5.6	61
141	Investigation of urodynamic characteristics and bladder sensory function in the early stages of diabetic bladder dysfunction in women with type 2 diabetes. <i>Journal of Urology</i> , 2009 , 181, 198-203	2.5	60
140	Major complications and associated risk factors of transrectal ultrasound guided prostate needle biopsy: a retrospective study of 1875 cases in taiwan. <i>Journal of the Formosan Medical Association</i> , 2007 , 106, 929-34	3.2	56
139	Determining the appropriate length of a double-pigtail ureteral stent by both stent configurations and related symptoms. <i>Journal of Endourology</i> , 2008 , 22, 1427-31	2.7	54
138	Hypoxia preconditioning attenuates bladder overdistension-induced oxidative injury by up-regulation of Bcl-2 in the rat. <i>Journal of Physiology</i> , 2004 , 554, 815-28	3.9	54
137	Quality of life impact and treatment seeking of Chinese women with urinary incontinence. <i>Quality of Life Research</i> , 2003 , 12, 327-33	3.7	51
136	Sympathetic vesicovascular reflex induced by acute urinary retention evokes proinflammatory and proapoptotic injury in rat liver. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 288, F1005-14	4.3	51
135	Perception of nocturia and medical consulting behavior among community-dwelling women. <i>International Urogynecology Journal</i> , 2007 , 18, 431-6	2	46
134	Non-inferiority of silodosin to tamsulosin in treating patients with lower urinary tract symptoms (LUTS) associated with benign prostatic hyperplasia (BPH). <i>BJU International</i> , 2011 , 108, 1843-8	5.6	45
133	Bladder dysfunction in rats with metabolic syndrome induced by long-term fructose feeding. <i>Journal of Urology</i> , 2008 , 179, 2470-6	2.5	45
132	CKD as a risk factor for bladder recurrence after nephroureterectomy for upper urinary tract urothelial carcinoma. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 743-53	7.4	44
131	The effectiveness of tamsulosin in treating women with voiding difficulty. <i>International Journal of Urology</i> , 2008 , 15, 981-5	2.3	42

130	Osteoblast-derived WNT-induced secreted protein 1 increases VCAM-1 expression and enhances prostate cancer metastasis by down-regulating miR-126. <i>Oncotarget</i> , 2014 , 5, 7589-98	3.3	42
129	Overactive bladder syndrome among community-dwelling adults in Taiwan: prevalence, correlates, perception, and treatment seeking. <i>Urologia Internationalis</i> , 2006 , 77, 327-33	1.9	40
128	Unrecognized voiding difficulty in female type 2 diabetic patients in the diabetes clinic: a prospective case-control study. <i>Diabetes Care</i> , 2004 , 27, 988-9	14.6	34
127	A cocktail regimen of intravesical mitomycin-C, doxorubicin, and cisplatin (MDP) for non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2012 , 30, 421-7	2.8	32
126	Clinicopathological characteristics and survival outcome of arsenic related bladder cancer in taiwan. <i>Journal of Urology</i> , 2009 , 181, 547-52; discussion 553	2.5	32
125	Appropriate cut-off value for follicle-stimulating hormone in azoospermia to predict spermatogenesis. <i>Reproductive Biology and Endocrinology</i> , 2010 , 8, 108	5	31
124	Comparison of overall sexual function, sexual intercourse/activity, sexual satisfaction, and sexual desire during the three trimesters of pregnancy and assessment of their determinants. <i>Journal of Sexual Medicine</i> , 2011 , 8, 2859-67	1.1	30
123	Characterization of membranous and cytoplasmic EGFR expression in human normal renal cortex and renal cell carcinoma. <i>Journal of Biomedical Science</i> , 2009 , 16, 82	13.3	29
122	Expression of stathmin in localized upper urinary tract urothelial carcinoma: correlations with prognosis. <i>Urology</i> , 2009 , 74, 1264-9	1.6	29
121	Prognostic significance of p53 and X-ray repair cross-complementing group 1 polymorphisms on prostate-specific antigen recurrence in prostate cancer post radical prostatectomy. <i>Clinical Cancer Research</i> , 2007 , 13, 6632-8	12.9	29
120	Type 2 diabetes but not metabolic syndrome is associated with an increased risk of lower urinary tract symptoms and erectile dysfunction in men aged . <i>BJU International</i> , 2010 , 105, 1136-40	5.6	28
119	Long-term outcome of hand-assisted laparoscopic radical nephroureterectomy for upper-tract urothelial carcinoma: comparison with open surgery. <i>Journal of Endourology</i> , 2007 , 21, 595-9	2.7	28
118	Significant association between serum dihydrotestosterone level and prostate volume among Taiwanese men aged 40-79 years. <i>Aging Male</i> , 2012 , 15, 28-33	2.1	26
117	A comparative study of multiport versus laparoendoscopic single-site adrenalectomy for benign adrenal tumors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2012 , 26, 1135-9	5.2	26
116	Serum testosterone levels significantly correlate with nocturia in men aged 40-79 years. <i>Urology</i> , 2011 , 78, 631-5	1.6	26
115	Pathophysiological studies of overactive bladder and bladder motor dysfunction in a rat model of metabolic syndrome. <i>Journal of Urology</i> , 2011 , 186, 318-25	2.5	26
114	Anti-angiogenic effects and mechanism of prazosin. <i>Prostate</i> , 2011 , 71, 976-84	4.2	26
113	Erectile dysfunction, loss of libido and low sexual frequency increase the risk of cardiovascular disease in men with low testosterone. <i>Aging Male</i> , 2016 , 19, 96-101	2.1	25

112	Laparoendoscopic single-site totally extraperitoneal adult inguinal hernia repair: initial 100 patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 3579-83	5.2	25
111	Urodynamic findings in female diabetic patients with and without overactive bladder symptoms. <i>Neurourology and Urodynamics</i> , 2010 , 29, 424-7	2.3	25
110	Prediabetes is associated with an increased risk of testosterone deficiency, independent of obesity and metabolic syndrome. <i>PLoS ONE</i> , 2013 , 8, e74173	3.7	25
109	The prevalence and the risk factors of testosterone deficiency in newly diagnosed and previously known type 2 diabetic men. <i>Journal of Sexual Medicine</i> , 2015 , 12, 389-97	1.1	24
108	Differences in toxicity and outcome associated with circadian variations between patients undergoing daytime and evening radiotherapy for prostate adenocarcinoma. <i>Chronobiology International</i> , 2016 , 33, 210-9	3.6	24
107	Malignant Ureteral Obstruction: Functional Duration of Metallic versus Polymeric Ureteral Stents. <i>PLoS ONE</i> , 2015 , 10, e0135566	3.7	23
106	Penile veins are the principal component in erectile rigidity: a study of penile venous stripping on defrosted human cadavers. <i>Journal of Andrology</i> , 2012 , 33, 1176-85		22
105	Renal Schwannoma: case report and literature review. <i>Urology</i> , 2008 , 72, 716.e3-6	1.6	21
104	Effect of Age and Outlet Resistance on Rabbit Urinary Bladder Emptying. <i>Journal of Urology</i> , 1997 , 158, 924-930	2.5	20
103	Long-term follow-up of hand-assisted laparoscopic radical nephrectomy for organ-confined renal cell carcinoma. <i>Urology</i> , 2007 , 69, 652-5	1.6	20
102	Low serum sex hormone-binding globulin: marker of inflammation?. <i>Clinica Chimica Acta</i> , 2012 , 413, 803-7.2		19
101	Reduction in renal haemodynamics by exaggerated vesicovascular reflex in rats with acute urinary retention. <i>Journal of Physiology</i> , 2000 , 526 Pt 2, 397-408	3.9	19
100	Finasteride upregulates expression of androgen receptor in hyperplastic prostate and LNCaP cells: implications for chemoprevention of prostate cancer. <i>Prostate</i> , 2011 , 71, 1115-21	4.2	18
99	Choosing the ideal length of a double-pigtail ureteral stent according to body height: study based on a Chinese population. <i>Urologia Internationalis</i> , 2009 , 83, 70-4	1.9	18
98	High incidence of and risk factors for metachronous bilateral upper tract urothelial carcinoma in Taiwan. <i>International Journal of Urology</i> , 2006 , 13, 864-9	2.3	18
97	Metallic ureteral stents in malignant ureteral obstruction: clinical factors predicting stent failure. <i>Journal of Endourology</i> , 2014 , 28, 729-34	2.7	17
96	Solifenacin and tolterodine are equally effective in the treatment of overactive bladder symptoms. <i>Journal of the Formosan Medical Association</i> , 2010 , 109, 702-8	3.2	17
95	Laparoscopic partial cystectomy for various bladder pathologies. <i>BJU International</i> , 2007 , 100, 382-5	5.6	17

94	The usefulness of prostate-specific antigen (PSA) density in patients with intermediate serum PSA level in a country with low incidence of prostate cancer. <i>Urology</i> , 1998 , 51, 125-30	1.6	17
93	Age-related differential susceptibility to calcium channel blocker and low calcium medium in rat detrusor muscle: response to field stimulation. <i>Neurourology and Urodynamics</i> , 1996 , 15, 563-76	2.3	17
92	l-Theanine inhibits proinflammatory PKC/ERK/ICAM-1/IL-33 signaling, apoptosis, and autophagy formation in substance P-induced hyperactive bladder in rats. <i>Neurourology and Urodynamics</i> , 2017 , 36, 297-307	2.3	16
91	Laparoscopic simultaneous bilateral partial and total adrenalectomy: a longer follow-up. <i>BJU International</i> , 2009 , 104, 1269-73	5.6	16
90	Contractile responses and calcium mobilization induced by muscarinic agonists in the rat urinary bladder: effects of age. <i>General Pharmacology</i> , 1997 , 28, 623-8		16
89	Secular trend and age-period-cohort analysis of prostate cancer mortality in Taiwan. <i>Journal of Urology</i> , 1997 , 158, 1845-8	2.5	15
88	Feasibility and safety of total extraperitoneal inguinal hernia repair after previous lower abdominal surgery: a case-control study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 3353-6	5.2	14
87	Laparoendoscopic single-site (LESS) nephroureterectomy and en bloc resection of bladder cuff with a novel extravesical endoloop technique. <i>Surgical Innovation</i> , 2010 , 17, 361-5	2	14
86	Intermediate follow-up of hand-assisted retroperitoneoscopic nephroureterectomy for management of upper urinary tract urothelial carcinoma: comparison with open nephroureterectomy. <i>Urology</i> , 2007 , 69, 1030-4	1.6	14
85	Intermediate-term oncological outcomes of hand-assisted laparoscopic versus open bilateral nephroureterectomy for dialysis and kidney transplant patients with upper urinary tract urothelial carcinoma. <i>Journal of Endourology</i> , 2009 , 23, 1139-44	2.7	13
84	Clinical experience with ultrasound-based real-time tracking lithotripsy in the single renal stone treatment. <i>Journal of Endourology</i> , 2009 , 23, 1811-5	2.7	13
83	Characteristics of female non-muscle-invasive bladder cancer in Taiwan: association with upper tract urothelial carcinoma and end-stage renal disease. <i>Urology</i> , 2008 , 71, 1155-60	1.6	13
82	Voiding dysfunction in women with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2004 , 50, 166-72		13
81	Prevalence and associated factors of nocturia among adult residents of the Matsu area of Taiwan. <i>Journal of the Formosan Medical Association</i> , 2005 , 104, 444-7	3.2	13
80	Sulforaphane Improves Ischemia-Induced Detrusor Overactivity by Downregulating the Enhancement of Associated Endoplasmic Reticulum Stress, Autophagy, and Apoptosis in Rat Bladder. <i>Scientific Reports</i> , 2016 , 6, 36110	4.9	12
79	Down-regulation of PKC η in renal cell carcinoma and its clinicopathological implications. <i>Journal of Biomedical Science</i> , 2012 , 19, 39	13.3	12
78	Lymphovascular invasion predicts poor outcome of urothelial carcinoma of renal pelvis after nephroureterectomy. <i>BJU International</i> , 2009 , 103, 1047-51	5.6	12
77	Testosterone and sex hormone-binding globulin have significant association with metabolic syndrome in Taiwanese men. <i>Aging Male</i> , 2012 , 15, 1-6	2.1	12

76	Novel inanimate training model for urethrovesical anastomosis in laparoscopic radical prostatectomy. <i>Asian Journal of Surgery</i> , 2010 , 33, 188-92	1.6	12
75	CCN3 promotes epithelial-mesenchymal transition in prostate cancer via FAK/Akt/HIF-1 β induced twist expression. <i>Oncotarget</i> , 2017 , 8, 74506-74518	3.3	12
74	Clear cell carcinoma of female urethral diverticulum--a case report. <i>Journal of the Formosan Medical Association</i> , 2013 , 112, 489-91	3.2	11
73	Laparoendoscopic single-site (LESS) retroperitoneal partial adrenalectomy using a custom-made single-access platform and standard laparoscopic instruments: technical considerations and surgical outcomes. <i>Asian Journal of Surgery</i> , 2015 , 38, 6-12	1.6	10
72	Quinolone prophylaxis in transrectal ultrasound guided prostate biopsy: an eight-year single center experience. <i>Scientific World Journal, The</i> , 2013 , 2013, 452107	2.2	10
71	An alternative access technique under direct vision for preperitoneoscopic pelvic surgery: easier for the beginners. <i>Annals of Surgical Oncology</i> , 2008 , 15, 2589-93	3.1	10
70	Testosterone Threshold for Increased Cardiovascular Risk in Middle-Aged and Elderly Men: A Locally Weighted Regression Analysis. <i>Journal of Sexual Medicine</i> , 2016 , 13, 1872-1880	1.1	9
69	Lower urinary tract symptoms and urinary flow rates in female patients with hyperthyroidism. <i>Urology</i> , 2011 , 77, 50-4	1.6	9
68	Clinical outcome of Taiwanese men with clinically localized prostate cancer post-radical prostatectomy: a comparison with other ethnic groups. <i>Aging Male</i> , 2010 , 13, 10-7	2.1	9
67	The role of chloride channels in rat corpus cavernosum: in vivo study. <i>Journal of Sexual Medicine</i> , 2009 , 6, 708-16	1.1	9
66	Management of ischemic penile gangrene: prompt partial penectomy and other treatment options. <i>Journal of Sexual Medicine</i> , 2008 , 5, 2725-33	1.1	9
65	Primary mucinous adenocarcinoma of renal pelvis with carcinoembryonic antigen production. <i>Urology</i> , 2008 , 71, 984.e7-8	1.6	9
64	Surgical management in enterovesical fistula in Crohn disease at a single medical center. <i>International Surgery</i> , 2014 , 99, 120-5	0.1	8
63	Hyposensitivity of C-fiber afferents at the distal extremities as an indicator of early stages diabetic bladder dysfunction in type 2 diabetic women. <i>PLoS ONE</i> , 2014 , 9, e86463	3.7	8
62	Multifactorial causes of irritating bladder symptoms in patients with Sjögren's syndrome. <i>Neurourology and Urodynamics</i> , 2011 , 30, 97-101	2.3	8
61	Chronic kidney disease affects the stone-free rate after extracorporeal shock wave lithotripsy for proximal ureteric stones. <i>BJU International</i> , 2010 , 105, 1162-7	5.6	8
60	Long-term outcome of hand-assisted laparoscopic nephroureterectomy for pathologic T3 upper urinary tract urothelial carcinoma. <i>Journal of Endourology</i> , 2009 , 23, 75-80	2.7	8
59	Radical cystectomy in the treatment of bladder cancer: oncological outcome and survival predictors. <i>Journal of the Formosan Medical Association</i> , 2009 , 108, 872-8	3.2	8

58	Alterations in peripheral purinergic and muscarinic signaling of rat bladder after long-term fructose-induced metabolic syndrome. <i>European Journal of Nutrition</i> , 2013 , 52, 347-59	5.2	7
57	Comparison of 6- and 12-core prostate biopsy in Taiwanese men: impact of total prostate-specific antigen, prostate-specific antigen density and prostate volume on prostate cancer detection. <i>Urologia Internationalis</i> , 2009 , 82, 270-5	1.9	7
56	Laparoscopic resection of gastric gastrointestinal stromal tumors presenting as left adrenal tumors. <i>World Journal of Gastroenterology</i> , 2012 , 18, 96-8	5.6	7
55	Laparoscopic radical prostatectomy monotherapy, a more aggressive yet less invasive option, is oncologically effective in selected men with high-risk prostate cancer having only one D'Amico risk factor: experience from an Asian tertiary referral center. <i>Journal of Endourology</i> , 2014 , 28, 165-71	2.7	6
54	Reliability and Validity of the Taiwan Chinese Version of the EORTC QLQ-PR25 in Assessing Quality of Life of Prostate Cancer Patients. <i>Urological Science</i> , 2010 , 21, 118-125	0.3	6
53	Balloon occlusion and hypothermic perfusion of the renal artery in laparoscopic partial nephrectomy. <i>International Journal of Urology</i> , 2008 , 15, 967-70	2.3	6
52	Diagnosis of bilateral aldosterone-producing adenomas. <i>Kidney International</i> , 2007 , 72, 228	9.9	6
51	Associations between lower urinary tract dysfunction and glycemic control in women with type 2 diabetes: A cross-sectional study. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 415-9	3.2	5
50	Laparoscopic management of potentially malignant or complex adrenal cysts abiding by the principles of surgical oncology. <i>Journal of Endourology</i> , 2009 , 23, 107-13	2.7	5
49	High incidence of urinary tract malignancy among patients with haematuria following kidney transplantation in Taiwan. <i>Transplant International</i> , 2009 , 22, 403-7	3	5
48	Comparison between hand-assisted laparoscopic and retroperitoneoscopic nephroureterectomy for the management of upper urinary tract urothelial carcinoma: analysis of an intermediate follow-up period. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2008 , 18, 49-53	1.3	5
47	Testosterone suppresses uropathogenic <i>Escherichia coli</i> invasion and colonization within prostate cells and inhibits inflammatory responses through JAK/STAT-1 signaling pathway. <i>PLoS ONE</i> , 2017 , 12, e0180244	3.7	5
46	Laparo-endoscopic single-site (LESS) bilateral nephroureterectomy for patients with end-stage renal disease. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2013 , 22, 61-4	2.1	4
45	Bladder migration of Hem-o-Lok clips after laparoscopic radical nephroureterectomy and bladder cuff excision. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2011 , 21, e130-1	1.3	4
44	Retroperitoneoscopic laparo-endoscopic single-site radical nephrectomy (RLESS-RN): initial experience with a homemade port. <i>World Journal of Surgical Oncology</i> , 2011 , 9, 138	3.4	4
43	Intrathoracic kidney with right Bochdalek's hernia. <i>Kidney International</i> , 2010 , 77, 166	9.9	4
42	Oncologic outcomes of asian men with clinically localized prostate cancer after extraperitoneal laparoscopic radical prostatectomy: a single-institution experience. <i>Prostate Cancer</i> , 2011 , 2011, 748616 ¹⁻⁹	1.9	4
41	Diagnostic value of finger-guided prostate nodule biopsy combined with systemic random biopsy. <i>Journal of the Formosan Medical Association</i> , 2009 , 108, 713-8	3.2	4

40	Scrotal mass with bladder outlet obstruction. <i>Urology</i> , 2008 , 72, 66-7	1.6	4
39	Results of a randomized, double-blind, placebo-controlled study of mirabegron in a Taiwanese population with overactive bladder and comparison with other clinical trials. <i>Urological Science</i> , 2015 , 26, 41-48	0.3	3
38	The activation of peripheral 5-HT1A receptors can inhibit seminal vesicle contraction: an in vivo animal study. <i>Urology</i> , 2011 , 78, 376-9	1.6	3
37	Black urine. <i>Internal Medicine Journal</i> , 2011 , 41, 642-3	1.6	3
36	Bilateral renal infarction. <i>Urology</i> , 2009 , 73, 273-4	1.6	3
35	Radiotherapy plus chemotherapy in muscle-invasive bladder cancer. <i>New England Journal of Medicine</i> , 2012 , 367, 379; author reply 380-1	59.2	3
34	Urethro-subcutaneous fistula and bilateral abscesses of the thighs. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e523-4	10.5	3
33	Perirenal venous aneurysm presenting as retroperitoneal tumor treated successfully by laparoscopic excision. <i>Journal of Endourology</i> , 2007 , 21, 1329-31	2.7	3
32	Re: Ching-Chia Li, Tu-Hao Chang, Wen-Jeng Wu, et al. Significant predictive factors for prognosis of primary upper urinary tract cancer after radical nephroureterectomy in taiwanese patients. <i>Eur Urol</i> 2008;54:1127-35. <i>European Urology</i> , 2009 , 55, e69-70; author reply e71	10.2	2
31	Re: Keqin z, et al. Clinical significance of intravesical prostatic protrusion in patients with benign prostatic enlargement (<i>Urology</i> 2007;70:1096-1099). <i>Urology</i> , 2009 , 73, 216	1.6	2
30	Pneumopelvis, pneumoureter and pneumobladder. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2012 , 105, 199-200	2.7	2
29	An unusual cause of pyonephrosis and intra-peritoneal abscess: ureteral urothelial carcinoma. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e39-40	10.5	2
28	Retrieval of a misplaced double-J ureteral stent in the renal pelvis: a novel technique. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , 2009 , 19, e24-5	1.3	2
27	Metastatic hepatocellular carcinoma in the urinary bladder with radiation-induced hemorrhagic cystitis. <i>Journal of the Formosan Medical Association</i> , 2007 , 106, 861-3	3.2	2
26	Ketoconazole in Taiwanese castration-resistant prostate cancer patients: Evaluation of response rates, durations, and predictors. <i>Urological Science</i> , 2012 , 23, 48-51	0.3	1
25	Medical Imagery. Emphysematous cystitis. <i>International Journal of Infectious Diseases</i> , 2010 , 14, e269-70	10.5	1
24	Re: Ho et al.: Primary mucinous adenocarcinoma of renal pelvis with carcinoembryonic antigen production. (<i>Urology</i> 2008;71:e7-e8). <i>Urology</i> , 2009 , 74, 475	1.6	1
23	Bilateral seminal vesicle abscesses. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e37-8	10.5	1

22	Novel treatments for men with lower urinary tract symptoms suggestive of benign prostate hyperplasia. <i>Journal of the Formosan Medical Association</i> , 2009 , 108, 349-52	3.2	1
21	Re: Clinical significance of lymphovascular invasion in upper urinary tract urothelial cancer. <i>BJU International</i> , 2008 , 102, 1749-50	5.6	1
20	Prediction of Postsurgical Pain from Hand-Assisted Laparoscopic Nephroureterectomy. <i>Tzu Chi Medical Journal</i> , 2008 , 20, 130-135	1.1	1
19	Urothelial carcinoma in kidney transplant recipients: conversion from calcineurin inhibitor to proliferation signal inhibitor?. <i>American Journal of Kidney Diseases</i> , 2008 , 52, 630; author reply 631	7.4	1
18	Transurethral RollerLoop vapor resection of prostate for treatment of symptomatic benign prostatic hyperplasia: a 2-year follow-up study. <i>Scandinavian Journal of Urology and Nephrology</i> , 2006 , 40, 409-15		1
17	End-stage renal failure from asymptomatic bilateral ureteric stones. <i>Kidney International</i> , 2007 , 72, 1416-9	9.9	1
16	Acute heart failure with elevated cardiac enzymes. <i>Kidney International</i> , 2007 , 72, 521-3	9.9	1
15	Association between schizophrenia and urinary calculi: a population-based case-control study. <i>PLoS ONE</i> , 2013 , 8, e56942	3.7	1
14	Enhanced uropathogenic Escherichia coli-induced infection in uroepithelial cells by sugar through TLR-4 and JAK/STAT1 signaling pathways. <i>Journal of Microbiology, Immunology and Infection</i> , 2021 , 54, 193-205	8.5	1
13	Testosterone regulates the intracellular bacterial community formation of uropathogenic Escherichia coli in prostate cells via STAT3. <i>International Journal of Medical Microbiology</i> , 2020 , 310, 1514-50	3.7	0
12	The role of lymph-node dissection in the treatment of upper urinary tract cancer: a multi-institutional study. <i>BJU International</i> , 2008 , 102, 639-40	5.6	0
11	Re: Gianluca Giannarini, Thomas M. Kessler, Frédéric D. Birkhäuser, George N. Thalmann, Urs E. Studer. Antegrade perfusion with bacillus Calmette-Guérin in patients with non-muscle-invasive urothelial carcinoma of the upper urinary tract: who may benefit? <i>Eur Urol</i> 2011;60:955-60. <i>European Urology</i> , 2012 , 61, 214-215; author reply 215-216	10.2	
10	Association between Metabolic Syndrome and Lower Urinary Tract Symptoms: Evidences from Epidemiological Studies. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012 , 4 Suppl 1, 8-10	1.9	
9	Long-term oncologic outcomes of hand-assisted retroperitoneoscopic radical nephrectomy to treat clinically localized renal cell carcinoma. <i>Journal of the Formosan Medical Association</i> , 2012 , 111, 41-5	3.2	
8	An Unusual Presentation of Prostate Adenocarcinoma Metastatic to the Oral Cavity. <i>Urological Science</i> , 2011 , 22, 83-85	0.3	
7	Emphysematous cystitis. <i>International Journal of Infectious Diseases</i> , 2010 , 14, e363-4	10.5	
6	Re: Sigurdur Gudjónsson, Björn L. Isfoss, Kerstin Hansson, et al. The value of the UroVysion assay for surveillance of non-muscle-invasive bladder cancer. <i>Eur Urol</i> 2008;54:402-8. <i>European Urology</i> , 2009 , 55, e29	10.2	
5	Iliac artery aneurysm mistaken for distended bladder. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 2350-1	5.6	

- 4 Re: Marco Roscigno, Cesare Cozzarini, Roberto Bertini, et al. Prognostic value of lymph node dissection in patients with muscle-invasive transitional cell carcinoma of the upper urinary tract. *Eur Urol* 2008;53:794-802. *European Urology*, **2008**, 54, 953-4 10.2
- 3 Response to Diagnosis of aldosterone producing adenomas. *Kidney International*, **2008**, 73, 363-364 9.9
- 2 Massive hydronephrosis. *Kidney International*, **2007**, 72, 132 9.9
- 1 Intravesical Xylocaine and Heparin in the Treatment of Interstitial Cystitis. *Japanese Journal of Urology*, **1995**, 86, 156