

# Hong-Jeng Yu

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8754511/hong-jeng-yu-publications-by-year.pdf>

**Version:** 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

147  
papers

2,472  
citations

28  
h-index

41  
g-index

151  
ext. papers

2,773  
ext. citations

4  
avg, IF

4.54  
L-index

#	Paper	IF	Citations
147	Enhanced uropathogenic <i>Escherichia coli</i> -induced infection in uroepithelial cells by sugar through TLR-4 and JAK/STAT1 signaling pathways. <i>Journal of Microbiology, Immunology and Infection</i> , <b>2021</b> , 54, 193-205	8.5	1
146	Testosterone regulates the intracellular bacterial community formation of uropathogenic <i>Escherichia coli</i> in prostate cells via STAT3. <i>International Journal of Medical Microbiology</i> , <b>2020</b> , 310, 1514-1520	3.7	0
145	l-Theanine inhibits proinflammatory PKC/ERK/ICAM-1/IL-33 signaling, apoptosis, and autophagy formation in substance P-induced hyperactive bladder in rats. <i>Neurourology and Urodynamics</i> , <b>2017</b> , 36, 297-307	2.3	16
144	Testosterone suppresses uropathogenic <i>Escherichia coli</i> invasion and colonization within prostate cells and inhibits inflammatory responses through JAK/STAT-1 signaling pathway. <i>PLoS ONE</i> , <b>2017</b> , 12, e0180244	3.7	5
143	CCN3 promotes epithelial-mesenchymal transition in prostate cancer via FAK/Akt/HIF-1 $\beta$ -induced twist expression. <i>Oncotarget</i> , <b>2017</b> , 8, 74506-74518	3.3	12
142	Testosterone Threshold for Increased Cardiovascular Risk in Middle-Aged and Elderly Men: A Locally Weighted Regression Analysis. <i>Journal of Sexual Medicine</i> , <b>2016</b> , 13, 1872-1880	1.1	9
141	Sulforaphane Improves Ischemia-Induced Detrusor Overactivity by Downregulating the Enhancement of Associated Endoplasmic Reticulum Stress, Autophagy, and Apoptosis in Rat Bladder. <i>Scientific Reports</i> , <b>2016</b> , 6, 36110	4.9	12
140	Erectile dysfunction, loss of libido and low sexual frequency increase the risk of cardiovascular disease in men with low testosterone. <i>Aging Male</i> , <b>2016</b> , 19, 96-101	2.1	25
139	Associations between lower urinary tract dysfunction and glycemic control in women with type 2 diabetes: A cross-sectional study. <i>Journal of Diabetes and Its Complications</i> , <b>2016</b> , 30, 415-9	3.2	5
138	Differences in toxicity and outcome associated with circadian variations between patients undergoing daytime and evening radiotherapy for prostate adenocarcinoma. <i>Chronobiology International</i> , <b>2016</b> , 33, 210-9	3.6	24
137	Results of a randomized, double-blind, placebo-controlled study of mirabegron in a Taiwanese population with overactive bladder and comparison with other clinical trials. <i>Urological Science</i> , <b>2015</b> , 26, 41-48	0.3	3
136	The prevalence and the risk factors of testosterone deficiency in newly diagnosed and previously known type 2 diabetic men. <i>Journal of Sexual Medicine</i> , <b>2015</b> , 12, 389-97	1.1	24
135	Laparoendoscopic single-site (LESS) retroperitoneal partial adrenalectomy using a custom-made single-access platform and standard laparoscopic instruments: technical considerations and surgical outcomes. <i>Asian Journal of Surgery</i> , <b>2015</b> , 38, 6-12	1.6	10
134	Malignant Ureteral Obstruction: Functional Duration of Metallic versus Polymeric Ureteral Stents. <i>PLoS ONE</i> , <b>2015</b> , 10, e0135566	3.7	23
133	Metallic ureteral stents in malignant ureteral obstruction: clinical factors predicting stent failure. <i>Journal of Endourology</i> , <b>2014</b> , 28, 729-34	2.7	17
132	Surgical management in enterovesical fistula in Crohn disease at a single medical center. <i>International Surgery</i> , <b>2014</b> , 99, 120-5	0.1	8
131	Laparoscopic radical prostatectomy monotherapy, a more aggressive yet less invasive option, is oncologically effective in selected men with high-risk prostate cancer having only one D'Amico risk factor: experience from an Asian tertiary referral center. <i>Journal of Endourology</i> , <b>2014</b> , 28, 165-71	2.7	6

130	Hyposensitivity of C-fiber afferents at the distal extremities as an indicator of early stages diabetic bladder dysfunction in type 2 diabetic women. <i>PLoS ONE</i> , <b>2014</b> , 9, e86463	3.7	8
129	Osteoblast-derived WNT-induced secreted protein 1 increases VCAM-1 expression and enhances prostate cancer metastasis by down-regulating miR-126. <i>Oncotarget</i> , <b>2014</b> , 5, 7589-98	3.3	42
128	Alterations in peripheral purinergic and muscarinic signaling of rat bladder after long-term fructose-induced metabolic syndrome. <i>European Journal of Nutrition</i> , <b>2013</b> , 52, 347-59	5.2	7
127	Clear cell carcinoma of female urethral diverticulum--a case report. <i>Journal of the Formosan Medical Association</i> , <b>2013</b> , 112, 489-91	3.2	11
126	Laparo-endoscopic single-site (LESS) bilateral nephroureterectomy for patients with end-stage renal disease. <i>Minimally Invasive Therapy and Allied Technologies</i> , <b>2013</b> , 22, 61-4	2.1	4
125	Quinolone prophylaxis in transrectal ultrasound guided prostate biopsy: an eight-year single center experience. <i>Scientific World Journal, The</i> , <b>2013</b> , 2013, 452107	2.2	10
124	Association between schizophrenia and urinary calculi: a population-based case-control study. <i>PLoS ONE</i> , <b>2013</b> , 8, e56942	3.7	1
123	Prediabetes is associated with an increased risk of testosterone deficiency, independent of obesity and metabolic syndrome. <i>PLoS ONE</i> , <b>2013</b> , 8, e74173	3.7	25
122	Re: Gianluca Giannarini, Thomas M. Kessler, Fr�d�ric D. Birkh�user, George N. Thalmann, Urs E. Studer. Antegrade perfusion with bacillus Calmette-Gu�rin in patients with non-muscle-invasive urothelial carcinoma of the upper urinary tract: who may benefit? <i>Eur Urol</i> 2011;60:955-60. <i>European Urology</i> , <b>2012</b> , 61, e21; author reply e22	10.2	
121	Association between Metabolic Syndrome and Lower Urinary Tract Symptoms: Evidences from Epidemiological Studies. <i>LUTS: Lower Urinary Tract Symptoms</i> , <b>2012</b> , 4 Suppl 1, 8-10	1.9	
120	A cocktail regimen of intravesical mitomycin-C, doxorubicin, and cisplatin (MDP) for non-muscle-invasive bladder cancer. <i>Urologic Oncology: Seminars and Original Investigations</i> , <b>2012</b> , 30, 421-7	2.8	32
119	Ketoconazole in Taiwanese castration-resistant prostate cancer patients: Evaluation of response rates, durations, and predictors. <i>Urological Science</i> , <b>2012</b> , 23, 48-51	0.3	1
118	Significant association between serum dihydrotestosterone level and prostate volume among Taiwanese men aged 40-79 years. <i>Ageing Male</i> , <b>2012</b> , 15, 28-33	2.1	26
117	Long-term oncologic outcomes of hand-assisted retroperitoneoscopic radical nephrectomy to treat clinically localized renal cell carcinoma. <i>Journal of the Formosan Medical Association</i> , <b>2012</b> , 111, 41-5	3.2	
116	Low serum sex hormone-binding globulin: marker of inflammation?. <i>Clinica Chimica Acta</i> , <b>2012</b> , 413, 803-8.2		19
115	Down-regulation of PKC� in renal cell carcinoma and its clinicopathological implications. <i>Journal of Biomedical Science</i> , <b>2012</b> , 19, 39	13.3	12
114	Penile veins are the principal component in erectile rigidity: a study of penile venous stripping on defrosted human cadavers. <i>Journal of Andrology</i> , <b>2012</b> , 33, 1176-85		22
113	A comparative study of multiport versus laparoendoscopic single-site adrenalectomy for benign adrenal tumors. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2012</b> , 26, 1135-9	5.2	26

112	Radiotherapy plus chemotherapy in muscle-invasive bladder cancer. <i>New England Journal of Medicine</i> , <b>2012</b> , 367, 379; author reply 380-1	59.2	3
111	Testosterone and sex hormone-binding globulin have significant association with metabolic syndrome in Taiwanese men. <i>Aging Male</i> , <b>2012</b> , 15, 1-6	2.1	12
110	Pneumopelvis, pneumoureter and pneumobladder. <i>QJM - Monthly Journal of the Association of Physicians</i> , <b>2012</b> , 105, 199-200	2.7	2
109	Laparoscopic resection of gastric gastrointestinal stromal tumors presenting as left adrenal tumors. <i>World Journal of Gastroenterology</i> , <b>2012</b> , 18, 96-8	5.6	7
108	An Unusual Presentation of Prostate Adenocarcinoma Metastatic to the Oral Cavity. <i>Urological Science</i> , <b>2011</b> , 22, 83-85	0.3	
107	Lower urinary tract symptoms and urinary flow rates in female patients with hyperthyroidism. <i>Urology</i> , <b>2011</b> , 77, 50-4	1.6	9
106	The activation of peripheral 5-HT <sub>1A</sub> receptors can inhibit seminal vesicle contraction: an in vivo animal study. <i>Urology</i> , <b>2011</b> , 78, 376-9	1.6	3
105	Serum testosterone levels significantly correlate with nocturia in men aged 40-79 years. <i>Urology</i> , <b>2011</b> , 78, 631-5	1.6	26
104	Pathophysiological studies of overactive bladder and bladder motor dysfunction in a rat model of metabolic syndrome. <i>Journal of Urology</i> , <b>2011</b> , 186, 318-25	2.5	26
103	Bladder migration of Hem-o-Lok clips after laparoscopic radical nephroureterectomy and bladder cuff excision. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , <b>2011</b> , 21, e130-1	1.3	4
102	Black urine. <i>Internal Medicine Journal</i> , <b>2011</b> , 41, 642-3	1.6	3
101	Comparison of overall sexual function, sexual intercourse/activity, sexual satisfaction, and sexual desire during the three trimesters of pregnancy and assessment of their determinants. <i>Journal of Sexual Medicine</i> , <b>2011</b> , 8, 2859-67	1.1	30
100	Non-inferiority of silodosin to tamsulosin in treating patients with lower urinary tract symptoms (LUTS) associated with benign prostatic hyperplasia (BPH). <i>BJU International</i> , <b>2011</b> , 108, 1843-8	5.6	45
99	Feasibility and safety of total extraperitoneal inguinal hernia repair after previous lower abdominal surgery: a case-control study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2011</b> , 25, 3353-6	5.2	14
98	Laparoendoscopic single-site totally extraperitoneal adult inguinal hernia repair: initial 100 patients. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2011</b> , 25, 3579-83	5.2	25
97	Retroperitoneoscopic laparo-endoscopic single-site radical nephrectomy (RLESS-RN): initial experience with a homemade port. <i>World Journal of Surgical Oncology</i> , <b>2011</b> , 9, 138	3.4	4
96	Anti-angiogenic effects and mechanism of prazosin. <i>Prostate</i> , <b>2011</b> , 71, 976-84	4.2	26
95	Finasteride upregulates expression of androgen receptor in hyperplastic prostate and LNCaP cells: implications for chemoprevention of prostate cancer. <i>Prostate</i> , <b>2011</b> , 71, 1115-21	4.2	18

94	Multifactorial causes of irritating bladder symptoms in patients with Sjögren's syndrome. <i>Neurourology and Urodynamics</i> , <b>2011</b> , 30, 97-101	2.3	8
93	Oncologic outcomes of asian men with clinically localized prostate cancer after extraperitoneal laparoscopic radical prostatectomy: a single-institution experience. <i>Prostate Cancer</i> , <b>2011</b> , 2011, 748616 <sup>1-9</sup>	5.6	4
92	Type 2 diabetes but not metabolic syndrome is associated with an increased risk of lower urinary tract symptoms and erectile dysfunction in men aged . <i>BJU International</i> , <b>2010</b> , 105, 1136-40	5.6	28
91	Chronic kidney disease affects the stone-free rate after extracorporeal shock wave lithotripsy for proximal ureteric stones. <i>BJU International</i> , <b>2010</b> , 105, 1162-7	5.6	8
90	Clinical outcome of Taiwanese men with clinically localized prostate cancer post-radical prostatectomy: a comparison with other ethnic groups. <i>Aging Male</i> , <b>2010</b> , 13, 10-7	2.1	9
89	Laparoendoscopic single-site (LESS) nephroureterectomy and en bloc resection of bladder cuff with a novel extravesical endoloop technique. <i>Surgical Innovation</i> , <b>2010</b> , 17, 361-5	2	14
88	Metabolic syndrome components worsen lower urinary tract symptoms in women with type 2 diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 1143-50	5.6	61
87	Intrathoracic kidney with right Bochdalek's hernia. <i>Kidney International</i> , <b>2010</b> , 77, 166	9.9	4
86	Reliability and Validity of the Taiwan Chinese Version of the EORTC QLQ-PR25 in Assessing Quality of Life of Prostate Cancer Patients. <i>Urological Science</i> , <b>2010</b> , 21, 118-125	0.3	6
85	Appropriate cut-off value for follicle-stimulating hormone in azoospermia to predict spermatogenesis. <i>Reproductive Biology and Endocrinology</i> , <b>2010</b> , 8, 108	5	31
84	Emphysematous cystitis. <i>International Journal of Infectious Diseases</i> , <b>2010</b> , 14, e363-4	10.5	
83	Medical Imagery. Emphysematous cystitis. <i>International Journal of Infectious Diseases</i> , <b>2010</b> , 14, e269-70	10.5	1
82	Solifenacin and tolterodine are equally effective in the treatment of overactive bladder symptoms. <i>Journal of the Formosan Medical Association</i> , <b>2010</b> , 109, 702-8	3.2	17
81	Novel inanimate training model for urethrovesical anastomosis in laparoscopic radical prostatectomy. <i>Asian Journal of Surgery</i> , <b>2010</b> , 33, 188-92	1.6	12
80	Urodynamic findings in female diabetic patients with and without overactive bladder symptoms. <i>Neurourology and Urodynamics</i> , <b>2010</b> , 29, 424-7	2.3	25
79	Laparoscopic management of potentially malignant or complex adrenal cysts abiding by the principles of surgical oncology. <i>Journal of Endourology</i> , <b>2009</b> , 23, 107-13	2.7	5
78	Intermediate-term oncological outcomes of hand-assisted laparoscopic versus open bilateral nephroureterectomy for dialysis and kidney transplant patients with upper urinary tract urothelial carcinoma. <i>Journal of Endourology</i> , <b>2009</b> , 23, 1139-44	2.7	13
77	Clinical experience with ultrasound-based real-time tracking lithotripsy in the single renal stone treatment. <i>Journal of Endourology</i> , <b>2009</b> , 23, 1811-5	2.7	13

76	Long-term outcome of hand-assisted laparoscopic nephroureterectomy for pathologic T3 upper urinary tract urothelial carcinoma. <i>Journal of Endourology</i> , <b>2009</b> , 23, 75-80	2.7	8
75	Comparison of 6- and 12-core prostate biopsy in Taiwanese men: impact of total prostate-specific antigen, prostate-specific antigen density and prostate volume on prostate cancer detection. <i>Urologia Internationalis</i> , <b>2009</b> , 82, 270-5	1.9	7
74	Choosing the ideal length of a double-pigtail ureteral stent according to body height: study based on a Chinese population. <i>Urologia Internationalis</i> , <b>2009</b> , 83, 70-4	1.9	18
73	The role of chloride channels in rat corpus cavernosum: in vivo study. <i>Journal of Sexual Medicine</i> , <b>2009</b> , 6, 708-16	1.1	9
72	Re: Ching-Chia Li, Tu-Hao Chang, Wen-Jeng Wu, et al. Significant predictive factors for prognosis of primary upper urinary tract cancer after radical nephroureterectomy in taiwanese patients. <i>Eur Urol</i> 2008;54:1127-35. <i>European Urology</i> , <b>2009</b> , 55, e69-70; author reply e71	10.2	2
71	Re: Sigurdur Gudjónsson, Björn L. Isfoss, Kerstin Hansson, et al. The value of the UroVysion assay for surveillance of non-muscle-invasive bladder cancer. <i>Eur Urol</i> 2008;54:402-8. <i>European Urology</i> , <b>2009</b> , 55, e29	10.2	
70	Characterization of membranous and cytoplasmic EGFR expression in human normal renal cortex and renal cell carcinoma. <i>Journal of Biomedical Science</i> , <b>2009</b> , 16, 82	13.3	29
69	High incidence of urinary tract malignancy among patients with haematuria following kidney transplantation in Taiwan. <i>Transplant International</i> , <b>2009</b> , 22, 403-7	3	5
68	Lymphovascular invasion predicts poor outcome of urothelial carcinoma of renal pelvis after nephroureterectomy. <i>BJU International</i> , <b>2009</b> , 103, 1047-51	5.6	12
67	Laparoscopic simultaneous bilateral partial and total adrenalectomy: a longer follow-up. <i>BJU International</i> , <b>2009</b> , 104, 1269-73	5.6	16
66	Iliac artery aneurysm mistaken for distended bladder. <i>Journal of the American Geriatrics Society</i> , <b>2009</b> , 57, 2350-1	5.6	
65	Bilateral renal infarction. <i>Urology</i> , <b>2009</b> , 73, 273-4	1.6	3
64	Re: Keqin z, et al. Clinical significance of intravesical prostatic protrusion in patients with benign prostatic enlargement (Urology 2007;70:1096-1099). <i>Urology</i> , <b>2009</b> , 73, 216	1.6	2
63	Expression of stathmin in localized upper urinary tract urothelial carcinoma: correlations with prognosis. <i>Urology</i> , <b>2009</b> , 74, 1264-9	1.6	29
62	Re: Ho et al.: Primary mucinous adenocarcinoma of renal pelvis with carcinoembryonic antigen production. (Urology 2008;71:e7-e8). <i>Urology</i> , <b>2009</b> , 74, 475	1.6	1
61	Investigation of urodynamic characteristics and bladder sensory function in the early stages of diabetic bladder dysfunction in women with type 2 diabetes. <i>Journal of Urology</i> , <b>2009</b> , 181, 198-203	2.5	60
60	An unusual cause of pyonephrosis and intra-peritoneal abscess: ureteral urothelial carcinoma. <i>International Journal of Infectious Diseases</i> , <b>2009</b> , 13, e39-40	10.5	2
59	Bilateral seminal vesicle abscesses. <i>International Journal of Infectious Diseases</i> , <b>2009</b> , 13, e37-8	10.5	1

58	Urethro-subcutaneous fistula and bilateral abscesses of the thighs. <i>International Journal of Infectious Diseases</i> , <b>2009</b> , 13, e523-4	10.5	3
57	Novel treatments for men with lower urinary tract symptoms suggestive of benign prostate hyperplasia. <i>Journal of the Formosan Medical Association</i> , <b>2009</b> , 108, 349-52	3.2	1
56	Diagnostic value of finger-guided prostate nodule biopsy combined with systemic random biopsy. <i>Journal of the Formosan Medical Association</i> , <b>2009</b> , 108, 713-8	3.2	4
55	Radical cystectomy in the treatment of bladder cancer: oncological outcome and survival predictors. <i>Journal of the Formosan Medical Association</i> , <b>2009</b> , 108, 872-8	3.2	8
54	Clinicopathological characteristics and survival outcome of arsenic related bladder cancer in taiwan. <i>Journal of Urology</i> , <b>2009</b> , 181, 547-52; discussion 553	2.5	32
53	Retrieval of a misplaced double-J ureteral stent in the renal pelvis: a novel technique. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , <b>2009</b> , 19, e24-5	1.3	2
52	The effectiveness of tamsulosin in treating women with voiding difficulty. <i>International Journal of Urology</i> , <b>2008</b> , 15, 981-5	2.3	42
51	Balloon occlusion and hypothermic perfusion of the renal artery in laparoscopic partial nephrectomy. <i>International Journal of Urology</i> , <b>2008</b> , 15, 967-70	2.3	6
50	The role of lymph-node dissection in the treatment of upper urinary tract cancer: a multi-institutional study. <i>BJU International</i> , <b>2008</b> , 102, 639-40	5.6	0
49	Re: Clinical significance of lymphovascular invasion in upper urinary tract urothelial cancer. <i>BJU International</i> , <b>2008</b> , 102, 1749-50	5.6	1
48	Re: Marco Roscigno, Cesare Cozzarini, Roberto Bertini, et al. Prognostic value of lymph node dissection in patients with muscle-invasive transitional cell carcinoma of the upper urinary tract. <i>Eur Urol</i> 2008;53:794-802. <i>European Urology</i> , <b>2008</b> , 54, 953-4	10.2	
47	Prediction of Postsurgical Pain from Hand-Assisted Laparoscopic Nephroureterectomy. <i>Tzu Chi Medical Journal</i> , <b>2008</b> , 20, 130-135	1.1	1
46	Urothelial carcinoma in kidney transplant recipients: conversion from calcineurin inhibitor to proliferation signal inhibitor?. <i>American Journal of Kidney Diseases</i> , <b>2008</b> , 52, 630; author reply 631	7.4	1
45	Management of ischemic penile gangrene: prompt partial penectomy and other treatment options. <i>Journal of Sexual Medicine</i> , <b>2008</b> , 5, 2725-33	1.1	9
44	Primary mucinous adenocarcinoma of renal pelvis with carcinoembryonic antigen production. <i>Urology</i> , <b>2008</b> , 71, 984.e7-8	1.6	9
43	Characteristics of female non-muscle-invasive bladder cancer in Taiwan: association with upper tract urothelial carcinoma and end-stage renal disease. <i>Urology</i> , <b>2008</b> , 71, 1155-60	1.6	13
42	Renal Schwannoma: case report and literature review. <i>Urology</i> , <b>2008</b> , 72, 716.e3-6	1.6	21
41	Scrotal mass with bladder outlet obstruction. <i>Urology</i> , <b>2008</b> , 72, 66-7	1.6	4

40	Bladder dysfunction in rats with metabolic syndrome induced by long-term fructose feeding. <i>Journal of Urology</i> , <b>2008</b> , 179, 2470-6	2.5	45
39	Determining the appropriate length of a double-pigtail ureteral stent by both stent configurations and related symptoms. <i>Journal of Endourology</i> , <b>2008</b> , 22, 1427-31	2.7	54
38	Comparison between hand-assisted laparoscopic and retroperitoneoscopic nephroureterectomy for the management of upper urinary tract urothelial carcinoma: analysis of an intermediate follow-up period. <i>Surgical Laparoscopy, Endoscopy and Percutaneous Techniques</i> , <b>2008</b> , 18, 49-53	1.3	5
37	Response to Diagnosis of aldosterone producing adenomas <i>Kidney International</i> , <b>2008</b> , 73, 363-364	9.9	
36	An alternative access technique under direct vision for preperitoneoscopic pelvic surgery: easier for the beginners. <i>Annals of Surgical Oncology</i> , <b>2008</b> , 15, 2589-93	3.1	10
35	Long-term outcome of hand-assisted laparoscopic radical nephroureterectomy for upper-tract urothelial carcinoma: comparison with open surgery. <i>Journal of Endourology</i> , <b>2007</b> , 21, 595-9	2.7	28
34	Stopping smoking might reduce tumour recurrence in nonmuscle-invasive bladder cancer. <i>BJU International</i> , <b>2007</b> , 100, 281-6; discussion 286	5.6	76
33	Laparoscopic partial cystectomy for various bladder pathologies. <i>BJU International</i> , <b>2007</b> , 100, 382-5	5.6	17
32	CKD as a risk factor for bladder recurrence after nephroureterectomy for upper urinary tract urothelial carcinoma. <i>American Journal of Kidney Diseases</i> , <b>2007</b> , 50, 743-53	7.4	44
31	Perception of nocturia and medical consulting behavior among community-dwelling women. <i>International Urogynecology Journal</i> , <b>2007</b> , 18, 431-6	2	46
30	Prognostic significance of p53 and X-ray repair cross-complementing group 1 polymorphisms on prostate-specific antigen recurrence in prostate cancer post radical prostatectomy. <i>Clinical Cancer Research</i> , <b>2007</b> , 13, 6632-8	12.9	29
29	End-stage renal failure from asymptomatic bilateral ureteric stones. <i>Kidney International</i> , <b>2007</b> , 72, 1416-9	9.9	1
28	Diagnosis of bilateral aldosterone-producing adenomas. <i>Kidney International</i> , <b>2007</b> , 72, 228	9.9	6
27	Massive hydronephrosis. <i>Kidney International</i> , <b>2007</b> , 72, 132	9.9	
26	Acute heart failure with elevated cardiac enzymes. <i>Kidney International</i> , <b>2007</b> , 72, 521-3	9.9	1
25	Perirenal venous aneurysm presenting as retroperitoneal tumor treated successfully by laparoscopic excision. <i>Journal of Endourology</i> , <b>2007</b> , 21, 1329-31	2.7	3
24	Long-term follow-up of hand-assisted laparoscopic radical nephrectomy for organ-confined renal cell carcinoma. <i>Urology</i> , <b>2007</b> , 69, 652-5	1.6	20
23	Intermediate follow-up of hand-assisted retroperitoneoscopic nephroureterectomy for management of upper urinary tract urothelial carcinoma: comparison with open nephroureterectomy. <i>Urology</i> , <b>2007</b> , 69, 1030-4	1.6	14



22	Metastatic hepatocellular carcinoma in the urinary bladder with radiation-induced hemorrhagic cystitis. <i>Journal of the Formosan Medical Association</i> , <b>2007</b> , 106, 861-3	3.2	2
21	Major complications and associated risk factors of transrectal ultrasound guided prostate needle biopsy: a retrospective study of 1875 cases in taiwan. <i>Journal of the Formosan Medical Association</i> , <b>2007</b> , 106, 929-34	3.2	56
20	Transurethral RollerLoop vapor resection of prostate for treatment of symptomatic benign prostatic hyperplasia: a 2-year follow-up study. <i>Scandinavian Journal of Urology and Nephrology</i> , <b>2006</b> , 40, 409-15		1
19	Overactive bladder syndrome among community-dwelling adults in Taiwan: prevalence, correlates, perception, and treatment seeking. <i>Urologia Internationalis</i> , <b>2006</b> , 77, 327-33	1.9	40
18	Impact of nocturia on symptom-specific quality of life among community-dwelling adults aged 40 years and older. <i>Urology</i> , <b>2006</b> , 67, 713-8	1.6	71
17	High incidence of and risk factors for metachronous bilateral upper tract urothelial carcinoma in Taiwan. <i>International Journal of Urology</i> , <b>2006</b> , 13, 864-9	2.3	18
16	Sympathetic vesicovascular reflex induced by acute urinary retention evokes proinflammatory and proapoptotic injury in rat liver. <i>American Journal of Physiology - Renal Physiology</i> , <b>2005</b> , 288, F1005-14	4.3	51
15	Prevalence and associated factors of nocturia among adult residents of the Matsu area of Taiwan. <i>Journal of the Formosan Medical Association</i> , <b>2005</b> , 104, 444-7	3.2	13
14	Unrecognized voiding difficulty in female type 2 diabetic patients in the diabetes clinic: a prospective case-control study. <i>Diabetes Care</i> , <b>2004</b> , 27, 988-9	14.6	34
13	Hypoxia preconditioning attenuates bladder overdistension-induced oxidative injury by up-regulation of Bcl-2 in the rat. <i>Journal of Physiology</i> , <b>2004</b> , 554, 815-28	3.9	54
12	Voiding dysfunction in women with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , <b>2004</b> , 50, 166-72		13
11	Effects of diabetes on female voiding behavior. <i>Journal of Urology</i> , <b>2004</b> , 172, 989-92	2.5	72
10	Substance P via NK1 receptor facilitates hyperactive bladder afferent signaling via action of ROS. <i>American Journal of Physiology - Renal Physiology</i> , <b>2003</b> , 284, F840-51	4.3	72
9	Quality of life impact and treatment seeking of Chinese women with urinary incontinence. <i>Quality of Life Research</i> , <b>2003</b> , 12, 327-33	3.7	51
8	Importance of urodynamic study before radical hysterectomy for cervical cancer. <i>Gynecologic Oncology</i> , <b>2001</b> , 81, 270-2	4.9	97
7	Reduction in renal haemodynamics by exaggerated vesicovascular reflex in rats with acute urinary retention. <i>Journal of Physiology</i> , <b>2000</b> , 526 Pt 2, 397-408	3.9	19
6	The usefulness of prostate-specific antigen (PSA) density in patients with intermediate serum PSA level in a country with low incidence of prostate cancer. <i>Urology</i> , <b>1998</b> , 51, 125-30	1.6	17
5	Effect of Age and Outlet Resistance on Rabbit Urinary Bladder Emptying. <i>Journal of Urology</i> , <b>1997</b> , 158, 924-930	2.5	20

- 4 Secular trend and age-period-cohort analysis of prostate cancer mortality in Taiwan. *Journal of Urology*, **1997**, 158, 1845-8 2.5 15
- 3 Contractile responses and calcium mobilization induced by muscarinic agonists in the rat urinary bladder: effects of age. *General Pharmacology*, **1997**, 28, 623-8 16
- 2 Age-related differential susceptibility to calcium channel blocker and low calcium medium in rat detrusor muscle: response to field stimulation. *Neurourology and Urodynamics*, **1996**, 15, 563-76 2.3 17
- 1 Intravesical Xylocaine and Heparin in the Treatment of Interstitial Cystitis. *Japanese Journal of Urology*, **1995**, 86, 156