

Lidiane L Florencio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8755812/publications.pdf>

Version: 2024-02-01

67
papers

1,911
citations

257357

24
h-index

289141

40
g-index

68
all docs

68
docs citations

68
times ranked

1406
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence of post-COVID-19 symptoms in hospitalized and non-hospitalized COVID-19 survivors: A systematic review and meta-analysis. <i>European Journal of Internal Medicine</i> , 2021, 92, 55-70.	1.0	313
2	Defining Post-COVID Symptoms (Post-Acute COVID, Long COVID, Persistent Post-COVID): An Integrative Classification. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 2621.	1.2	272
3	Neck Pain Disability Is Related to the Frequency of Migraine Attacks: A Cross-Sectional Study. <i>Headache</i> , 2014, 54, 1203-1210.	1.8	79
4	Generalized Pressure Pain Hypersensitivity in the Cervical Muscles in Women with Migraine. <i>Pain Medicine</i> , 2015, 16, 1629-1634.	0.9	59
5	Myalgia as a symptom at hospital admission by severe acute respiratory syndrome coronavirus 2 infection is associated with persistent musculoskeletal pain as long-term post-COVID sequelae: a case-control study. <i>Pain</i> , 2021, 162, 2832-2840.	2.0	55
6	The presence of headache at onset in SARS-CoV-2 infection is associated with long-term post-COVID headache and fatigue: A case-control study. <i>Cephalalgia</i> , 2021, 41, 1332-1341.	1.8	55
7	Comparison Between Neck Pain Disability and Cervical Range of Motion in Patients With Episodic and Chronic Migraine: A Cross-Sectional Study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2014, 37, 641-646.	0.4	51
8	Fatigue and Dyspnoea as Main Persistent Post-COVID-19 Symptoms in Previously Hospitalized Patients: Related Functional Limitations and Disability. <i>Respiration</i> , 2022, 101, 132-141.	1.2	50
9	Cervical Muscle Strength and Muscle Coactivation During Isometric Contractions in Patients With Migraine: A Cross-Sectional Study. <i>Headache</i> , 2015, 55, 1312-1322.	1.8	44
10	Anxiety, depression and poor sleep quality as long-term post-COVID sequelae in previously hospitalized patients: A multicenter study. <i>Journal of Infection</i> , 2021, 83, 496-522.	1.7	40
11	Do women with migraine have higher prevalence of temporomandibular disorders?. <i>Brazilian Journal of Physical Therapy</i> , 2013, 17, 64-68.	1.1	39
12	Musculoskeletal disorders of the upper cervical spine in women with episodic or chronic migraine. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017, 53, 342-350.	1.1	38
13	Symptoms Experienced at the Acute Phase of SARS-CoV-2 Infection as Risk Factor of Long-term Post-COVID Symptoms: The LONG-COVID-EXP-CM Multicenter Study. <i>International Journal of Infectious Diseases</i> , 2022, 116, 241-244.	1.5	38
14	Myofascial Trigger Points and Migraine-related Disability in Women With Episodic and Chronic Migraine. <i>Clinical Journal of Pain</i> , 2017, 33, 109-115.	0.8	37
15	Long-term post-COVID symptoms and associated risk factors in previously hospitalized patients: A multicenter study. <i>Journal of Infection</i> , 2021, 83, 237-279.	1.7	37
16	Patients with chronic, but not episodic, migraine display altered activity of their neck extensor muscles. <i>Journal of Electromyography and Kinesiology</i> , 2016, 30, 66-72.	0.7	35
17	Female Gender Is Associated with a Higher Prevalence of Chronic Neck Pain, Chronic Low Back Pain, and Migraine: Results of the Spanish National Health Survey, 2017. <i>Pain Medicine</i> , 2021, 22, 382-395.	0.9	34
18	Proposed integrative model for post-COVID symptoms. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021, 15, 102159.	1.8	33

#	ARTICLE	IF	CITATIONS
19	Presence of vestibular symptoms and related disability in migraine with and without aura and chronic migraine. <i>Cephalalgia</i> , 2019, 39, 29-37.	1.8	32
20	Concordância e confiabilidade de dois métodos não-invasivos para a avaliação da amplitude de movimento cervical em adultos jovens. <i>Brazilian Journal of Physical Therapy</i> , 2010, 14, 175-181.	1.1	30
21	Concomitant Migraine and Temporomandibular Disorders are Associated With Higher Heat Pain Hyperalgesia and Cephalic Cutaneous Allodynia. <i>Clinical Journal of Pain</i> , 2016, 32, 882-888.	0.8	29
22	Clinical Reasoning Behind Non-Pharmacological Interventions for the Management of Headaches: A Narrative Literature Review. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 4126.	1.2	29
23	Influence of Migraine and of Migraine Aura on Balance and Mobility – A Controlled Study. <i>Headache</i> , 2013, 53, 1116-1122.	1.8	28
24	Active Trigger Points in the Cervical Musculature Determine the Altered Activation of Superficial Neck and Extensor Muscles in Women With Migraine. <i>Clinical Journal of Pain</i> , 2017, 33, 238-245.	0.8	28
25	Reduced flexion rotation test in women with chronic and episodic migraine. <i>Brazilian Journal of Physical Therapy</i> , 2019, 23, 387-394.	1.1	28
26	Working on the Frontlines of the COVID-19 Pandemic: A Qualitative Study of Physical Therapists' Experience in Spain. <i>Physical Therapy</i> , 2021, 101, .	1.1	24
27	Emotional Experience and Feelings during First COVID-19 Outbreak Perceived by Physical Therapists: A Qualitative Study in Madrid, Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 127.	1.2	23
28	Balance Impairments in Different Subgroups of Patients With Migraine. <i>Headache</i> , 2017, 57, 363-374.	1.8	22
29	Relationship Between Headaches and Neck Pain Characteristics With Neck Muscle Strength. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2018, 41, 650-657.	0.4	22
30	Clustering analysis reveals different profiles associating long-term post-COVID symptoms, COVID-19 symptoms at hospital admission and previous medical co-morbidities in previously hospitalized COVID-19 survivors. <i>Infection</i> , 2023, 51, 61-69.	2.3	22
31	Association Between Severity of Temporomandibular Disorders and the Frequency of Headache Attacks in Women With Migraine: A Cross-Sectional Study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2017, 40, 250-254.	0.4	20
32	Previous History of Migraine Is Associated With Fatigue, but Not Headache, as Long-Term Post-COVID Symptom After Severe Acute Respiratory SARS-CoV-2 Infection: A Case-Control Study. <i>Frontiers in Human Neuroscience</i> , 2021, 15, 678472.	1.0	20
33	Extensor/flexor ratio of neck muscle strength and electromyographic activity of individuals with migraine: a cross-sectional study. <i>European Spine Journal</i> , 2019, 28, 2311-2318.	1.0	19
34	Knee and hip strength measurements obtained by a hand-held dynamometer stabilized by a belt and an examiner demonstrate parallel reliability but not agreement. <i>Physical Therapy in Sport</i> , 2019, 38, 115-122.	0.8	18
35	Long COVID: systemic inflammation and obesity as therapeutic targets. <i>Lancet Respiratory Medicine</i> , 2022, 10, 726-727.	5.2	17
36	Analysis of Head Posture and Activation of the Cervical Neck Extensors During a Low-Load Task in Women With Chronic Migraine and Healthy Participants. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2018, 41, 762-770.	0.4	16

#	ARTICLE	IF	CITATIONS
37	Future Challenges for Physical Therapy during and after the COVID-19 Pandemic: A Qualitative Study on the Experience of Physical Therapists in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8368.	1.2	14
38	Functional Balance Deterioration on Daily Activities in Patients With Migraine. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018, 97, 90-95.	0.7	13
39	Essence of the Bobath concept in the treatment of children with cerebral palsy. A qualitative study of the experience of Spanish therapists. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 151-163.	0.6	13
40	The Number of Active But Not Latent Trigger Points Associated with Widespread Pressure Pain Hypersensitivity in Women with Episodic Migraines. <i>Pain Medicine</i> , 2017, 18, 2485-2491.	0.9	11
41	Comparison of cervical muscle isometric force between migraine subgroups or migraine-associated neck pain: a controlled study. <i>Scientific Reports</i> , 2021, 11, 15434.	1.6	10
42	Content Comparison of Aquatic Therapy Outcome Measures for Children with Neuromuscular and Neurodevelopmental Disorders Using the International Classification of Functioning, Disability, and Health. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 4263.	1.2	9
43	Women with mechanical neck pain exhibit increased activation of their superficial neck extensors when performing the cranio-cervical flexion test. <i>Musculoskeletal Science and Practice</i> , 2020, 49, 102222.	0.6	9
44	Is There an Association between Diabetes and Neck and Back Pain? Results of a Case-Control Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 2867.	1.0	9
45	Catechol-O-Methyltransferase Val158Met Polymorphism Is Associated with Anxiety, Depression, and Widespread Pressure Pain Sensitivity in Women with Chronic, but Not Episodic, Migraine. <i>Pain Medicine</i> , 2019, 20, 1409-1417.	0.9	8
46	Electromyographic Activity Evolution of Local Twitch Responses During Dry Needling of Latent Trigger Points in the Gastrocnemius Muscle: A Cross-Sectional Study. <i>Pain Medicine</i> , 2020, 21, 1224-1229.	0.9	8
47	Cranio-cervical flexion test in patients with migraine: Discriminative validity and accuracy. <i>International Journal of Clinical Practice</i> , 2021, 75, e14248.	0.8	8
48	Is kinesiophobia related to fear of falling, dizziness disability, and migraine disability in patients with migraine?. <i>Physiotherapy Theory and Practice</i> , 2022, 38, 2727-2735.	0.6	8
49	Subgrouping Factors Influencing Migraine Intensity in Women: A Semi-automatic Methodology Based on Machine Learning and Information Geometry. <i>Pain Practice</i> , 2020, 20, 297-309.	0.9	7
50	Muscle endurance and cervical electromyographic activity during submaximal efforts in women with and without migraine. <i>Clinical Biomechanics</i> , 2021, 82, 105276.	0.5	7
51	Neck Active Movements Assessment in Women with Episodic and Chronic Migraine. <i>Journal of Clinical Medicine</i> , 2021, 10, 3805.	1.0	7
52	Time Trends in the Co-use of Cannabis and the Misuse of Tranquilizers, Sedatives and Sleeping Pills among Young Adults in Spain between 2009 and 2015. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 3423.	1.2	6
53	Exploring Sentiment and Care Management of Hospitalized Patients During the First Wave of the COVID-19 Pandemic Using Electronic Nursing Health Records: Descriptive Study. <i>JMIR Medical Informatics</i> , 2022, 10, e38308.	1.3	6
54	Patient Profiling Based on Spectral Clustering for an Enhanced Classification of Patients with Tension-Type Headache. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 9109.	1.3	5

#	ARTICLE	IF	CITATIONS
55	Are There Gender Differences in Neck Pain and Musculoskeletal Disorders of the Cervical Spine Associated with Migraine?. Pain Medicine, 2021, 22, 3021-3029.	0.9	4
56	Reliability and agreement of the Nine Hole Peg Test in patients with unilateral spastic cerebral palsy. European Journal of Pediatrics, 2022, 181, 2283-2290.	1.3	4
57	Nonmedical Use of Benzodiazepines among Immigrant and Native-Born Adolescents in Spain: National Trends and Related Factors. International Journal of Environmental Research and Public Health, 2021, 18, 1171.	1.2	3
58	Immediate Effects of Dry Needling or Manual Pressure Release of Upper Trapezius Trigger Points on Muscle Activity During the Craniocervical Flexion Test in People with Chronic Neck Pain: A Randomized Clinical Trial. Pain Medicine, 2022, 23, 1717-1725.	0.9	3
59	The presence of aura is not related to changes in the cervical performance and mobility of patients with migraine. Musculoskeletal Science and Practice, 2021, 51, 102306.	0.6	2
60	Is There a Correlation of Cervical Mobility with Clinical Variables and Psychosocial Factors in Women with Migraine?. Applied Sciences (Switzerland), 2021, 11, 6077.	1.3	1
61	Patterns of non-medical use of benzodiazepines and Z-Drugs among adolescents and young adults: gender differences and related factors. Journal of Substance Use, 2021, 26, 190-196.	0.3	0
62	Frequency of musculoskeletal pain and thermal comfort in students of dentistry. Ciência E Natura, 0, 40, 90.	0.0	0
63	A associaÃ§Ã£o da dor cervical crÃ³nica e migrÃ§Ã£nea influencia no desempenho do teste de resistÃªncia cervical?. Headache Medicine, 0, , 1.	0.1	0
64	Efeito de um protocolo de exercÃ©cios craniocervicais na reduÃ§Ã£o da frequÃªncia e intensidade das crises de migrÃ§Ã£nea em comparaÃ§Ã£o ao grupo placebo â€œ ensaio clÃ©nico randomizado. Headache Medicine, 0, , 3.	0.1	0
65	Incapacidade cervical estÃ¡ relacionada Ã presenÃ§a de aura e frequÃªncia de crises de migrÃ§Ã£nea. Headache Medicine, 0, , 23.	0.1	0
66	Existem diferenÃ§as de gÃªnero na dor no pescoÃ§o e nos distÃ©rbios musculoesquelÃ©ticos da coluna cervical associados Ã migrÃ§Ã£nea?. Headache Medicine, 0, , 2.	0.1	0
67	Knee Kinetics and Kinematics of Young Asymptomatic Participants during Single-Leg Weight-Bearing Tasks: Task and Sex Comparison of a Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2022, 19, 5590.	1.2	0