

Lidiane L Florencio

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8755812/lidiane-l-florencio-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

57
papers

770
citations

17
h-index

25
g-index

68
ext. papers

1,305
ext. citations

4.5
avg, IF

4.72
L-index

#	Paper	IF	Citations
57	Defining Post-COVID Symptoms (Post-Acute COVID, Long COVID, Persistent Post-COVID): An Integrative Classification. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	77
56	Prevalence of post-COVID-19 symptoms in hospitalized and non-hospitalized COVID-19 survivors: A systematic review and meta-analysis. <i>European Journal of Internal Medicine</i> , 2021 , 92, 55-70	3.9	61
55	Neck pain disability is related to the frequency of migraine attacks: a cross-sectional study. <i>Headache</i> , 2014 , 54, 1203-10	4.2	59
54	Generalized Pressure Pain Hypersensitivity in the Cervical Muscles in Women with Migraine. <i>Pain Medicine</i> , 2015 , 16, 1629-34	2.8	41
53	Cervical Muscle Strength and Muscle Coactivation During Isometric Contractions in Patients With Migraine: A Cross-Sectional Study. <i>Headache</i> , 2015 , 55, 1312-22	4.2	33
52	Comparison between neck pain disability and cervical range of motion in patients with episodic and chronic migraine: a cross-sectional study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2014 , 37, 641-6	1.3	31
51	Musculoskeletal disorders of the upper cervical spine in women with episodic or chronic migraine. <i>European Journal of Physical and Rehabilitation Medicine</i> , 2017 , 53, 342-350	4.4	29
50	Do women with migraine have higher prevalence of temporomandibular disorders?. <i>Brazilian Journal of Physical Therapy</i> , 2013 , 17, 64-8	3.7	29
49	Myofascial Trigger Points and Migraine-related Disability in Women With Episodic and Chronic Migraine. <i>Clinical Journal of Pain</i> , 2017 , 33, 109-115	3.5	26
48	Patients with chronic, but not episodic, migraine display altered activity of their neck extensor muscles. <i>Journal of Electromyography and Kinesiology</i> , 2016 , 30, 66-72	2.5	24
47	Influence of migraine and of migraine aura on balance and mobility--a controlled study. <i>Headache</i> , 2013 , 53, 1116-22	4.2	22
46	Concordância e confiabilidade de dois métodos não-invasivos para a avaliação da amplitude de movimento cervical em adultos jovens. <i>Brazilian Journal of Physical Therapy</i> , 2010 , 14, 175-181	3.7	20
45	Myalgia as a symptom at hospital admission by severe acute respiratory syndrome coronavirus 2 infection is associated with persistent musculoskeletal pain as long-term post-COVID sequelae: a case-control study. <i>Pain</i> , 2021 , 162, 2832-2840	8	20
44	The presence of headache at onset in SARS-CoV-2 infection is associated with long-term post-COVID headache and fatigue: A case-control study. <i>Cephalalgia</i> , 2021 , 41, 1332-1341	6.1	18
43	Presence of vestibular symptoms and related disability in migraine with and without aura and chronic migraine. <i>Cephalalgia</i> , 2019 , 39, 29-37	6.1	18
42	Active Trigger Points in the Cervical Musculature Determine the Altered Activation of Superficial Neck and Extensor Muscles in Women With Migraine. <i>Clinical Journal of Pain</i> , 2017 , 33, 238-245	3.5	17
41	Concomitant Migraine and Temporomandibular Disorders are Associated With Higher Heat Pain Hyperalgesia and Cephalic Cutaneous Allodynia. <i>Clinical Journal of Pain</i> , 2016 , 32, 882-8	3.5	17

40	Reduced flexion rotation test in women with chronic and episodic migraine. <i>Brazilian Journal of Physical Therapy</i> , 2019 , 23, 387-394	3.7	16
39	Balance Impairments in Different Subgroups of Patients With Migraine. <i>Headache</i> , 2017 , 57, 363-374	4.2	15
38	Proposed integrative model for post-COVID symptoms. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2021 , 15, 102159	8.9	14
37	Analysis of Head Posture and Activation of the Cervical Neck Extensors During a Low-Load Task in Women With Chronic Migraine and Healthy Participants. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2018 , 41, 762-770	1.3	13
36	Anxiety, depression and poor sleep quality as long-term post-COVID sequelae in previously hospitalized patients: A multicenter study. <i>Journal of Infection</i> , 2021 , 83, 496-522	18.9	13
35	Long-term post-COVID symptoms and associated risk factors in previously hospitalized patients: A multicenter study. <i>Journal of Infection</i> , 2021 , 83, 237-279	18.9	11
34	Emotional Experience and Feelings during First COVID-19 Outbreak Perceived by Physical Therapists: A Qualitative Study in Madrid, Spain. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 18,	4.6	10
33	Knee and hip strength measurements obtained by a hand-held dynamometer stabilized by a belt and an examiner demonstrate parallel reliability but not agreement. <i>Physical Therapy in Sport</i> , 2019 , 38, 115-122	3	9
32	Functional Balance Deterioration on Daily Activities in Patients With Migraine: A Controlled Study. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2018 , 97, 90-95	2.6	9
31	Relationship Between Headaches and Neck Pain Characteristics With Neck Muscle Strength. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2018 , 41, 650-657	1.3	9
30	Association Between Severity of Temporomandibular Disorders and the Frequency of Headache Attacks in Women With Migraine: A Cross-Sectional Study. <i>Journal of Manipulative and Physiological Therapeutics</i> , 2017 , 40, 250-254	1.3	8
29	The Number of Active But Not Latent Trigger Points Associated with Widespread Pressure Pain Hypersensitivity in Women with Episodic Migraines. <i>Pain Medicine</i> , 2017 , 18, 2485-2491	2.8	8
28	Clinical Reasoning Behind Non-Pharmacological Interventions for the Management of Headaches: A Narrative Literature Review. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	8
27	Extensor/flexor ratio of neck muscle strength and electromyographic activity of individuals with migraine: a cross-sectional study. <i>European Spine Journal</i> , 2019 , 28, 2311-2318	2.7	8
26	Female Gender Is Associated with a Higher Prevalence of Chronic Neck Pain, Chronic Low Back Pain, and Migraine: Results of the Spanish National Health Survey, 2017. <i>Pain Medicine</i> , 2021 , 22, 382-395	2.8	7
25	Working on the Frontlines of the COVID-19 Pandemic: A Qualitative Study of Physical Therapists' Experience in Spain. <i>Physical Therapy</i> , 2021 , 101,	3.3	7
24	Fatigue and Dyspnoea as Main Persistent Post-COVID-19 Symptoms in Previously Hospitalized Patients: Related Functional Limitations and Disability. <i>Respiration</i> , 2021 , 1-10	3.7	7
23	Women with mechanical neck pain exhibit increased activation of their superficial neck extensors when performing the cranio-cervical flexion test. <i>Musculoskeletal Science and Practice</i> , 2020 , 49, 102222	2.4	6

22	Electromyographic Activity Evolution of Local Twitch Responses During Dry Needling of Latent Trigger Points in the Gastrocnemius Muscle: A Cross-Sectional Study. <i>Pain Medicine</i> , 2020 , 21, 1224-1229 ^{2.8}	6
21	Essence of the Bobath concept in the treatment of children with cerebral palsy. A qualitative study of the experience of Spanish therapists. <i>Physiotherapy Theory and Practice</i> , 2020 , 1-13	1.5 5
20	Subgrouping Factors Influencing Migraine Intensity in Women: A Semi-automatic Methodology Based on Machine Learning and Information Geometry. <i>Pain Practice</i> , 2020 , 20, 297-309	3 5
19	Previous History of Migraine Is Associated With Fatigue, but Not Headache, as Long-Term Post-COVID Symptom After Severe Acute Respiratory SARS-CoV-2 Infection: A Case-Control Study. <i>Frontiers in Human Neuroscience</i> , 2021 , 15, 678472	3.3 5
18	Catechol-O-Methyltransferase Val158Met Polymorphism Is Associated with Anxiety, Depression, and Widespread Pressure Pain Sensitivity in Women with Chronic, but Not Episodic, Migraine. <i>Pain Medicine</i> , 2019 , 20, 1409-1417	2.8 5
17	Symptoms Experienced at the Acute Phase of SARS-CoV-2 Infection as Risk Factor of Long-term Post-COVID Symptoms: The LONG-COVID-EXP-CM Multicenter Study.. <i>International Journal of Infectious Diseases</i> , 2022 ,	10.5 4
16	Future Challenges for Physical Therapy during and after the COVID-19 Pandemic: A Qualitative Study on the Experience of Physical Therapists in Spain. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6 4
15	Content Comparison of Aquatic Therapy Outcome Measures for Children with Neuromuscular and Neurodevelopmental Disorders Using the International Classification of Functioning, Disability, and Health. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6 3
14	Time Trends in the Co-use of Cannabis and the Misuse of Tranquilizers, Sedatives and Sleeping Pills among Young Adults in Spain between 2009 and 2015. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6 2
13	Patient Profiling Based on Spectral Clustering for an Enhanced Classification of Patients with Tension-Type Headache. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 9109	2.6 2
12	Are there gender differences in neck pain and musculoskeletal disorders of the cervical spine associated with migraine?. <i>Pain Medicine</i> , 2021 ,	2.8 2
11	Is kinesiophobia related to fear of falling, dizziness disability, and migraine disability in patients with migraine?. <i>Physiotherapy Theory and Practice</i> , 2021 , 1-9	1.5 1
10	Is There an Association between Diabetes and Neck and Back Pain? Results of a Case-Control Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1 1
9	The presence of aura is not related to changes in the cervical performance and mobility of patients with migraine. <i>Musculoskeletal Science and Practice</i> , 2021 , 51, 102306	2.4 1
8	Muscle endurance and cervical electromyographic activity during submaximal efforts in women with and without migraine. <i>Clinical Biomechanics</i> , 2021 , 82, 105276	2.2 1
7	Immediate Effects of Dry Needling or Manual Pressure Release of Upper Trapezius Trigger Points on Muscle Activity during the Cranio-Cervical Flexion Test in People with Chronic Neck Pain: A Randomized Clinical Trial.. <i>Pain Medicine</i> , 2022 ,	2.8 1
6	Reliability and agreement of the Nine Hole Peg Test in patients with unilateral spastic cerebral palsy.. <i>European Journal of Pediatrics</i> , 2022 , 1	4.1 1
5	Cranio-cervical flexion test in patients with migraine: Discriminative validity and accuracy. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14248	2.9 0

4	Comparison of cervical muscle isometric force between migraine subgroups or migraine-associated neck pain: a controlled study. <i>Scientific Reports</i> , 2021 , 11, 15434	4.9	o
3	Clustering analysis reveals different profiles associating long-term post-COVID symptoms, COVID-19 symptoms at hospital admission and previous medical co-morbidities in previously hospitalized COVID-19 survivors.. <i>Infection</i> , 2022 , 1	5.8	o
2	Is There a Correlation of Cervical Mobility with Clinical Variables and Psychosocial Factors in Women with Migraine?. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 6077	2.6	
1	Patterns of non-medical use of benzodiazepines and Z-Drugs among adolescents and young adults: gender differences and related factors. <i>Journal of Substance Use</i> , 2021 , 26, 190-196	0.8	