

Thomas Werfel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/875956/publications.pdf>

Version: 2024-02-01

109
papers

4,394
citations

136740

32
h-index

118652

62
g-index

114
all docs

114
docs citations

114
times ranked

5199
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Cellular and molecular immunologic mechanisms in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 336-349. | 1.5 | 465 |
| 2 | International consensus on allergy immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 556-568. | 1.5 | 427 |
| 3 | Increasing Comorbidities Suggest that Atopic Dermatitis is a Systemic Disorder. <i>Journal of Investigative Dermatology</i> , 2017, 137, 18-25. | 0.3 | 283 |
| 4 | The Role of Leukocytes, Keratinocytes, and Allergen-Specific IgE in the Development of Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2009, 129, 1878-1891. | 0.3 | 213 |
| 5 | International Consensus on Allergen Immunotherapy II: Mechanisms, standardization, and pharmacoconomics. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 358-368. | 1.5 | 199 |
| 6 | Safety and efficacy of upadacitinib in combination with topical corticosteroids in adolescents and adults with moderate-to-severe atopic dermatitis (AD Up): results from a randomised, double-blind, placebo-controlled, phase 3 trial. <i>Lancet, The</i> , 2021, 397, 2169-2181. | 6.3 | 199 |
| 7 | Exacerbation of atopic dermatitis on grass pollen exposure in an environmental challenge chamber. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 136, 96-103.e9. | 1.5 | 137 |
| 8 | IL-33 impacts on the skin barrier by downregulating the expression of filaggrin. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 1659-1661.e4. | 1.5 | 110 |
| 9 | Guideline contact dermatitis. <i>Allergo Journal International</i> , 2014, 23, 126-138. | 0.9 | 97 |
| 10 | Effects of structured patient education in adults with atopic dermatitis: Multicenter randomized controlled trial. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 140, 845-853.e3. | 1.5 | 87 |
| 11 | S3 guidelines: Epicutaneous patch testing with contact allergens and drugs – Short version, Part 1. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 1076-1093. | 0.4 | 81 |
| 12 | Atopic dermatitis displays stable and dynamic skin transcriptome signatures. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 213-223. | 1.5 | 76 |
| 13 | Pimecrolimus in atopic dermatitis: Consensus on safety and the need to allow use in infants. <i>Pediatric Allergy and Immunology</i> , 2015, 26, 306-315. | 1.1 | 71 |
| 14 | S3-Guideline on allergy prevention: 2014 update. <i>Allergo Journal International</i> , 2014, 23, 186-199. | 0.9 | 58 |
| 15 | Efficacy and safety of treatment with omalizumab for chronic spontaneous urticaria: A systematic review for the EAACI Biologicals Guidelines. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 59-70. | 2.7 | 58 |
| 16 | Severe allergic reactions after COVID-19 vaccination with the Pfizer/BioNTech vaccine in Great Britain and USA. <i>Allergo Journal International</i> , 2021, 30, 51-55. | 0.9 | 55 |
| 17 | Contact Allergy: A Review of Current Problems from a Clinical Perspective. <i>International Journal of Environmental Research and Public Health</i> , 2018, 15, 1108. | 1.2 | 53 |
| 18 | The role of the histamine H ₄ receptor in atopic dermatitis and psoriasis. <i>British Journal of Pharmacology</i> , 2020, 177, 490-502. | 2.7 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 19 | Janus kinase inhibitors for the therapy of atopic dermatitis. <i>Allergologie Select</i> , 2021, 5, 293-304. | 1.6 | 49 |
| 20 | Anaphylatoxin C3a but not C3a(desArg) is a chemotaxin for the mouse macrophage cell line J774. <i>European Journal of Immunology</i> , 1998, 28, 1570-1577. | 1.6 | 47 |
| 21 | Detection of anaphylatoxin receptors on CD83+ dendritic cells derived from human skin. <i>Immunology</i> , 2001, 103, 210-217. | 2.0 | 46 |
| 22 | S3 Guidelines: Epicutaneous patch testing with contact allergens and drugs – Short version, Part 2. <i>JDDG - Journal of the German Society of Dermatology</i> , 2019, 17, 1187-1207. | 0.4 | 44 |
| 23 | IL-17A-Specific Autoreactive CD8+ T Cells in Atopic Dermatitis Are of an Effector Memory Type and Secrete IL-4 and IFN- γ . <i>Journal of Immunology</i> , 2016, 196, 3245-3252. | 0.4 | 42 |
| 24 | Update of the S2k guideline on the management of IgE-mediated food allergies. <i>Allergologie Select</i> , 2021, 5, 195-243. | 1.6 | 42 |
| 25 | Efficacy and safety of dupilumab for moderate-to-severe atopic dermatitis: A systematic review for the EAACI biologicals guidelines. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 45-58. | 2.7 | 41 |
| 26 | The Diagnosis and Graded Therapy of Atopic Dermatitis. <i>Deutsches Ärzteblatt International</i> , 2014, 111, 509-20, i. | 0.6 | 39 |
| 27 | The adaptive immune system in atopic dermatitis and implications on therapy. <i>Expert Review of Clinical Immunology</i> , 2016, 12, 787-796. | 1.3 | 39 |
| 28 | Der p1 and Der p2-Specific T Cells Display a Th2, Th17, and Th2/Th17 Phenotype in Atopic Dermatitis. <i>Journal of Investigative Dermatology</i> , 2015, 135, 2324-2327. | 0.3 | 38 |
| 29 | Autoallergy in atopic dermatitis. <i>Allergo Journal International</i> , 2015, 24, 16-22. | 0.9 | 36 |
| 30 | Blood- and skin-derived monocytes/macrophages respond to C3a but not to C3a(desArg) with a transient release of calcium via a pertussis toxin-sensitive signal transduction pathway. <i>European Journal of Immunology</i> , 1997, 27, 2317-2322. | 1.6 | 35 |
| 31 | RNase 7 Strongly Promotes TLR9-Mediated DNA Sensing by Human Plasmacytoid Dendritic Cells. <i>Journal of Investigative Dermatology</i> , 2018, 138, 872-881. | 0.3 | 35 |
| 32 | Contact sensitization in dental technicians with occupational contact dermatitis. Data of the Information Network of Departments of Dermatology (IVDK) 2001-2015. <i>Contact Dermatitis</i> , 2018, 78, 266-273. | 0.8 | 34 |
| 33 | Contact Allergy – Emerging Allergens and Public Health Impact. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 2404. | 1.2 | 34 |
| 34 | Eczema herpeticum in atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 3017-3027. | 2.7 | 34 |
| 35 | Recommendations for pimecrolimus 1% cream in the treatment of mild-to-moderate atopic dermatitis: from medical needs to a new treatment algorithm. <i>European Journal of Dermatology</i> , 2013, 23, 758-766. | 0.3 | 33 |
| 36 | Cytokines as therapeutic targets in skin inflammation. <i>Cytokine and Growth Factor Reviews</i> , 2014, 25, 443-451. | 3.2 | 33 |

| # | ARTICLE | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Association of food allergy and atopic dermatitis exacerbations. <i>Annals of Allergy, Asthma and Immunology</i> , 2016, 116, 334-338. | 0.5 | 33 |
| 38 | Autoimmunity (or Not) in Atopic Dermatitis. <i>Frontiers in Immunology</i> , 2019, 10, 2128. | 2.2 | 33 |
| 39 | Severe allergic reactions to the COVID-19 vaccine – statement and practical consequences. <i>Allergologie Select</i> , 2021, 5, 26-28. | 1.6 | 33 |
| 40 | GATA3 regulates FLG and FLG2 expression in human primary keratinocytes. <i>Scientific Reports</i> , 2017, 7, 11847. | 1.6 | 31 |
| 41 | The Antimicrobial and Immunomodulatory Function of RNase 7 in Skin. <i>Frontiers in Immunology</i> , 2019, 10, 2553. | 2.2 | 31 |
| 42 | COVID-19 and implications for dermatological and allergological diseases. <i>JDDG - Journal of the German Society of Dermatology</i> , 2020, 18, 815-824. | 0.4 | 30 |
| 43 | Cytokine Effects Induced by the Human Autoallergen $\hat{\pm}$ -NAC. <i>Journal of Investigative Dermatology</i> , 2014, 134, 1570-1578. | 0.3 | 29 |
| 44 | Protein-coding variants contribute to the risk of atopic dermatitis and skin-specific gene expression. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 145, 1208-1218. | 1.5 | 29 |
| 45 | COVID-19 vaccination of patients with allergies and type-2 inflammation with concurrent antibody therapy (biologics) – A Position Paper of the German Society of Allergology and Clinical Immunology (DGAKI) and the German Society for Applied Allergo. <i>Allergologie Select</i> , 2021, 5, 140-147. | 1.6 | 28 |
| 46 | Patients with atopic dermatitis and history of eczema herpeticum elicit herpes simplex virus-specific type 2 immune responses. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1144-1147.e5. | 1.5 | 27 |
| 47 | Contact sensitization in patients with suspected textile allergy. Data of the <i>Information Network of Departments of Dermatology (IVDK)</i> 2007-2014. <i>Contact Dermatitis</i> , 2017, 77, 143-150. | 0.8 | 25 |
| 48 | Usage and effectiveness of systemic treatments in adults with severe atopic eczema: First results of the German Atopic Eczema Registry TREATgermany. <i>JDDG - Journal of the German Society of Dermatology</i> , 2017, 15, 49-59. | 0.4 | 25 |
| 49 | EAACI Biologicals Guidelines – dupilumab for children and adults with moderate-to-severe atopic dermatitis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 988-1009. | 2.7 | 24 |
| 50 | Stimulation of the histamine 4 receptor upregulates thymic stromal lymphopoietin (TSLP) in human and murine keratinocytes. <i>Pharmacological Research</i> , 2016, 113, 209-215. | 3.1 | 22 |
| 51 | ARIA guideline 2019: treatment of allergic rhinitis in the German health system. <i>Allergo Journal International</i> , 2019, 28, 255-276. | 0.9 | 22 |
| 52 | Guideline on management of suspected adverse reactions to ingested histamine - Guideline of the German Society for Allergology and Clinical Immunology (DGAKI), the Society for Pediatric Allergy and Environmental Medicine (GPA), the Medical Association. <i>Allergologie Select</i> , 2021, 5, 305-314. | 1.6 | 22 |
| 53 | Patch test results with the European baseline series, 2019/20 – Joint European results of the <i>ESSCA</i> and the <i>EBS</i> working groups of the <i>ESCD</i> , and the <i>GEIDAC</i> . <i>Contact Dermatitis</i> , 2022, 87, 343-355. | 0.8 | 22 |
| 54 | Non-Contact Dermatoscope with Ultra-Bright Light Source and Liquid Lens-Based Autofocus Function. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 2177. | 1.3 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Birch pollen influence the severity of atopic eczema – prospective clinical cohort pilot study and ex vivo penetration study. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2015, 8, 539. | 0.8 | 19 |
| 56 | The histamine H4 receptor modulates the differentiation process of human monocyte-derived M1 macrophages and the release of CCL4/MIP-1Î² from fully differentiated M1 macrophages. <i>Inflammation Research</i> , 2018, 67, 503-513. | 1.6 | 19 |
| 57 | EAACI Biologicals Guidelinesâ€”Omalizumab for the treatment of chronic spontaneous urticaria in adults and in the paediatric population 12â€”17years old. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 17-38. | 2.7 | 19 |
| 58 | Histamine upâ€”regulates oncostatin M expression in human M1 macrophages. <i>British Journal of Pharmacology</i> , 2020, 177, 600-613. | 2.7 | 18 |
| 59 | Approach to suspected food allergy in atopic dermatitis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009, 7, 265-271. | 0.4 | 17 |
| 60 | Combined treatment with H1 and H4 receptor antagonists reduces inflammation in a mouse model of atopic dermatitis. <i>Journal of Dermatological Science</i> , 2017, 87, 130-137. | 1.0 | 17 |
| 61 | The Anaphylatoxin C3a Receptor Expression on Human M2 Macrophages Is Down-Regulated by Stimulating the Histamine H4 Receptor and the IL-4 Receptor. <i>Journal of Innate Immunity</i> , 2018, 10, 349-362. | 1.8 | 17 |
| 62 | Elevated NK-cell transcriptional signature and dysbalance of resting and activated NK cells in atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2021, 147, 1959-1965.e2. | 1.5 | 17 |
| 63 | Blood transcriptome profiling identifies 2 candidate endotypes of atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 2022, 150, 385-395. | 1.5 | 17 |
| 64 | Congenital deficiency reveals critical role of ISG15 in skin homeostasis. <i>Journal of Clinical Investigation</i> , 2022, 132, . | 3.9 | 16 |
| 65 | Differential cytokine induction by the human skinâ€”associated autoallergen thioredoxin in sensitized patients with atopic dermatitis and healthy control subjects. <i>Journal of Allergy and Clinical Immunology</i> , 2015, 135, 1378-1380.e5. | 1.5 | 15 |
| 66 | Human Primary Keratinocytes Show Restricted Ability to Up-regulate Suppressor of Cytokine Signaling (SOCS)3 Protein Compared with Autologous Macrophages. <i>Journal of Biological Chemistry</i> , 2012, 287, 9923-9930. | 1.6 | 14 |
| 67 | Status report on the atopic dermatitis registry TREATgermany. <i>Allergologie Select</i> , 2021, 5, 274-286. | 1.6 | 14 |
| 68 | Is allergy immunotherapy with birch sufficient to treat patients allergic to pollen of tree species of the birch homologous group?. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2020, 75, 1327-1336. | 2.7 | 13 |
| 69 | Biologics for atopic diseases: Indication, side effect management, and new developments. <i>Allergologie Select</i> , 2021, 5, 1-25. | 1.6 | 13 |
| 70 | Specific T cells targeting <i>Staphylococcus aureus</i> fibronectinâ€”binding protein 1 induce a type 2/type 1 inflammatory response in sensitized atopic dermatitis patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1245-1253. | 2.7 | 13 |
| 71 | A negative breakdown test in a fragrance mix lâ€”positive patient does not rule out contact allergy to its fragrance constituents. <i>Contact Dermatitis</i> , 2021, 84, 407-418. | 0.8 | 11 |
| 72 | Histamine Increases Th2 Cytokine-Induced CCL18 Expression in Human M2 Macrophages. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11648. | 1.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | RNase 7 Promotes Sensing of Self-DNA by Human Keratinocytes and Activates an Antiviral Immune Response. <i>Journal of Investigative Dermatology</i> , 2020, 140, 1589-1598.e3. | 0.3 | 10 |
| 74 | Unmet medical needs in the treatment of atopic dermatitis in infants: An Expert consensus on safety and efficacy of pimecrolimus. <i>Pediatric Allergy and Immunology</i> , 2021, 32, 414-424. | 1.1 | 10 |
| 75 | German S1 guideline: Contact dermatitis. <i>JDDG - Journal of the German Society of Dermatology</i> , 2022, 20, 712-734. | 0.4 | 10 |
| 76 | An integrated analysis of herpes virus infections from eight randomized clinical studies of baricitinib in adults with moderate-to-severe atopic dermatitis. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 1486-1496. | 1.3 | 10 |
| 77 | The H ₄ is highly expressed on eosinophils from AD patients and IL-4 upregulates expression and function via the JAK/STAT pathway. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021, 76, 1261-1264. | 2.7 | 9 |
| 78 | COVID-19 vaccination and allergen immunotherapy (AIT) - A position paper of the German Society for Applied Allergology (AeDA) and the German Society for Allergology and Clinical Immunology (DGAKI). <i>Allergologie Select</i> , 2021, 5, 251-259. | 1.6 | 9 |
| 79 | T-cell receptor sequencing specifies psoriasis as a systemic and atopic dermatitis as a skin-focused, allergen-driven disease. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 2737-2747. | 2.7 | 9 |
| 80 | Histamine H2 receptor stimulation upregulates TH2 chemokine CCL17 production in human M2a macrophages. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 782-785.e5. | 1.5 | 8 |
| 81 | Occupational contact dermatitis in painters and varnishers: Data from the Information Network of Departments of Dermatology (IVDK), 2000 to 2019. <i>Contact Dermatitis</i> , 2021, 85, 494-502. | 0.8 | 8 |
| 82 | Dupilumab in eosinophilic cellulitis (Wells™ syndrome) – case report of a potential new treatment option. <i>JDDG - Journal of the German Society of Dermatology</i> , 2021, 19, 1653-1655. | 0.4 | 8 |
| 83 | Atopic Eczema: Pathophysiological Findings as the Beginning of a New Era of Therapeutic Options. <i>Handbook of Experimental Pharmacology</i> , 2021, 268, 101-115. | 0.9 | 8 |
| 84 | Topical use of pimecrolimus in atopic dermatitis: Update on the safety and efficacy. <i>JDDG - Journal of the German Society of Dermatology</i> , 2009, 7, 739-742. | 0.4 | 7 |
| 85 | Platelet-activating factor decreases skin keratinocyte tight junction barrier integrity. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 1725-1728.e3. | 1.5 | 7 |
| 86 | Course of respiratory allergy by treatment strategy based on German routine data. <i>Allergo Journal International</i> , 2017, 26, 195-203. | 0.9 | 7 |
| 87 | Impact of increasing treatment rates on cost-effectiveness of subcutaneous immunotherapy (SCIT) in respiratory allergy: a decision analytic modelling approach. <i>European Journal of Health Economics</i> , 2018, 19, 1229-1242. | 1.4 | 7 |
| 88 | Indirect Treatment Comparison of Baricitinib versus Dupilumab in Adults with Moderate-to-Severe Atopic Dermatitis. <i>Dermatology and Therapy</i> , 2022, 12, 1481-1491. | 1.4 | 7 |
| 89 | Efficacy of T-cell transcription factor-specific DNazymes in murine skin inflammation models. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 137, 644-647.e8. | 1.5 | 6 |
| 90 | Stimulation of histamine H4 receptors increases the production of IL-9 in Th9 polarized cells. <i>British Journal of Pharmacology</i> , 2020, 177, 614-622. | 2.7 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 91 | Patch test results in patients with suspected contact allergy to shoes: Retrospective <sc>IVDK</sc> data analysis 2009â€“2018. Contact Dermatitis, 2021, 85, 297-306. | 0.8 | 6 |
| 92 | Expression of histamine receptors H2R and H4R are predominantly regulated via the IL4/IL13 receptor type II on human M2 macrophages. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 2886-2890. | 2.7 | 6 |
| 93 | Genetic variations within the promotor region of the human histamine H4 receptor gene in psoriasis patients. Pharmacological Research, 2016, 114, 121-127. | 3.1 | 5 |
| 94 | Mueller Matrix Analysis of Collagen and Gelatin Containing Samples Towards More Objective Skin Tissue Diagnostics. Polymers, 2020, 12, 1400. | 2.0 | 5 |
| 95 | Online survey to identify current challenges in atopic dermatitis management and guideline implementation in German-speaking countries. European Journal of Dermatology, 2021, 31, 806-812. | 0.3 | 5 |
| 96 | Inflammatory marker analysis in psoriatic skin under topical phosphodiesterase 4 inhibitor treatment. Journal of Allergy and Clinical Immunology, 2017, 140, 1184-1187.e8. | 1.5 | 4 |
| 97 | Health care situation in patients with allergic respiratory diseases with special focus on specific immunotherapy. Allergo Journal International, 2021, 30, 39-45. | 0.9 | 3 |
| 98 | Free human DNA attenuates the activity of antimicrobial peptides in atopic dermatitis. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 3145-3154. | 2.7 | 3 |
| 99 | Assessment of the effects of a work-related allergy to seafood on the reduction of earning capacity in the context of BK No. 5101. Allergologie Select, 2021, 5, 33-44. | 1.6 | 3 |
| 100 | Treatment Approaches to Food Allergy. Handbook of Experimental Pharmacology, 2021, 268, 173-193. | 0.9 | 3 |
| 101 | Perception of the coronavirus pandemic by patients with atopic dermatitis â€“ Results from the TREATgermany registry. JDDG - Journal of the German Society of Dermatology, 2022, 20, 45-57. | 0.4 | 3 |
| 102 | Care with allergen immunotherapy for allergic respiratory diseases in Germany â€“ Predictors and deficits. Clinical and Experimental Allergy, 2022, , . | 1.4 | 3 |
| 103 | C3a and Its Receptor C3aR Are Detectable in Normal Human Epidermal Keratinocytes and Are Differentially Regulated via TLR3 and LL37. Journal of Innate Immunity, 2021, 13, 164-178. | 1.8 | 2 |
| 104 | Comprehensive Approach: Current Status on Patient Education in Atopic Dermatitis and Other Allergic Diseases. Handbook of Experimental Pharmacology, 2021, 268, 487-500. | 0.9 | 2 |
| 105 | The role of specific immunotherapy (SIT) in atopic dermatitis. Drugs of Today, 2008, 44 Suppl B, 47-9. | 0.7 | 2 |
| 106 | Histamine downregulates the FCER1 Î± chain expression in human IL4-activated M2 macrophages. Allergy: European Journal of Allergy and Clinical Immunology, 2021, 76, 1250-1254. | 2.7 | 1 |
| 107 | Precision medicine reaching out to the patients in allergology â€“ a German-Japanese workshop report. Allergologie Select, 2021, 5, 162-179. | 1.6 | 1 |
| 108 | Microarray Analysis Confirms ImmunoCAP-Fluorescence Enzyme Immunoassay Results on Specific IgE in Patients with Atopic Dermatitis and Suspected Birch Pollen-Related Food Allergy. International Archives of Allergy and Immunology, 2022, 183, 814-823. | 0.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 109 | An AIM2 inflammasome is active in human keratinocytes : Response to letter from Dombrowski et al.: Comment on Kopfnagel et al. <i>Exp Dermatol</i> . 2011 Dec; 20(12):1027-9. <i>Experimental Dermatology</i> , 2012, 21, 475-476. | 1.4 | 0 |