

# Ellen Frank

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8759875/publications.pdf>

Version: 2024-02-01

73  
papers

3,395  
citations

201674

27  
h-index

149698

56  
g-index

75  
all docs

75  
docs citations

75  
times ranked

3346  
citing authors

#	ARTICLE	IF	CITATIONS
1	Dr. Gibbons etÂal. Reply. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 542-543.	0.5	1
2	A randomized pilot study of Rhythms And You (RAY): An internet-based program for bipolar disorder administered with and without clinical helper support in primary care. Journal of Affective Disorders, 2021, 295, 183-191.	4.1	3
3	Computerized Adaptive Tests for Rapid and Accurate Assessment of Psychopathology Dimensions in Youth. Journal of the American Academy of Child and Adolescent Psychiatry, 2020, 59, 1264-1273.	0.5	29
4	COVID-19 Diary From a Psychiatry Department in Italy. Journal of Clinical Psychiatry, 2020, 81, .	2.2	81
5	Integrating Patientsâ€™ Expectations into the Management of Their Depression: Report of a Symposium at the European College of Neuropsychopharmacology Congress. Advances in Therapy, 2019, 36, 73-90.	2.9	4
6	Early intervention for adolescents at-risk for bipolar disorder: A pilot randomized trial of Interpersonal and Social Rhythm Therapy (IPSRT). Journal of Affective Disorders, 2018, 235, 348-356.	4.1	32
7	Association analysis of successive events data in the presence of competing risks. Statistical Methods in Medical Research, 2018, 27, 1661-1682.	1.5	0
8	Smart phone technologies and ecological momentary data. Current Opinion in Psychiatry, 2018, 31, 3-6.	6.3	19
9	Psychotherapy Alone and Combined With Medication as Treatments for Bipolar II Depression. Journal of Clinical Psychiatry, 2018, 79, 7-15.	2.2	31
10	Objective Sleep Duration Is Prospectively Associated With Endothelial Health. Sleep, 2017, 40, .	1.1	19
11	Brief Psychotherapy for Maternal Depression: Impact on Mothers and Children. Journal of the American Academy of Child and Adolescent Psychiatry, 2016, 55, 495-503.e2.	0.5	36
12	Circadian rhythms and metabolism: from the brain to the gut and back again. Annals of the New York Academy of Sciences, 2016, 1385, 21-40.	3.8	22
13	Telephone-administered psychotherapy in combination with antidepressant medication for the acute treatment of major depressive disorder. Journal of Affective Disorders, 2016, 190, 6-11.	4.1	16
14	Social rhythm disrupting events increase the risk of recurrence among individuals with bipolar disorder. Bipolar Disorders, 2015, 17, 869-879.	1.9	19
15	Implementing a Web-Based Intervention to Train Community Clinicians in an Evidence-Based Psychotherapy: A Pilot Study. Psychiatric Services, 2015, 66, 988-991.	2.0	24
16	Validation of Computerized Adaptive Testing in an Outpatient Nonacademic Setting: The VOCATIONS Trial. Psychiatric Services, 2015, 66, 1091-1096.	2.0	36
17	Staging bipolar disorder: what data and what models are needed?. Lancet Psychiatry,the, 2015, 2, 564-570.	7.4	29
18	An Integrated Risk Reduction Intervention can reduce body mass index in individuals being treated for bipolar I disorder: results from a randomized trial. Bipolar Disorders, 2015, 17, 424-437.	1.9	35

#	ARTICLE	IF	CITATIONS
19	Readiness to Implement an Evidence-Based Psychotherapy: Perspectives of Community Mental Health Clinicians and Administrators. <i>Psychiatric Services</i> , 2015, 66, 1109-1112.	2.0	6
20	Psychosocial Treatment of Bipolar Disorder: Clinician Knowledge, Common Approaches, and Barriers to Effective Treatment. <i>Psychiatric Services</i> , 2015, 66, 1361-1364.	2.0	6
21	Is Interpersonal Psychotherapy Infinitely Adaptable? A Compendium of the Multiple Modifications of IPT. <i>American Journal of Psychotherapy</i> , 2014, 68, 385-416.	1.2	7
22	Early intervention for adolescents at high risk for the development of bipolar disorder: Pilot study of Interpersonal and Social Rhythm Therapy (IPSRT).. <i>Psychotherapy</i> , 2014, 51, 180-189.	1.2	69
23	Treatment for insomnia in combat-exposed OEF/OIF/OND Military Veterans: Preliminary randomized controlled trial. <i>Behaviour Research and Therapy</i> , 2014, 61, 78-88.	3.1	56
24	Treating co-occurring depression and anxiety: Modeling the dynamics of psychopathology and psychotherapy using the time-varying effect model.. <i>Journal of Consulting and Clinical Psychology</i> , 2014, 82, 839-853.	2.0	22
25	Circadian clocks, brain function, and development. <i>Annals of the New York Academy of Sciences</i> , 2013, 1306, 43-67.	3.8	36
26	Dream Content in Complicated Grief: A Window into Loss-Related Cognitive Schemas. <i>Death Studies</i> , 2013, 37, 269-284.	2.7	17
27	MoodRhythm. , 2013, , .		16
28	Clinical staging in psychiatry: a cross-cutting model of diagnosis with heuristic and practical value. <i>British Journal of Psychiatry</i> , 2013, 202, 243-245.	2.8	204
29	A new chapter in the history of depression. <i>European Neuropsychopharmacology</i> , 2012, 22, S475.	0.7	0
30	Bipolar spectrum: has its time come?. <i>World Psychiatry</i> , 2011, 10, 193-194.	10.4	6
31	Dysfunctional Attitudes, Attributional Styles, and Phase of Illness in Bipolar Disorder. <i>Cognitive Therapy and Research</i> , 2010, 34, 24-34.	1.9	18
32	Addressing the challenges of a cross-national investigation: lessons from the Pittsburgh-Pisa study of treatment-relevant phenotypes of unipolar depression. <i>Clinical Trials</i> , 2008, 5, 253-261.	1.6	24
33	Randomized Trial of Weekly, Twice-Monthly, and Monthly Interpersonal Psychotherapy as Maintenance Treatment for Women With Recurrent Depression. <i>American Journal of Psychiatry</i> , 2007, 164, 761-767.	7.2	91
34	A Model for Modifying Interpersonal Psychotherapy (IPT) for Depressed Elders with Cognitive Impairment. <i>Clinical Gerontologist</i> , 2007, 30, 79-101.	2.2	6
35	Psychosocial Treatments for Bipolar Depression. <i>Archives of General Psychiatry</i> , 2007, 64, 419.	12.3	485
36	Interpersonal and social rhythm therapy: A means of improving depression and preventing relapse in bipolar disorder. <i>Journal of Clinical Psychology</i> , 2007, 63, 463-473.	1.9	116

#	ARTICLE	IF	CITATIONS
37	Interpersonal and social rhythm therapy: an intervention addressing rhythm dysregulation in bipolar disorder. <i>Dialogues in Clinical Neuroscience</i> , 2007, 9, 325-332.	3.7	86
38	The Importance of Routine for Preventing Recurrence in Bipolar Disorder. <i>American Journal of Psychiatry</i> , 2006, 163, 981-985.	7.2	27
39	Two-Year Outcomes for Interpersonal and Social Rhythm Therapy in Individuals With Bipolar I Disorder. <i>Archives of General Psychiatry</i> , 2005, 62, 996.	12.3	678
40	Antidepressants and psychotherapy: a clinical research review. <i>Dialogues in Clinical Neuroscience</i> , 2005, 7, 263-272.	3.7	16
41	Culturally Relevant Psychotherapy for Perinatal Depression in Low-Income Ob/Gyn Patients. <i>Clinical Social Work Journal</i> , 2004, 32, 327-347.	2.6	23
42	OPTIMAL AND NORMAL AFFECT BALANCE IN PSYCHOTHERAPY OF MAJOR DEPRESSION: EVALUATION OF THE BALANCED STATES OF MIND MODEL. <i>Behavioural and Cognitive Psychotherapy</i> , 2002, 30, 439-450.	1.2	76
43	Comparison of severe life stress in depressed mothers and non-mothers: Do children matter?. <i>Depression and Anxiety</i> , 2001, 13, 109-117.	4.1	30
44	Comorbidity of depression and anxiety disorders in later life. <i>Depression and Anxiety</i> , 2001, 14, 86-93.	4.1	143
45	Subjective health measures and acute treatment outcomes in geriatric depression. <i>International Journal of Geriatric Psychiatry</i> , 2001, 16, 1149-1155.	2.7	37
46	Successful treatment of major depression: the effects of positive and negative life events on time to remission. <i>International Journal of Methods in Psychiatric Research</i> , 2000, 9, 97-109.	2.1	1
47	Effects of Prior Fluoxetine Treatment on ? Sleep in Women with Recurrent Depression. <i>Neuropsychopharmacology</i> , 1999, 21, 258-267.	5.4	13
48	A double-blind, placebo-controlled assessment of nortriptyline's side-effects during 3-year maintenance treatment in elderly patients with recurrent major depression. <i>International Journal of Geriatric Psychiatry</i> , 1999, 14, 1014-1018.	2.7	14
49	Which elderly depressed patients remain well on maintenance interpersonal psychotherapy alone?: Report from the Pittsburgh Study Of Maintenance Therapies in Late-Life Depression. , 1999, 10, 55-60.		15
50	Anxiety as a predictor of response to interpersonal psychotherapy for recurrent major depression: An exploratory investigation. <i>Depression and Anxiety</i> , 1998, 8, 135-141.	4.1	57
51	Linkage and association analysis of chromosomal regions containing genes related to neuroendocrine or serotonin function in families with early-onset, recurrent major depression. , 1998, 81, 443-449.		6
52	Linkage and association analysis of chromosomal regions containing genes related to neuroendocrine or serotonin function in families with early-onset, recurrent major depression. <i>American Journal of Medical Genetics Part A</i> , 1998, 81, 443-449.	2.4	1
53	Low Rate of Membrane Lithium Transport during Treatment Correlates with Outcome of Maintenance Pharmacotherapy in Bipolar Disorder. <i>Neuropsychopharmacology</i> , 1997, 16, 325-332.	5.4	13
54	Bipolar depression: An underestimated treatment challenge. <i>Depression and Anxiety</i> , 1997, 5, 73-83.	4.1	105

#	ARTICLE	IF	CITATIONS
55	Is life stress more likely to provoke depressive episodes in women than in men?. Depression and Anxiety, 1997, 6, 95-105.	4.1	35
56	Bipolar depression: An underestimated treatment challenge. Depression and Anxiety, 1997, 5, 73-83.	4.1	4
57	Chronic Medical Illness in Patients With Recurrent Major Depression. American Journal of Geriatric Psychiatry, 1996, 4, 281-290.	1.2	24
58	Effect of continuation treatment on residual symptoms in late-life depression: How well is "well"?. Depression and Anxiety, 1996, 4, 312-319.	4.1	26
59	Anxiety among widowed elders: Is it distinct from depression and grief?. Anxiety, 1996, 2, 1-12.	0.4	71
60	Anxiety among widowed elders: Is it distinct from depression and grief?. Anxiety, 1996, 2, 1-12.	0.4	4
61	Combination therapy and the depressed woman. Depression, 1995, 3, 91-98.	0.6	7
62	Nortriptyline Side Effects During Double-Blind, Randomized, Placebo-Controlled Maintenance Therapy in Older Depressed Patients. American Journal of Geriatric Psychiatry, 1995, 3, 170-175.	1.2	9
63	Do electroencephalographic sleep studies predict recurrence in depressed patients successfully treated with psychotherapy?. Depression, 1994, 2, 105-108.	0.6	10
64	Discrimination of recovery in the treatment of elderly patients with recurrent major depression: Limits of prediction. Depression, 1994, 2, 218-222.	0.6	4
65	Should Depression Be Considered a Lifetime Disorder: Evidence from the Pittsburgh Studies of Maintenance Therapy. Neuropsychopharmacology, 1994, 11, 259-260.	5.4	0
66	Time to remission in late-life depression: Analysis of effects of demographic, treatment, and life events measures. Depression, 1993, 1, 250-256.	0.6	37
67	Biological rhythms and depression: The role of zeitgebers and zeitstorers. Depression, 1993, 1, 285-293.	0.6	104
68	Eeg sleep correlates of recurrence of depression on active medication. Depression, 1993, 1, 300-308.	0.6	7
69	Protective Psychosocial Factors in Depression Among Spousally Bereaved Elders. American Journal of Geriatric Psychiatry, 1993, 1, 296-309.	1.2	24
70	Does A Placebo Tablet Affect Psychotherapeutic Treatment Outcome? Results from the Pittsburgh Study of Maintenance Therapies in Recurrent Depression. Psychotherapy Research, 1992, 2, 102-111.	1.8	11
71	Nocturnal Penile Tumescence in Healthy 20- to 59-Year-Olds: A Revisit. Sleep, 1989, , .	1.1	8
72	Do Nocturnal Penile Tumescence Recordings Alter Electroencephalographic Sleep?. Sleep, 1987, 10, 486-490.	1.1	6

#	ARTICLE	IF	CITATIONS
73	Sex and the Happily Married. The Sciences, 1979, 19, 10-13.	0.1	27