
Christina M Marciniak

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8760445/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association Between Daily Physical Activity and Clinical Anthropomorphic Measures in Adults With Cerebral Palsy. Archives of Physical Medicine and Rehabilitation, 2022, 103, 1777-1785.	0.5	1
2	Do Muscle Changes Contribute to the Neurological Disorder in Spastic Paresis?. Frontiers in Neurology, 2022, 13, 817229.	1.1	6
3	Sustained efficacy of incobotulinumtoxina repeated injections for upper-limb post-stroke spasticity: A post hoc analysis. Journal of Rehabilitation Medicine, 2021, 53, jrm00138.	0.8	4
4	Diet quality in adults with cerebral palsy: a modifiable risk factor for cardiovascular disease prevention. Developmental Medicine and Child Neurology, 2021, 63, 1221-1228.	1.1	10
5	Breast Health Experiences in Women with Cerebral Palsy: A Qualitative Approach. Women S Health Reports, 2021, 2, 195-200.	0.4	7
6	Blood pressure in adults with cerebral palsy: a systematic review and meta-analysis of individual participant data. Journal of Hypertension, 2021, 39, 1942-1955.	0.3	7
7	Women with cerebral palsy: A qualitative study about their experiences with sexual and reproductive health education and services. Journal of Pediatric Rehabilitation Medicine, 2021, 14, 285-293.	0.3	2
8	IncobotulinumtoxinA Treatment in Upper‣imb Poststroke Spasticity in the Open‣abel Extension Period of PURE: Efficacy in Passive Function, Caregiver Burden, and Quality of Life. PM and R, 2020, 12, 491-499.	0.9	6
9	Spasticity and pain in adults with cerebral palsy. Developmental Medicine and Child Neurology, 2020, 62, 379-385.	1.1	28
10	Duration of Treatment Effect Using IncobotulinumtoxinA for Upper-limb Spasticity: A Post-hoc Analysis. Frontiers in Neurology, 2020, 11, 615706.	1.1	2
11	Using Implementation Frameworks to Provide Proactive Physical Therapy for People With Parkinson Disease: Case Report. Physical Therapy, 2019, 99, 1644-1655.	1.1	13
12	Ultrasound Structural Changes in Triceps Surae After a 1-Year Daily Self-stretch Program: A Prospective Randomized Controlled Trial in Chronic Hemiparesis. Neurorehabilitation and Neural Repair, 2019, 33, 245-259.	1.4	33
13	Technology-based Forced Paced Cycling in Parkinson's Disease: Is it Feasible and Effective?. Archives of Physical Medicine and Rehabilitation, 2019, 100, e126.	0.5	0
14	IncobotulinumtoxinA Efficacy and Safety in Adults with Upper-Limb Spasticity Following Stroke: Results from the Open-Label Extension Period of a Phase 3 Study. Advances in Therapy, 2019, 36, 187-199.	1.3	15
15	Breast cancer screening in women with cerebral palsy: Could care delivery be improved?. Disability and Health Journal, 2018, 11, 435-441.	1.6	12
16	Effect on Passive Range of Motion and Functional Correlates After a Longâ€Term Lower Limb Selfâ€&tretch Program in Patients With Chronic Spastic Paresis. PM and R, 2018, 10, 1020-1031.	0.9	18
17	Efficacy of incobotulinumtoxinA in upper-limb spasticity following stroke: results from the open-label extension period of pure. Toxicon, 2018, 156, S73-S74.	0.8	0
18	Bleeding Events in Thrombocytopenic Patients With Cancer Undergoing Acute Rehabilitation. Rehabilitation Process and Outcome, 2018, 7, 117957271876137.	0.8	3

#	Article	IF	CITATIONS
19	Longâ€Term Dosing of Intrathecal Baclofen in the Treatment of Spasticity After Acquired Brain Injury. PM and R, 2017, 9, 556-562.	0.9	8
20	Efficacy and Safety of AbobotulinumtoxinA (Dysport) for the Treatment of Hemiparesis in Adults With Upper Limb Spasticity Previously Treated With Botulinum Toxin: Subanalysis From a Phase 3 Randomized Controlled Trial. PM and R, 2017, 9, 1181-1190.	0.9	17
21	Safety, Tolerability, and Sensorimotor Effects of Extended-release Dalfampridine in Adults With Cerebral Palsy: A Pilot Study. Clinical Therapeutics, 2017, 39, 337-346.	1.1	0
22	Poster 70: IncobotulinumtoxinA Sustainably Improves Upper Limb Spasticity – Pooled Analysis of Two Phase 3 Trials. PM and R, 2017, 9, S159.	0.9	0
23	sustained incobotulinumtoxinA (Xeomin) efficacy in upper limb poststroke spasticity over 48 weeks in A phase 3, placebo-controlled study with an open-label extension. Toxicon, 2016, 123, S47-S48.	0.8	Ο
24	A comparison of goal selection and achievement between botulinum toxin A (BoNT-A) naÃ ⁻ ve and non-naÃ ⁻ ve patients in the upper limb international spasticity (ULIS)-II study. Toxicon, 2016, 123, S59-S60.	0.8	0
25	Unusual Electromyographic Findings Associated With Colchicine Neuromyopathy: A Case Report. PM and R, 2016, 8, 1016-1019.	0.9	5
26	Pain Reduction and Repeat Injections After Transforaminal Epidural Injection With Particulate Versus Nonparticulate Steroid for the Treatment of Chronic Painful Lumbosacral Radiculopathy. PM and R, 2016, 8, 1039-1045.	0.9	21
27	Randomized, placeboâ€controlled trial of incobotulinumtoxina for upperâ€limb postâ€stroke spasticity. Muscle and Nerve, 2016, 53, 415-421.	1.0	56
28	Mobility in Individuals with Cerebral Palsy: What is the Impact on Anthropometric Weight and Quantitative Body Composition Measures?. Archives of Physical Medicine and Rehabilitation, 2016, 97, e54.	0.5	1
29	Osteoporosis in adults with cerebral palsy: feasibility of DXA screening and risk factors for low bone density. Osteoporosis International, 2016, 27, 1477-1484.	1.3	23
30	Intrathecal Versus Oral Baclofen: A Matched Cohort Study of Spasticity, Pain, Sleep, Fatigue, and Quality of Life. PM and R, 2016, 8, 553-562.	0.9	42
31	Excitability properties of motor axons in adults with cerebral palsy. Frontiers in Human Neuroscience, 2015, 9, 329.	1.0	5
32	An examination of motor unit number index in adults with cerebral palsy. Journal of Electromyography and Kinesiology, 2015, 25, 444-450.	0.7	24
33	Cross-Sectional Study of Bowel Symptoms in Adults With Cerebral Palsy: Prevalence and Impact on Quality of Life. Archives of Physical Medicine and Rehabilitation, 2015, 96, 2176-2183.	0.5	17
34	Safety and efficacy of abobotulinumtoxinA for hemiparesis in adults with upper limb spasticity after stroke or traumatic brain injury: a double-blind randomised controlled trial. Lancet Neurology, The, 2015, 14, 992-1001.	4.9	174
35	EXTRACTION OF NEURAL CONTROL COMMANDS USING MYOELECTRIC PATTERN RECOGNITION: A NOVEL APPLICATION IN ADULTS WITH CEREBRAL PALSY. International Journal of Neural Systems, 2014, 24, 1450022.	3.2	13
36	Poster 81 Unusual EMG Findings Associated with Colchicine Neuromyopathy: A Case Report. PM and R, 2014, 6, S210-S211.	0.9	1

#	Article	IF	CITATIONS
37	Longâ€ŧerm Intrathecal Baclofen: Outcomes After More than 10 Years of Treatment. PM and R, 2014, 6, 506.	0.9	53
38	Urinary Incontinence in Adults With Cerebral Palsy: Prevalence, Type, and Effects on Participation. PM and R, 2014, 6, 110-120.	0.9	20
39	Lubiprostone <i>vs Senna</i> in postoperative orthopedic surgery patients with opioid-induced constipation: A double-blind, active-comparator trial. World Journal of Gastroenterology, 2014, 20, 16323.	1.4	29
40	Fibular (Peroneal) Neuropathy. Physical Medicine and Rehabilitation Clinics of North America, 2013, 24, 121-137.	0.7	73
41	Functional outcomes of childhood dorsal rhizotomy in adults and adolescents with cerebral palsy. Journal of Neurosurgery: Pediatrics, 2013, 11, 380-388.	0.8	48
42	Could Kinesiotaping Function as a Geste Antagoniste in Anterocollis? A Case Report. PM and R, 2013, 5, S257-S257.	0.9	0
43	Introduction. PM and R, 2013, 5, S1-2.	0.9	Ο
44	Does Long-term Intrathecal Baclofen Dose Impact Spasticity Pain, Sleepiness, Fatigue, and Life Satisfaction?. PM and R, 2013, 5, S249-S249.	0.9	0
45	Wii Fit Balance Board Playing Improves Balance and Gait in Parkinson Disease. PM and R, 2013, 5, 769-777.	0.9	103
46	Highâ€Resolution Median Nerve Sonographic Measurements. Journal of Ultrasound in Medicine, 2013, 32, 2091-2098.	0.8	15
47	Does Botulinum Toxin Type A Decrease Pain and Lessen Disability in Hemiplegic Survivors of Stroke with Shoulder Pain and Spasticity?. American Journal of Physical Medicine and Rehabilitation, 2012, 91, 1007-1019.	0.7	55
48	Enoxaparin Versus Tinzaparin for Venous Thromboembolic Prophylaxis During Rehabilitation After Acute Spinal Cord Injury: A Retrospective Cohort Study Comparing Safety and Efficacy. PM and R, 2012, 4, 11-17.	0.9	9
49	Poststroke Hypertonicity: Upper Limb Assessment and Treatment. Topics in Stroke Rehabilitation, 2011, 18, 179-194.	1.0	67
50	Do Co-Morbidities and Cognition Impact Functional Change and Discharge Needs in Parkinson Disease?. American Journal of Physical Medicine and Rehabilitation, 2011, 90, 272-280.	0.7	8
51	A Randomized Double-Blind Placebo-Controlled Trial of Botulinum Toxin Type A in the Treatment of Hemiplegic Shoulder Pain and Spasticity. PM and R, 2009, 1, S100-S100.	0.9	0
52	Poster 343: Enoxaparin versus Tinzaparin for Venous Thromboembolic Prophylaxis during Rehabilitation Following Acute Spinal Cord Injury: A Retrospective Comparative Analysis of Safety and Efficacy. PM and R, 2009, 1, S253-S253.	0.9	0
53	Poster 394: Generalized Weakness with Neuromuscular Junction Disorder and Urinary Incontinence Following Botulinum Toxin Type A Injections for Spasticity: Potentiation by Steroid Injection? A Case Report. PM and R, 2009, 1, S275-S276.	0.9	0
54	RE: EXAMINATION OF SELECTED CLINICAL FACTORS AND MEDICATION USE AS RISK FACTORS FOR PNEUMONIA DURING STROKE REHABILITATION: A CASE-CONTROL STUDY. American Journal of Physical Medicine and Rehabilitation, 2009, 88, 1037.	0.7	0

#	Article	IF	CITATIONS
55	Examination of Selected Clinical Factors and Medication Use as Risk Factors for Pneumonia During Stroke Rehabilitation. American Journal of Physical Medicine and Rehabilitation, 2009, 88, 30-38.	0.7	40
56	Poster 204: Median Nerve High-Resolution Ultrasonographic Measures: Correlates With Median Nerve Conduction Studies in Normal Subjects. Archives of Physical Medicine and Rehabilitation, 2008, 89, e86-e87.	0.5	0
57	Poster 217: The Effects of Demographic and Anthropomorphic Characteristics on Median Ultrasonographic Measurements. Archives of Physical Medicine and Rehabilitation, 2008, 89, e90-e91.	0.5	0
58	Effect of Interelectrode Distance on Sural Nerve Action Potential Parameters. American Journal of Physical Medicine and Rehabilitation, 2008, 87, 183-188.	0.7	7
59	The Use of Botulinum Toxin for Spasticity After Spinal Cord Injury. American Journal of Physical Medicine and Rehabilitation, 2008, 87, 312-317.	0.7	39
60	Poster 246: The Falling Young Female Athlete: A Unique Presentation of Peripheral Neuropathy in a Patient With Benign Hypergammaglobulinemia of Waldenström. Archives of Physical Medicine and Rehabilitation, 2007, 88, E80-E81.	0.5	0
61	Prevalence of Clostridium Difficile Colonization at Admission to Rehabilitation. Archives of Physical Medicine and Rehabilitation, 2006, 87, 1086-1090.	0.5	48
62	Serial Electrodiagnostic Studies in West Nile Virus–Associated Acute Flaccid Paralysis. American Journal of Physical Medicine and Rehabilitation, 2005, 84, 904-910.	0.7	4
63	Practice parameter: Utility of electrodiagnostic techniques in evaluating patients with suspected peroneal neuropathy: An evidence-based review. Muscle and Nerve, 2005, 31, 520-527.	1.0	62
64	Repeated dosing of botulinum toxin type A for upper limb spasticity following stroke. Neurology, 2004, 63, 1971-1973.	1.5	87
65	Myotonic dystrophy presenting as new-onset hand weakness and recurrent pneumonia in a patient with paraplegia: A case reportaaNo commercial party having a direct financial interest in the results of the research supporting this article has or will confer a benefit upon the authors(s) or upon any organization with which the author(s) is/are associated Archives of Physical Medicine and	0.5	3
66	Acute flaccid paralysis associated with West Nile virus: Motor and functional improvement in 4 patients. Archives of Physical Medicine and Rehabilitation, 2004, 85, 1933-1938.	0.5	30
67	Daily Vs Twice Daily Enoxaparin in the Prevention of Venous Thromboembolic Disorders During Rehabilitation Following Acute Spinal Cord Injury. Journal of Spinal Cord Medicine, 2004, 27, 236-240.	0.7	38
68	Intramuscular Injection of Botulinum Toxin for the Treatment of Wrist and Finger Spasticity after a Stroke. New England Journal of Medicine, 2002, 347, 395-400.	13.9	544
69	Functional outcomes of persons with brain tumors after inpatient rehabilitation. Archives of Physical Medicine and Rehabilitation, 2001, 82, 457-463.	0.5	102
70	Practice parameter for repetitive nerve stimulation and single fiber EMG evaluation of adults with suspected myasthenia gravis or Lambert-Eaton myasthenic syndrome: Summary statement. Muscle and Nerve, 2001, 24, 1236-1238.	1.0	121
71	Literature review of the usefulness of repetitive nerve stimulation and single fiber EMG in the electrodiagnostic evaluation of patients with suspected myasthenia gravis or Lambert-Eaton myasthenic syndrome. Muscle and Nerve, 2001, 24, 1239-1247.	1.0	146
72	Physical rehabilitation of the cancer patient. Cancer Treatment and Research, 1999, 100, 75-89.	0.2	16

#	Article	IF	CITATIONS
73	Functional outcome following rehabilitation of the cancer patient. Archives of Physical Medicine and Rehabilitation, 1996, 77, 54-57.	0.5	137
74	A complication of nasogastric tube removal. Archives of Physical Medicine and Rehabilitation, 1989, 70, 702-4.	0.5	9